Just for your Tandy Color Computer 1, 2 and 3

August 1989

Canada $4.95 U.S. $3.95

The RAINBOW

THE COLOR COMPUTER MONTHLY MAGAZINE

BEYOND BASIC

OS-9 Survival Training

Bill Barden on Programming in Different Languages

The Nickelodeon

Th[illegible] Box

Plu[illegible]ASIC09 Utilities,
Ke[illegible] Desktop
Hig[illegible]
En[illegible]nts,
and[illegible]



SUB
38538 EXP 8909
RBDM08/89

08
0 44254 00001

Still pounding away at that keyboard?

Save Time and Money with a Combination Subscription!

SAVE up to 19%

when you buy a joint subscription to the magazine and either RAINBOW ON TAPE or RAINBOW ON DISK! A one-year subscription to THE RAINBOW and RAINBOW ON TAPE is only $91 in the U.S., $108 in Canada, $153 foreign surface rate and $188 foreign airmail. A one-year subscription to THE RAINBOW and RAINBOW ON DISK is only $115 in the U.S., $138 in Canada, $183 foreign surface rate and $218 foreign airmail.*

Every month, these convenient services bring you as many as 24 ready-to-run programs. Using the current issue of THE RAINBOW as documentation, all you have to do is load and run them. A one-year combination subscription to THE RAINBOW and RAINBOW ON TAPE or RAINBOW ON DISK give you more than 230 new programs! The typing time you save can be spent enjoying your CoCo!

RAINBOW ON TAPE For No-Fuss Fun

Back issues of RAINBOW ON TAPE are available beginning with the April 1982 issue. A single copy of RAINBOW ON TAPE is $10 within the United States; U.S. $12 in all other countries. The annual subscription rate for RAINBOW ON TAPE is $80 within the U.S.; U.S. $90 in Canada; and U.S. $105 for all other countries.*

RAINBOW ON DISK Offers OS-9 Programs

In addition to all the programs offered on tape, part of one side of RAINBOW ON DISK is formatted for the OS-9 operating system. That means you can now get all the OS-9 programs from the magazine — programs that cannot be put on tape. Back issues of RAINBOW ON DISK are available beginning with October 1986. Subscriptions to RAINBOW ON DISK are $99 a year in the U.S. Canadian rate is U.S. $115. All other countries, U.S. $130. Single copy rate is $12 in the U.S.; U.S. $14 in Canada; and U.S. $16 in all other countries.*

To order by phone (*credit card orders only*), call (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries call (502) 228-4492.

Look for our envelope located between pages 66 and 67 for ordering individual subscriptions to THE RAINBOW, RAINBOW ON TAPE and RAINBOW ON DISK.

YES! Sign me up for a joint 1-year subscription (12 issues) to:

☐ **THE RAINBOW and RAINBOW ON TAPE**
☐ **THE RAINBOW and RAINBOW ON DISK**
☐ **NEW** ☐ **RENEWAL** (attach labels)

Name _____
Address _____
City _____ **State** _____ **ZIP** _____

Payment Enclosed ☐ **(*payment must accompany order)**
Charge: ☐ **VISA** ☐ **MasterCard** ☐ **Am. Express**
Account Number _____
Signature _____ **Exp.** _____

*U.S. currency only, please. In order to hold down costs, we do not bill. Kentucky residents add 5% sales tax. Please allow 6 to 8 weeks for delivery of first copies. Joint subscriptions to THE RAINBOW and RAINBOW ON TAPE or RAINBOW ON DISK begin with the current issue.

Please note: While group purchases of RAINBOW ON TAPE and RAINBOW ON DISK are permitted (and multiple subscriptions are even discounted, if purchased in one order from a club), no license to make copies is conveyed or implied. Yes, your group may even purchase a subscription to our disk/tape services, but such purchase in no way authorizes that *any* copies be made of that original disk/tape. Specifically, this means that the original disk/tape itself may indeed be kept in a club library for use by members. However, a group purchase *does not* entitle club members, individually or as a group, to copy that disk/tape.

Unauthorized copying of any copyright product is strictly illegal. The copyright (right to make copies) is in no way conveyed in the purchase transaction.

From Computer Plus to YOU . . .

PLUS after PLUS after PLUS



Tandy 1400 LT $869*
Tandy 102 32K $439
Tandy 200 24K $429*



Color Computer 3
w/128K Ext. Basic $129*

Tandy 1000 SL $599*
Tandy 1000 TL $969



DMP-132 $199*



Color Computer Disk Drive
Drive 0 $179* Drive 1 $149

TandyFax $1029

BIG SAVINGS ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS

COMPUTERS	
Tandy 1000 HX 1 Drive 256K	539.00
Tandy 1000 TX 1 Drive 640K	799.00*
Tandy 3000 NL 1 Drive 512K	1279.00
Tandy 4000 1 Drive 1 Meg.Ram	1959.00
Tandy 5000 MC 2 Meg. Ram	3799.00
PRINTERS	
Radio Shack DMP-106 80 CPS	**169.00**
Radio Shack DMP-132 120 CPS	**199.00***
Radio Shack DMP-440 300 CPS	**549.00**
Radio Shack DWP-230 Daisy Wheel	269.00*
Tandy LP-1000 Laser Printer	1899.00
Star Micronics NX-1000 144 CPS	199.00
Star Micronics NX-1000 Rainbow	269.00
Panasonic KXP 1180 192 CPS	**249.00**
Panasonic KXP 1191 240 CPS	**299.00**
Panasonic KXP 1124 192 CPS	**399.00**
Okidata 320 300 CPS	369.00
Okidata 390 270 CPS 24 Wire Hd	515.00
NEC Pinwriter P-2200 170 CPS	399.00
MODEMS	
Radio Shack DCM-6	**52.00**
Radio Shack DCM-7	85.00
Practical Peripheral 2400 Baud	229.00
Practical Peripheral 1200 Baud	149.00

COLOR COMPUTER MISC.	
Radio Shack Drive Controller	99.00
Extended Basic Rom Kit (28 pin)	14.95
64K Ram Upgrade Kit (2 or 8 chip)	39.00
Radio Shack Deluxe Keyboard Kit	24.95
HI-RES Joystick Interface	8.95
Color Computer Deluxe Mouse	44.00
Multi Pak Pal Chip for COCO 3	14.95
PBH Converter with 64K Buffer	119.00
Serial to Parallel Converter	59.95
Radio Shack Deluxe Joystick	26.95
Magnavox 8515 RGB Monitor	299.00
Magnavox Green or Amber Monitor	99.00
Radio Shack CM-8 RGB Monitor	249.00
Radio Shack VM-4 Green Monitor	99.00
PBJ 0K COCO 3 Upgrade Board	19.95
PBJ 512K COCO 3 Upgrade	**CALL**
Tandy 0K COCO 3 Upgrade Board	24.95
Tandy 512K COCO 3 Upgrade	**149.00**

COLOR COMPUTER SOFTWARE	TAPE	DISK
The Wild West (CoCo3)		25.95
Worlds Of Flight	34.95	34.95
Mustang P-51 Flight Simul.	34.95	34.95
Flight 16 Flight Simul.	34.95	34.95

COCO Util II by Mark Data		39.95
COCO Max III by Colorware		79.95
Max 10 by Colorware		79.95
AutoTerm by PXE Computing	29.95	39.95
TW-80 by Spectrum (CoCo3)		39.95
TeleWriter 64	49.95	59.95
TeleWriter 128		79.95
Elite Word 80		79.95
Elite Calc 3.0		69.95
CoCo 3 512K Super Ram Disk		19.95
Home Publisher by Tandy (CoCo3)		35.95
Sub Battle Sim. by Epyx (CoCo3)		26.95
Thexder by Sierra (CoCo3)		22.45
Kings Quest III by Sierra (CoCo3)		31.45
Flight Sim.II by SubLogic (CoCo3)		31.45
OS-9 Level II by Tandy		71.95
OS-9 Development System		89.95
Multi-View by Tandy		44.95
VIP Writer (disk only)		69.95
VIP Integrated Library (disk)		149.95

Prices are subject to change without notice. Please call for shipping charges. Prices in our retail store may be higher. Send for complete catalog

*Sale prices through 7/31/89

CALL TOLL FREE
1-800-343-8124

- *LOWEST POSSIBLE PRICES*
- *BEST POSSIBLE WARRANTY*
- *KNOWLEDGEABLE SALES STAFF*
- *TIMELY DELIVERY*
- *SHOPPING CONVENIENCE*

VISA AMERICAN EXPRESS MasterCard

computer plus

P.O. Box 1094
480 King Street
Littleton, MA 01460

SINCE 1973

IN MASSACHUSETTS CALL (508) 486-3193

TRS-80 is a registered trademark of Tandy Corp.

RAINBOW

Table of Contents

August 1989
Vol. IX No. 1



84

56
Time Test
Mary C. Crooks
A new approach to math drills

66
OS-9 Survival Training
Jeffrey Parker
The big scoop on OS-9

84
Nickelodeon
William Budenholzer
Sing along with your CoCo

26



Features

14
Key Ahead
William F. Medlock
Improving the CoCo's operating system

22
USTime & StripBin
Jerry Yates
Two BASIC09 utilities

66



24
Draw it Quick!
Dale Tinklepaugh
A library of graphics designs

26
The Black Box
Evan Veal
A new twist to Hide and Seek

36
The Graphics Corner
William P. Nee
Colorful equations

38
High-Capacity Screen Dumps
H. Allen Curtis
Enhancements for Desktop High

Novices Niche

106
As the World Turns
Michael P. Kraft

107
3-D Grapher
John Mosley

107
But It's Not Winter Yet!
Andre Needham

108
Want a Personalized Phone Number?
David Driessen

108
Now, Where Was I?
Ernie Thompson

110
Sound-to-Play Conversions
Bill Bernico

Columns

100
BASIC Training
Joseph Kolar
Creating graphics characters

60
BASICally Speaking
Larry Boeldt
BASIC problems solved here

62
CoCo Consultations
Marty Goodman
Just what the doctor ordered

64
Education Notes
Steve Blyn
Building reading skills

10
Print #-2,
Lawrence C. Falk
Editor's notes

104
Wishing Well
Fred Scerbo
Time applications

"DELPHI Bureau," "Turn of the Screw," and "Doctor ASCII" will return next month.

Rainbowtech

112
Barden's Buffer
William Barden, Jr.
Computer knowledge in any language

122
KISSable OS-9
Dale Puckett
The big show in Chicago

"Accessible Applications" will return next month.

The cassette tape/disk symbols beside features and columns indicate that the program listings with those articles are on this month's RAINBOW ON TAPE and RAINBOW ON DISK. Those with only the disk symbol are not available on RAINBOW ON TAPE. For details, check the RAINBOW ON TAPE and RAINBOW ON DISK ad on the inside front cover.

Product Reviews

CC3 Flags/*SPORTSware* ____ **97**
Chess Made Easy/*Chessware* ____ **93**
CoCo Stereo Headphone/*Mike Forest* ____ **92**
CoCo XT Hard Drive/*Howard Medical* ____ **94**
Disk Doctor/*Kevin Berner* ____ **94**
King's Quest III/*Sierra Online* ____ **90**
LockMaster/*Right Brothers Software* ____ **93**
Nine-Times/*JWT Enterprises* ____ **98**
Pert ASCII/*Burke & Burke* ____ **96**
Roots/*GSW Software* ____ **98**

Departments

Advertisers Index ____ **128**
Letters to Rainbow ____ **6**
Racksellers ____ **126**
Rainbow Info ____ **12**
Received & Certified ____ **99**

THE RAINBOW is published every month of the year by FALSOFT, Inc., The Falsoft Building, 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059, phone (502) 228-4492. **THE RAINBOW**, **RAINBOWfest** and **THE RAINBOW** and **RAINBOWfest** logotypes are registered ® trademarks of FALSOFT, Inc. • Second class postage paid Prospect, KY and additional offices. USPS N. 705-050 (ISSN No. 0746-4797). POSTMASTER: Send address changes to **THE RAINBOW**, P.O. Box 385, Prospect, KY 40059. Authorized as second class postage paid from Hamilton, Ontario by Canada Post, Ottawa, Ontario, Canada.

• Entire contents copyright © by FALSOFT, Inc., 1989. **THE RAINBOW** is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever. • Tandy, Color BASIC, Extended Color BASIC and Program Pak are registered ® trademarks of the Tandy Corp.

• Subscriptions to **THE RAINBOW** are $31 per year in the United States. Canadian rates are U.S. $38. Surface mail to other countries is U.S. $68, air mail U.S. $103. All subscriptions begin with next available issue. • Limited back issues are available. Please see notice for issues that are in print and their costs. Payment accepted by VISA, MasterCard, American Express, cash, check or money order in U.S. currency only. Full refund after mailing of one issue. A refund of 10/12ths the subscription amount after two issues are mailed. No refund after mailing of three or more magazines.

The Rainbow

Editor and Publisher
Lawrence C. Falk

Managing Editor Jutta Kapfhammer
Associate Editor Sue Fomby
Reviews Editor Lauren Willoughby
Submissions Editor Tony Olive
Copy Editor Kelly Goff
Copy Assistant Theresa Johnson
Technical Editors Cray Augsburg, Ed Ellers
Technical Assistant David Horrar
Editorial Assistant Vivian Turbeville
Contributing Editors
William Barden, Jr., Steve Blyn, Tony DiStefano, Richard Esposito, Martin Goodman, M.D., Joseph Kolar, Dale Puckett, Fred Scerbo, Richard White
Art Director Heidi Maxedon
Designers Sharon Adams, Teri Kays, Denise Webb
Typesetter Renee Hutchins

Falsoft, Inc.

President Lawrence C. Falk
General Manager Bonnie Frowenfeld
Asst. General Mgr. for Finance Donna Shuck
Admin. Asst. to the Publisher Kim Thompson
Editorial Director John Crawley
Asst. Editorial Director Judi Hutchinson
Director of Production Jim Cleveland
Chief Bookkeeper Diane Moore
Dealer Accounts Judy Quashnock
Asst. General Manager For Administration Sandy Apple
Word Processor Manager Patricia Eaton
Customer Service Manager Beverly Bearden
Customer Service Representative Carolyn Fenwick
Chief of Printing Services Melba Smith
Dispatch Paul Bauscher
Business Assistants Laurie Falk, Janie Stainback
Chief of Building Security and Maintenance Lawrence Johnson
Advertising and Development Coordinator Ira Barsky
Advertising Representatives Belinda Kirby, Kim Vincent
Advertising Assistant Debbie Baxter
(502) 228-4492

For RAINBOW Advertising and Marketing Office Information, see Page 160

Letters to the RAINBOW

A Worthy Trip

Editor:

I've used my Color Computer for quite some years now. It started with my eldest son on an old gray CoCo with 4K seven years ago.

I live in Holland, but recently had the opportunity to visit the United States at RAINBOWfest, Chicago.

RAINBOWfest started on Friday evening and before the opening there were large queues waiting in front of a large hall of the hotel, which contained some 20 stands, all from firms familiar to readers of THE RAINBOW.

The first thing everyone wanted to visit was the Tandy booth, to check out any bargains. There were several to be found as well as ample supplies of CoCo 3s, monitors, mouses, modems, Orchestra90, printers, etc.

It was interesting to come face to face with people I've done business with. Some even remembered my name from my order forms. I also met people who design the hardware and software, as well as some contributors to THE RAINBOW.

The lectures were very well attended, and after a while became full of familiar faces. The trip was well worth it.

M. Van Wamelen
Oedelum, Belgium

Exploiting the Power

Editor:

With the CoCo 3, Tandy introduced Microware's OS-9 Level II and a windowing environment, *Multi-Vue*. Last Fall, Tandy introduced the THOR technology (Tandy High-density Optical Recorder) as their gateway to a low-cost optical disk drive. Microware has recently released *Rave*, a graphics application generator for generating *Multi-Vue*-like programs that fully exploit the power of an optical disk.

Put all of these together, add an objective C compiler, and they become the home equivalent of Steve Job's NEXT computer ($7000 at last price). If Tandy's smart with pricing, they could blow it out of the water. Too bad they can't make it portable — it would be great for students.

John Tyler
Pittstown, New Jersey

HINTS AND TIPS

Editor:

In addition to Albert Schriefer's suggestion on ways to configure a *DeskMate-3* disk, ("Letters to THE RAINBOW," May '89, Page 6), here is another way of making it a 40-track single-sided or double-sided disk.

First format a 40-track disk with your OS-9 system disk. Load the following modules in memory: `OS9Gen`, `Copy`, `Makdir` and `Dsave`. Replace the OS-9 disk with the original *DeskMate* 35-track No. 1 disk. With the 40-track disk in Drive 1 and the 35-track *DeskMate* disk in Drive 0, enter the following commands:

```
OS9Gen /d1
```
then press ENTER
```
/d0/os9boot
```
then press ENTER and CTRL-BREAK
```
Dsave -s48 /d0 /d1 ! shell
```

With the OS-9 disk back in Drive 1, build the following patches:

For single-sided 40-track disks:

```
1 d0
c 18 23 28
v
```

for double-sided 40-track disks:

```
1 d0
c 18 23 28
c 19 01 02
v
```

Repeat the procedure for `d1`.

Build a startup file that includes those patches for your new 40-track *DeskMate* disk. Don't forget to copy the module `MODPATCH` on this new *DeskMate*'s `CMDS`.

You may as well include in your startup file a patch to change the disk step rate by changing byte 14 from Value 00 to 03. . . .

Andre Beausejour
Charlesbourg, Quebec

Foiling Around

Editor:

I read in THE RAINBOW some while ago about some person asking about a fix to stop the cursor from flickering when using the Hi-Res Interface with *CoCo Max III*. The response said it was interference from your TV or monitor that caused this interference and suggested moving your monitor and interface further apart. This is o.k. if you are able to do it, but the way my system is set up, it's physically impossible.

On a whim, just the other day, I decided to try to stop some of this interference by wrapping aluminum foil around my interface and part of the cables on either side and, to my surprise, it worked! I found that by wrapping five or six layers of foil around the interface, you can stop close to 50 or 60 percent of the interference without moving anything. I also put a couple layers underneath my monitor for extra shielding. I hope this helps many fellow RAINBOW readers with the same problem.

Duane Doucet
Yar. Co., Nova Scotia

REVIEWING REVIEWS

Editor:

I want to thank Don Dollberg for his review of *Start OS-9: A Hands-On Guide to OS-9 Level II on the Color Computer 3*. We at Kenneth-Leigh Enterprises were overjoyed at his comments.

The Appendix on Compact Disc-Interactive has been included in the latest edition (it was included only on the disk in the First Edition). The Second Edition contains a great deal of new material, forms for joining the OS-9 Users Group, and a free DELPHI sign-up offer. The book is slightly smaller to fit better next to the computer.

Purchasers of the First Edition can write or call Kenneth-Leigh Enterprises for information on the DELPHI sign-up offer and on our low-cost upgrade policy to the Second Edition.

Thanks again to Don Dollberg for his fine review.

Paul K. Ward
Washington, DC

INFO PLEASE

Editor:

What happened to the Pen Pal section of the magazine? I'm sure I am not the only one who noticed it's missing.

THE RAINBOW is more than just information. It is a club letter to all CoCo users.

CIII Pages



by Walter Bayer

The *ultimate* **desktop publishing** program for the CoCo 3. Allows COMPLETE CONTROL of all the elements in the page! Features pull-down menus, icons & dialog boxes, drawing tools (create boxes, polygons, rays, circles, elipses, brush shapes), cut, copy, stamp, paste, zoom, flip horizontal/vertical, enlarge/reduce, rotate at 45 & 90 degrees, stretch, undo, import any ASCII text (even CoCo Max 1/2 Creations & Fonts!), create 2/3 columns, change fonts/invert text & page preview. Includes 14 fonts & 60 pieces of clip art. Over a 1000 hours of programming effort was put into this program! **No other desktop program comes even close.** Req. CoCo 3, RGB/ Monochrome Monitor, Min 1 drive, Tandy Hi-Res Interface, Joystick/mouse & DMP 105/106 or Epson/Gemini & Compatible Printer. Only **$49.95**. w / Hires Inteface Only **$59.95.** w/ Hires Interface & Mouse: **$79.95**

VIP CALC III

Best Spreadsheet for CoCo 3. Only **$69.95** *(2nd Day Air Shipping at no extra charge)*

VIP DATABASE III

The Best Database for the CoCo 3. Only **$69.95***(2nd Day Air Shipping at no extra charge)*

RSB

The revolutionary program that allows you to use Basic under OS9 Level II. Only **$39.95.**

Lightning Series

(From Colorventure)

512K Backup Lightning: Back-up your Disks Fast!! Only **$19.95**

Printer Lightning: Lets you print & simultaneously continue with programming. Only **$16.95**

From Colorware®...

Max 10: $39.95

Spelling Checker for Max 10:**$29.95**

Max 10 Fonts (36 fonts): **$29.95**

CoCo Max III: $49.95

CoCo Max III Fonts (95 fonts): **$49.95**

Max Edit (Font Editor): **$19.95**

NX1000 Rainbow Driver: **$19.95**

CGP 220 Driver: **$19.95**

CoCo Max II: **$69.95**

CoCo Max I (Tape): **$59.95**

MAXPATCH:Run CoCo Max 2 on CoCo 3 **$19.95**

CoCo Util II

Transfer Programs between CoCo & IBM. Will Transfer Basic Programs & ASCII Files. Req DOS 3.2 or lower. Req. IBM Compatible with 2 drives. Only **$39.95**

Xenocopy

An amazingly versatile program that allows you to format/ duplicate / read/write disks between 300 different computers. For ex. you could transfer files between CoCo, IBM, NEC, Model 3, etc. Requires an IBM Compatible with 2 drives. Only **$79.95**

MUSIC

Musica II: Best Music Composition program for the CoCo 1,2 & 3. Disk Only **$29.95**

Lyra: MIDI Based Music Composition program for the CoCo 1,2 & 3. Disk Only **$49.95**

The Lyra Companion (Book): $9.95

CoCo Midi 3 Hardware: Sophisticated MIDI sequencer / recorder. Only **$149.95**

CoCo Midi 3 Software: $59.95

Over 1000 songs available in Musica/MIDI format. Write for more info.

DOS

ADOS 3: Advanced Operating System for the CoCo 3. Epromable. Only **$34.95 ADOS** (CoCo 1,2): **$27.95**(Note: Extended ADOS Might Be Available by the time you read this!)

MJK DOS: Powerful Operating System w/ Full Screen Editor, Epromable. Only **$39.95 MJK-512K: $49.95 MJK: $29.95**

RGB DOS: Supports double sided drives, up to 2 hard drives & more. Epromable. Only **$29.95**

Color Schematic Designer

by Prakash Mishra

Excellent Circuit Schematic Designer for the CoCo 3. Pull Down Menus, Keyboard/ Mouse/ Joystick Support, Multiple UNDOs, Symbol Modify/ Rotate/ Line/ Box Draw, Hi-Res Fonts ,workspace of 640 x 1000 pixels, 3 layers & print support for DMP /Epson Compatible Printers. Only **$39.95**

CEBBS

By Kevin Berner

Best BBS for CoCo 3. Features Xmodem Up/Downloading, unlimited menus, login, message base, built-in clock/calendar, execution of external programs. Sysop has full control of user's access to menus, time on system & remote system access. Full Error Trapping. Even HYPERIO Compatible. Req. **$59.95**. Intro. Special. Only **$49.95**. Min Req. CoCo 3, 1 Drive, & RS232 Pack.

MICROCOM SOFTWARE 2900 Monroe Ave, Rochester, NY 14618.

To Order: Refer to Page 17 of our 6-page ad series (Pgs 7-17)

Credit Card Toll Free Orderline 1-800-654-5244 (9AM - 8PM 7 DAYS/WEEK)

Tech. Info (Between 4-8pm), Order Status, Info: 716-383-8830. Fax: 716-383-0026

VISA MasterCard AMERICAN EXPRESS DISCOVER

UPS 2ND DAY AIR

Granted, RAINBOW has a lot of fine articles to keep us updated on what is happening and the programs are nice, but I would like to know other users, too. So please don't stop this section of the magazine.

Edward G. Russell
Key West, Florida

The Pen Pals and BBS portions of "Letters to the Editor" have been temporarily put on hold. Here at THE RAINBOW *we are developing a new system so that no one will be allowed to advertise their BBS or make a request for pen pals without first signing our "Non-Piracy Agreement."*

This decision is due to a number of complaints we have received from readers over the past several months. Some have written to tell us of pen pals offering to trade copyright programs, and BBSs providing and/or selling copyright programs on their systems for downloading.

Trading and/or selling copyright programs is a federal offense. We at THE RAINBOW *want to protect writers and programmers in the CoCo Community from software theft.*

MPI Madness

Editor:

I need some help. Who, if anybody, is making a Multi-Pak Interface? I recently bought a CoCo 3 and now find the MPI has been discontinued in both Canada and the United States. Where do I turn now?

Bill Lukawy
515 Piccadilly Ave
Thunder Bay, Ontario
P7B5C9 Canada

Yes, The Multi-Pak Interface has been discontinued by Radio Shack. If you cannot find another user willing to part with their MPI, consider Disto's 4-in-1 adapter. This won't let you select different cartridges, but it will give you a hard drive interface, a parallel port, real time clock and a true RS-232 serial port on one card designed to plug into a Disto disk controller. This is especially attractive to OS-9 users.

KUDOS

Editor:

First, thank you for a wonderful magazine. I picked up OS-9 Level II and *MultiVue* at RAINBOWfest, at a great price, and I do not know what I would have done without my back issues. I am starting to understand OS-9 and have found the answers to many problems in THE RAINBOW.

I would also like to send a thank you to Rick at Performance Peripherals. After I installed my 512K upgrade I had a very strange problem with my CoCo 3. I sent it out to Rick, and after a week and quite a few hours of work he found the fix. The best part was the price, which was very reasonable. I strongly recommend him if anyone else has a problem with their CoCo.

If anyone has a fix to make *Ghana Bwana* work on the CoCo 3, could you please drop me a line?

Keith A. Bauer
3305 15th Street
Menominee, MI 49858

A Real Pe'rl

Editor:

Just a short note to let you know how much I appreciate articles such as Richard Perlman's "Do-It-Yourself Database" in the February '89 issue. Though Mr. Perlman was developing a program specifically to be a database, his information was generic enough to be easily used in other applications.

I have been enjoying THE RAINBOW since April of 1985 and find I learn something new in almost every article. Keep up the excellent work.

Alan J. Wagner, Sr.
Quakertown, Pennsylvania

Still Waiting

Editor:

I greatly enjoyed the articles, "Do-It-Yourself Database," by Richard Perlman in the February and March issues. However, he says in the last paragraph, "In the next article, I'll go into more detail. . ." What happened? It was skipped in the April, May, June and July issues.

James B. English
Kansas City, Kansas

Due to health problems, Richard Perlman has been unable to continue the "Do-It-Yourself Database" series as planned. However, we do expect to publish his third installment in the September issue.

THE RAINBOW welcomes letters to the editor. Mail should be addressed to: Letters to Rainbow, The Falsoft Building, P.O. Box 385, Prospect, KY 40059. Letters should include the writer's full name and address. Letters may be edited for purposes of clarity or to conserve space.

Letters to the editor may also be sent to us through our Delphi CoCo SIG. From the CoCo SIG> prompt, type RAI **to take you into the Rainbow Magazine Services area of the SIG. At the RAINBOW> prompt, type** LET **to reach the LETTERS> prompt and then select Letters for Publication. Be sure to include your complete name and address.**

Live rock 'n roll -- a cool jazz band -- a baroque trio
Do it all yourself with the help of your CoCo!

If you've never heard what a CoCo and a MIDI synthesizer can do together, you're in for a real treat! Your CoCo can act as a sophisticated music controller. Use it to compose music on a graphics screen that looks just like printed music, and then play it on your synthesizer for incredible 8-part music. Or use it as a ten track tape recorder; advanced programming then lets you edit, modify, and perfect your performance as much as you wish.

Rulaford Research
P.O. Box 143
Imperial Beach, CA 92032
(619) 690-3648 (evenings 6-10 PT)

- Lyra (an 8 part MIDI music composition program; a great way to enjoy all the music you could never hope to play!) $59.95
- Lyra Lybrary (a 17 disk collection of music transcriptions for Lyra) $14.95 each disk
- The Lyra Companion (a 100 page book packed with tips on using Lyra) $9.95
- CoCo MIDI 3 (a complete professional quality MIDI sequencer) $150.00
- FBEDIT (Edit and create new voices for the FB-01) $29.95

Word Power 3.2

"... Just think of any word processing feature---chances are very likely that *Word Power* has it ... packs a lot of features ... excellent word processor..." --- **Rainbow's Word Processor Comparison Article** "*Deciding What's Right For You*" April 1989 Rainbow: Page 26.

"... *friendly...amazing execution speed...much easier to use than VIP software & 2 other word processing systems I've tried...very user-friendly...massive text storage capacity ...highest among word processors...*" - **Rainbow Oct. 88 Review for Word Power**

More Versatile • More Powerful With Spooler • Calculator • Split-Screen • 2-Column Printing

Unparalleled Power packed in this 100% ML Word Processor written from scratch for the CoCo 3! **No other word processor offers such a wide array of features that are easy to learn & use.**

DISPLAY & SPEED

Word Power 3.2 runs at double-clock speed and uses the **true 80-column display** with lowercase instead of the graphics screen. The result is lightning fast screen reformatting and added speed! **All prompts are displayed in plain English in neat colored windows.** The current column number, line number, page number, percentage of free memory is displayed at all times. Even the **page break** is displayed so you know where one page ends and the other begins. The Setup program allows you to change fore/background colors as well as (in)visible carriage returns. Word Power 3.2 can be used with RGB/Composite/Monochrome monitors as well as TV.

MAXIMUM MEMORY

Word Power 3.2 gives you **over 72K** on 128K and **over 450K** on 512K CoCo 3 for Text Storage - more memory than any other CoCo word-processor. Period.

EFFORTLESS EDITING

Word Power 3.2 has one of the **most powerful and user-friendly full-screen editor with word-wrap.** All you do is type. Word Power takes care of the text arrangement. The unique **Auto-Save** feature saves text to disk at regular intervals for peace of mind.

Insert/Overstrike Mode (Cursor Style Changes to indicate mode);OOPS Recall during delete;Type-ahead Buffer for fast typers;Key-Repeat (adjustable); Key-Click; 4-way cursor and scrolling; Cursor to beginning/end of text, beginning/end of line, top/bottom of screen, next/previous word; Page up/down; Delete character, previous/next word, to beginning/end of line, complete line, text before/after cursor; Locate/Replace with Wild-Card Search with auto/manual replace; Block Mark, Unmark, Copy, Move & Delete; Line Positioning (Center/Right Justified); Set/Reset 120 programmable tab stops; Word-Count; Define Top/Bottom/Left/Right margins & page length. You can also highlight text (underline-with on-screen underlining, bold, italics, superscripts, etc.). Word Power even has a **HELP** screen which an be accessed any time during edit.

SPLIT-SCREEN EDITING

Splits the screen in half so you can view one portion of your text while you edit another. You'll love it!

MAIL-MERGE

Ever try mailing out the same letter to 50 different people? Could be quite a chore. Not with Word Power 3.2! Using this feature, you can type a letter, follow it with a list of addresses and have Word Power print out personalized letters. It's that easy!

CALCULATOR

Pop-up a 4-function calculator while you edit! Great for tables!

SAVING/LOADING TEXT

Word Power 3.2 creates ASCII format files which are compatible with almost all terminal/spell-checking & other word-processing programs. Allows you to Display Free Space, Load, Save, Append & Kill files. The ARE YOU SURE? prompt prevents accidental overwriting & deletion. You can select files by simply cursoring through the disk directory. Supports double-sided drives & step-rates.

PRINTING

Word Power 3.2 drives almost any printer (DMP, EPSON, GEMINI, OKIDATA, etc). Allows options such as baud rates, line spacing, page/print pause, partial print, page numbering/placement, linefeeds, multi-line headers/footers, right justification & number of copies. The values of these parameters & margins can be changed anytime in the text by embedding Printer Option Codes. The **WHAT YOU SEE IS WHAT YOU GET** feature allows you to preview the text on the screen as it will appear in print. You can view margins, page breaks, justification & more.

PRINT SPOOLER

Why buy a hardware Print Spooler? Word Power 3.2 has a **built-in Spooler** which allows you to simultaneously edit one document & print another.

TWO-COLUMN PRINTING

This unique feature allows you to print all or portion of your text in **two columns!** Create professional documents without hours of aligning text.

SPELLING CHECKER

Word Power 3.2 comes with spelling checker/dictionary which finds & corrects mistakes in your text. You can add words to /delete words from dictionary.

PUNCTUATION CHECKER

This checker will proofread your text for punctuation errors such as capitalization, double-words, spaces after periods/commas, and more. Its the perfect addition to any word processor.

DOCUMENTATION

Word Power 3.2 comes with a well-written instruction manual & reference card which makes writing with Word Power a **piece of cake!** Word Power 3.2 comes on an UNPROTECTED disk and is compatible with RSDOS. Only **$79.95**

MICROCOM SOFTWARE, 2900 Monroe Ave, Rochester,NY 14618

All Word Power 3.2 orders shipped by UPS 2nd Day Air at No Extra Charge in Continental US.

For Detailed Order Information, refer to Page 17 of our 6-page Ad series(Pgs 7-17).

To Place Credit Card Orders Call Toll Free 1-800-654-5244 (9am-8pm 7 days/week)

Technical Support (4-8pm), Order Status, Info, Technical Info; 716-383-8830

VISA MasterCard AMERICAN EXPRESS DISCOVER

UPS 2ND DAY AIR

Eight Years Strong

By now, most of you have had a month to peruse our Eighth Anniversary Issue last month and, for long-time readers of THE RAINBOW, I know some of you wondered why my column did not mention anything about it. Well, the truth is that I was simply confused about the month for which I was writing, thinking the column that ended up in July's issue was for the June issue. Of course, you really don't need me telling you that the anniversary is upon all of us because it says so on the cover.

As is done every year, the anniversary issue features a surprise. This year it's a booklet of One-Liners. (Incidentally, if you missed last month's issue, you can still get the booklet from us.) I thought the booklet was an appropriate way to celebrate an anniversary (which, except for *Byte*, may make us the longest continuously-published computer magazine in the world).

I have always been exceptionally partial to One-Liners, perhaps, because they hark back to the early days of the Color Computer, when the CoCo came with an astonishing 4K of memory. By the time the system overhead was accounted for, there was about 2K for program writing. I admit that 2K is quite a bit more than the average One-Liner (or Two-Liner), but the big deal in those days was fitting a usable program into the available memory.

Nope, those 2K spreadsheet programs were not as fancy as the programs we have today, but I think if you asked anyone to write a program that would do something "major" like spreadsheeting, word processing, data communications or the like, and required it to fit in 2K, you would be laughed out of the door. But it was done.

When THE RAINBOW first started, one of the most-often asked questions was whether the owner's CoCo was working right because the screen showed about 2K memory available and the "salesman told me it was a 4K machine." That question, of course, was repeated when Tandy came out with the "amazing" 16K upgrade and the memory available was some 14K.

Indeed, I remember the day when my local salesman called me to say the 16K upgrade was in, if I wanted it. I sped home, got my CoCo, and sped over to Radio Shack on my lunch hour to have a "full-blown" Color Computer. The two days it took to have it installed were among the longest of my life!

The interesting thing is that I never ran out of memory when I had the 4K CoCo, but I did when I got the 16K upgrade. I am sure I simply was more careful about what I was writing on the "little machine," and figured the sky was the limit with the "bigger" one. Of course, I knew a little more about programming by the time the upgrade was available.

Some earlier issues of THE RAINBOW had a few interesting debates about programming structures. But one of the most interesting debates was the one that went on in my own office — whether to compress code in listings or run it so that it was easier to read.

We finally decided we would use the easy-to-read format for our BASIC listings, although that meant we had to reject one or two programs. In order to simply get them to fit into the CoCo's memory, the authors would pack the listings, eliminating the spaces between keywords.

We thought an important part of our job was to teach our readers a little something about how programs worked, and if it was hard (or, sometimes, almost impossible) to read them, it would be difficult at best to figure out the logic of what the writer was trying to do. We have kept that general philosophy up to the present day.

The exception to that rule, of course, is our One-Liners (and Two-Liners). But each is an exercise in programming skills, and it really isn't hard to follow a single line's logic. And, too, they do remind us of our early days with CoCo, where every byte was precious.

—Lonnie Falk

Programming Secrets Galore

Pokes, Peeks and Execs are your guides into the jungle of computer programming. These commands give you the power of Machine Language without leaving the security of BASIC. Each book is a collection of "inside" information, with explanations and examples to help you immediately put it to use. Everyone from the novice to the professional will find these handy books a wealth of information.

300 POKES, PEEKS, 'N EXECS for COCO III

*40/80 column Screen Text Dump
*Save Text/Graphics Screen to Disk
*Command/Functions Disables
*Enhancements for CoCo3 BASIC
*128K/512K RAM Test Program
*HPRINT Character Modifier

Only $19.95

500 POKES PEEKS,'N EXECS

*Autostart your BASIC programs
*Disable Color BASIC/ECB/Disk BASIC commands
*Disable Break Key/ Clear Key/ Reset Button
*Generate a Repeat-key
*Transfer ROMPAKs to tape
*Set 23 different GRAPHIC modes
*Merge two BASIC programs
*And much much more!!!



For CoCo 1,2 and 3. Only *$16.95*
ALL 3 BOOKS for $39.95

SUPPLEMENT TO 500 POKES,PEEKS, 'N EXECS

200 additional Pokes,Peeks and Execs
(500 Pokes Peeks 'N Execs is a prerequisite)
*ROMPAK transfer to disk
*PAINT with 65000 styles
*Use of 40 track single/double sided drives
*High-speed Cassette Operation
*Telewriter, CoCo Max enhancements
* Graphics Dump (for DMP printers)
/Text Screen Dump

For CoCo 1,2 or 3. Only *$9.95*

UNRAVELLED SERIES

An invaluable aid for Basic and Machine Language programmers, these books provide a complete disassembly and annotated listing of the BASIC/ECB and Disk ROMs. These listings give complete, uninterupted memory maps of the four ROMs. Gain complete control over all versions of the color computer.

EXTENDED COLOR BASIC UNRAVELLED: COLOR BASIC and EXTENDED BASIC ROM Disassembly: **$39.95**
DISK BASIC UNRAVELLED: DISK BASIC ROM 1.1 and 1.0 Disassembly : **$19.95**
BOTH ECB AND DISK BASIC UNRAVELLED: $49.95
SUPER EXTENDED BASIC UNRAVELLED: SUPER EXTENDED BASIC ROM Disassembly for CoCo 3. **$24.95**
COMPLETE UNRAVELLED SERIES (all 3 books): $59.95

COCO LIBRARY



CoCo 3 Service Manual: **$39.95**
CoCo 2 Service Manual: **$29.95**
Start OS9 Book + Disk: **$32.99**
Inside OS9 Level II: **$19.95**
Rainbow Guide To OS9 Level II: **$19.95**
Rainbow Guide To OS9 Level II Disk: **$19.95**
Complete Rainbow Guide To OS9: **$19.95**
Complete Rainbow Guide to OS9 2 Disks: **$29.95**
CoCo 3 Secrets Revealed: **$19.95**
Basic Programming Tricks: **$12.95**
Assembly Language Programming(tepco): **$18**
Addendum For CoCo3 (tepco): **$12**
Color Computer Disk Manual: **$29.95**

GAMES (CoCo 1,2,3 unless otherwise specified; min 32K)

Warrior King (CoCo 3): $29.95
In Quest of the Star Lord (CoCo3): $34.95 **Hint Sheet:** $3.95
Hall of the King 1,2,3: $29.95 ea **Trilogy:** $74.95
Pyramix (Cubix for CoCo 3): $24.95
Kung Fu Dude: $24.95
Dragon Blade: $19.95
Champion: $19.95
White Fire of Eternity: $19.95
Quest for the Spirit Stone (CoCo 3): $18
Wargame Designer II (CoCo 3): $29

TREASURY PACK #1: Lunar Rover Patrol, Cubix, Declathon, Qix, Keys of Wizard, Module Man, Pengon & Roller Controller. Only **$29.95**
TREASURY PACK #2: Lancer, Ms. Gobbler, Froggie, Madness & Minotaur, Ice Castles, Galagon, Devious. **Only $29.95**
SPACE PAC: Color Zap, Invaders, Planet Invasion, Space Race, Space War, Galax Attax, Anaroid Attack, Whirlybird, Space Sentry & Storm Arrows. **Only $29.95**

WIZARD's CASTLE: A hi-res graphics adventure game filled with tricks, traps and treasures. Req Min 64K. Only $19.95
Warp Fighter 3D (For CoCo 3): $24.95
Bash (For CoCo 3): $24.95
Mine Rescue (For CoCo 3): $24.95
Speed Racer: Buckle your seatbelt and get ready to race in this Pole Position® type game. Only $34.95
Pinball Factory: Design, Build, Edit and Play the classic game of Pinball. Min 64K. Only $34.95
Demon Seed: Battle the flying, diving & bloodthirsty bats. Only $19.95

Cashman: Explosive color, fast-moving animation and amazing sound-effects! Has over 40 levels! $29.95
Fury: An action packed airborne dogfight simulation. $29.95
Time Bandit: Fight the Evil Guardians, Killer Smurphs & more. Full animation & over 300 screens. $29.95
Rommel 3D: Exciting 3-D Tank Combat Game. CoCo 2.$34.95
Outhouse: One of the funniest, most original games. Excellent graphics, sound effects & playability. $19.95
Mudpies: Crazy circus fun! Only $29.95

MICROCOM SOFTWARE 2900 Monroe Ave, Rochester, NY 14618.

VISA MasterCard AMERICAN EXPRESS DISCOVER

To Order: Refer to Page 17 of our 6-page ad series (Pgs 7-17)
Credit Card Toll Free Orderline 1-800-654-5244 (9AM - 8PM 7 DAYS/WEEK)
Tech. Info (Between 4-8pm), Order Status, Info: 716-383-8830. Fax: 716-383-0026

UPS 2ND DAY AIR

How To Read Rainbow

When we use the term CoCo, we refer to an affectionate name that was first given to the Tandy Color Computer by its many fans, users and owners.

The BASIC program listings printed in THE RAINBOW are formatted for a 32-character screen — so they show up just as they do on your CoCo screen. One easy way to check on the accuracy of your typing is to compare what character "goes under" what. If the characters match — and your line endings come out the same — you have a pretty good way of knowing that your typing is accurate.

We also have "key boxes" to show you the *minimum* system a program needs. But, *do* read the text before you start typing.

Finally, the little disk and/or cassette symbols on the table of contents and at the beginning of articles indicate that the program is available through our RAINBOW ON DISK or RAINBOW ON TAPE service.

Using Machine Language

The easiest way to "put" a machine language program into memory is to use an editor/assembler, a program you can purchase from a number of sources. All you have to do, essentially, is copy the relevant instructions from THE RAINBOW's listing into CoCo.

Another method of putting an ML listing into CoCo is called "hand assembly" — assembly by hand, which *sometimes* causes problems with ORIGIN or EQUATE statements. You ought to know something about assembly to try this.

Use the following program if you want to hand-assemble ML listings:

```
10 CLEAR200,&H3F00:I=&H3F80
20 PRINT "ADDRESS:";HEX$(I);
30 INPUT "BYTE";B$
40 POKE I, VAL("&H"+B$)
50 I=I+1:GOTO 20
```

This program assumes you have a 16K CoCo. If you have 32K, change the &H3F00 in Line 10 to &H7F00 and change the value of I to &H7F80.

OS-9 and RAINBOW ON DISK

The OS-9 side of RAINBOW ON DISK contains two directories: CMDS and SOURCE. It also contains a file, `read.me.first`, which explains the division of the two directories. The CMDS directory contains executable programs and the SOURCE directory contains the ASCII source code for these programs. BASIC09 programs will only be offered in source form so they will only be found in the SOURCE directory.

OS-9 is a very powerful operating system. Because of this, it is not easy to learn at first. However, while we can give specific instructions for using the OS-9 programs, you will find that the OS-9 programs will be of little use unless you are familiar with the operating system. For this reason, if you haven't "learned" OS-9 or are not comfortable with it, we suggest you read *The Complete Rainbow Guide to OS-9* by Dale Puckett and Peter Dibble.

The following is not intended as a course in OS-9. It merely states how to get the OS-9 programs from RAINBOW ON DISK to your OS-9 system disk. Use the procedures appropriate for your system. Before doing so, however, boot the OS-9 operating system according to the documentation from Radio Shack.

1) Type `load dir list copy` and press ENTER.
2) If you have only one disk drive, remove the OS-9 system disk from Drive 0 and replace it with the OS-9 side of RAINBOW ON DISK. Then type `chd/d0` and press ENTER. If you have two disk drives, leave the sytem master in Drive 0 and put the RAINBOW ON DISK in Drive 1. Then type `chd/d1` and press ENTER.
3) List the `read.me.first` file to the screen by typing `list read.me.first` and pressing ENTER.
4) Entering `dir` will give you a directory of the OS-9 side of RAINBOW ON DISK. To see what programs are in the CMDS directory, enter `dir cmds`. Follow a similar method to see what source files are in the SOURCE directory.
5) When you find a program you want to use, copy it to the CMDS directory on your system disk with one of the following commands:

One-drive system: `copy /d0/cmds/` *filename* `/d0/cmds/` *filename* `-s`

The system will prompt you to alternately place the source disk (RAINBOW ON DISK) or the destination disk (system disk) in Drive 0.

Two-drive system: `copy /d1/cmds/` *filename* `/d0/cmds/` *filename*

Once you have copied the program, you execute it from your system master by placing that disk in Drive 0 and entering the name of the file.

The Rainbow Seal

RAINBOW CERTIFICATION SEAL

The Rainbow Certification Seal is our way of helping you, the consumer. The purpose of the Seal is to certify to you that any product that carries the Seal has actually been seen by us, that it does, indeed, exist and that we have a sample copy here at THE RAINBOW.

Manufacturers of products — hardware, software and firmware — are encouraged by us to submit their products to THE RAINBOW for certification.

The Seal is not a "guarantee of satisfaction." The certification process is different from the review process. You are encouraged to read our reviews to determine whether the product is right for your needs.

There is absolutely no relationship between advertising in THE RAINBOW and the certification process. Certification is open and available to any product pertaining to CoCo. A Seal will be awarded to *any* commercial product, regardless of whether the firm advertises or not.

We will appreciate knowing of instances of violation of Seal use.

Rainbow Check Plus



The small box accompanying a program listing in THE RAINBOW is a "check sum" system, which is designed to help you type in programs accurately.

Rainbow Check PLUS counts the number and values of characters you type in. You can then compare the number you get to those printed in THE RAINBOW. On longer programs, some benchmark lines are given. When you reach the end of one of those lines with your typing, simply check to see if the numbers match.

To use *Rainbow Check PLUS*, type in the program and save it for later use, then type in the command RUN and press ENTER. Once the program has run, type NEW and press ENTER to remove it from the area where the program you're typing in will go.

Now, while keying in a listing from THE RAINBOW, whenever you press the down arrow key, your CoCo gives the check sum based on the length and content of the program in memory. This is to check against the numbers printed in THE RAINBOW. If your number is different, check the listing carefully to be sure you typed in the correct BASIC program code. For more details on this helpful utility, refer to H. Allen Curtis' article on Page 21 of the February 1984 RAINBOW.

Since *Rainbow Check PLUS* counts spaces and punctuation, be sure to type in the listing exactly the way it's given in the magazine.

```
10 CLS:X=256*PEEK(35)+178
20 CLEAR 25,X-1
30 X=256*PEEK (35)+178
40 FOR Z=X TO X+77
50 READ Y:W=W+Y:PRINT Z,Y;W
60 POKE Z,Y:NEXT
70 IFW=7985THEN80ELSEPRINT
   "DATA ERROR":STOP
80 EXEC X:END
90 DATA 182, 1, 106, 167, 140, 60, 134
100 DATA 126, 183, 1, 106, 190, 1, 107
110 DATA 175, 140, 50, 48, 140, 4, 191
120 DATA 1, 107, 57, 129, 10, 38, 38
130 DATA 52, 22, 79, 158, 25, 230, 129
140 DATA 39, 12, 171, 128, 171, 128
150 DATA 230, 132, 38, 250, 48, 1, 32
160 DATA 240, 183, 2, 222, 48, 140, 14
170 DATA 159, 166, 166, 132, 28, 254
180 DATA 189, 173, 198, 53, 22, 126, 0
190 DATA 0, 135, 255, 134, 40, 55
200 DATA 51, 52, 41, 0
```

COCO UTILITIES GALORE

(For CoCo 1,2,3 RSDOS; Min 32K Unless Otherwise Specified)

Super Tape/disk Transfer

Transfers Tape-To-Disk, Disk-to-Tape,Disk-to-Disk,Tape-To-Tape. Only **$24.95**

Maillist Pro

Add, Edit, View, Print (Select/All), Sort Mailing Labels. Only **$19.95**

Computerized Checkbook

Add, View, Search & Print Checkbook Entries for savings/checking & other accounts. Only **$19.95**

CoCo 3 Screen Dump

32/40/80 column, PMODE 3/4 dump. Single Key Operation allows you to take snapshots of screens while program is running! For DMP & Epson/Gemini/ Star & Compatibles. Only **$19.95** (CoCo 2 compatible)

RGB Patch

Displays most graphics in Color on RGB Monitors. For CoCo 3.Only **$24.95**

FKEYS III

Create up to 20 function Keys. EPROMable. For CoCo 3.Only **$19.95**

Sixdrive

Allows use of 3 double-sided drives from RSDOS or ADOS. Disk Only **$16.95**

Disk Label Maker

Design Professional labels. Allows expanded, normal, condensed text w/ Double-Strike & Border Printing. Supports DMP, Star, Gemini, Epson & Comp. Printers. Only **$19.95**

Disk Utility 2.1a

The best disk management program for the CoCo 2 & 3. Only **$19.95**

Bowling Score Keeper

For Team & Individuals. **$19.95**

Vcr Tape Orgranizer

Organize your videotapes. A must for VCR Owners. **$19.95**

Home Bill Manager

Organize your Bills.Only **$19.95**

Calendar Maker

Calendr & Appts. Only **$19.95**

From Cer-comp...

Window Master: Windowing Environment for CoCo 3. **$69.95** w/ HiRes: **$79.95**
Window Writer: **$59.95**
Window Basic Compiler: **$99**
Window ED/TASM: **$49.95**
Font/Icon Editors: **$19.95**
Advanced Prog. Guide: **$24.95**
CBASIC: Basic Compiler. Specify CoCo 1,2 or 3. Only **$149.95**
The Source: Best Disassembler. Specify CoCo 1,2 or 3. **$49.95**
EDT/ASM: Best Assembler. Specify CoCo 1,2,3. **$59.95**

Telewriter 64

Best Word Processor for CoCo 2. Disk: **$57.95** Cas: **$47.95**

Autoterm

Best Terminal Software. Disk: **$39.95** Cas: **$29.95**

Pro-Color-File

Best Database For CoCo 2. **$59.95**

From Dr. Preble®

Basic Freedom: **$24.95**
Vocal Freedom: **$34.95**
Hacker's Pac: **$14.95**

Disk Utilities

Use all 360K from your double sided drive & more. **$19.95**

MEMORY MASTER

Run 2 programs at once, fix disks, scan, edit memory on CoCo 2. Only **$19.95**

Educational Programs

Over 100 programs available. Call **716-383-8830** for more info.

Vterm

Terminal Software w/ VT Emulations & more for CoCo 3. **$39.95.**

OS9

RSB

The revolutionary program that allows you to use Basic under OS9 Level II to take advantage of features such as no-halt floppies, hard disks, 2 Mhz operation and more. Only **$39.95**

Start OS9

An excellent hands-on guide to OS9 Level II for the beginner. Req 512K, 2 Drives & Monitor. Book & Disk Only **$32.95**

More Good Stuff...

OS9 Level II BBS V3.0: The absolute best BBS program for OS9. Even comes with its own terminal Program. Req. 512K & RS232 Pack. Only **$29.95**
Level II Tools: 25 utilities such as windowing, wildcards, tree and more. Only **$24.95**
Disk Manager Tree: Change, copy, view,create directories with ease. Req 512K. **$29.95**
Warp One: Complete Level II Windowing Terminal. Req 512K & RS232 Pack. Only **$34.95**
The Zapper: Patch Disk Errors. Disk Only **$19.95**
Multi-Menu: Create your own pop-down windows. Req 512K and Multi-Vue. Only **$19.95**
Presto Partner: Have a notepad, calculator, calendar, phone book,RT clock & more at your fingertips. 512K Req. **$29.95**

Transfer Utilities

GSC File Transfer: Transfer files from MSDOS / OS9/ RSDOS & Flex. Req OS9 (Level II for Multivue Ver.),2 drives, SDISK/SDISK3. Standard Version: **$44.95.** Multivue Version: **$54.95**
SDISK3: Standard drive replacement module allows use of 40/80 DS/DD drives. Req. OS9 Level II. **$29.95** SDISK: **$29.95**
PC-Xfer Utilities: Programs to format/transfer files to/from MSDOS disks to CoCo under Level 1/2. Req SDISK(3): **$44.95**

OS9 Level II Ramdisk

In-memory disk drive! Req 512K. Disk Only **$29.95**

Goldberg Utilities

Power-packed utilities with 15 useful commands such as sort, base conversion, lost file location, disk pack & much more. Only **$24.95**

From Burke & Burke®..

Wild & MV Version 2.1: Use "wildcards" with OS9 & re-arrange directory tree. **$19.95**
EZGen Version 1.04: Powerful OS9 bootfile editor. Changes names, add/delete modules, patch bytes, etc. **$19.95**

From Microtech®...

XWord: Best OS9 Word Processor with True character oriented & more. **$69.95**
XMerge: Mail Merge for XWord. Only **$24.95**
XSpell: 40000 word spelling checker. Only **$39.95**
XED: OS9 Full Screen Editor. Only **$39.95**
XDIS: OS9 Disassembler. **$34.95**
XTerm: OS9 Communications Program. Only **$49.95**
XDir & XCal: Hierarchial directory, OS9 calculator. **$24.95**

From Frank Hogg®...

Dynastar: Most Popular OS9 Word Processor. Only **$99.95**
Dynaspell: Spelling Checker. Only **$74.95**
Both Dynastar & Spell: $124.95
Wiz: Communications Program. Req RS232 Pack. **$59.95**
Inside OS9 Level II:$19.95

From Sugar Software®

OS9 Calligrapher: Turn your printer into a calligrapher's quill & make beautiful flyers, invitations, etc. Includes 3 fonts. Only **$24.95**

Window Writer

Excellent OS9 word processor with multi-tasking, pull down menus & much more. **$59**

Multi-Edit

Create, Edit Application Information Files & Icons for Multi-Vue. **$24.95**

VISA MasterCard AMERICAN EXPRESS DISCOVER

MICROCOM SOFTWARE 2900 Monroe Ave, Rochester, NY 14618.

To Order: Refer to Page 17 of our 6-page ad series (Pgs 7-17)

Credit Card Toll Free Orderline 1-800-654-5244 (9AM - 8PM 7 DAYS/WEEK)

Tech. Info (Between 4-8pm), Order Status, Info: 716-383-8830. Fax: 716-383-0026

UPS 2ND DAY AIR

No more waiting for keyboard input if the CoCo's busy doing something else

Key Ahead

Part II of II

By William F. Medlock

This is the second of two articles for improving the CoCo's operating system. The first article described an auto-repeat and a BREAK and CLEAR key lockout. This one, *Key Ahead*, allows you to type in information or a command before the computer is ready for it. Consider the following program:

```
10 FOR A = 1 TO 5000:NEXT A
30 INPUT"ENTER VALUE 1";B
40 FOR A = 1 TO 5000:NEXT A
50 INPUT"ENTER VALUE 2";C
60 PRINT B+C
```

For the sake of discussion, let us assume that lines 10 and 40 contain important data manipulation. As the CoCo runs now, you must wait for the computer to ask for each value. If a value is entered early, the computer completely ignores it. After Listing 2, KEYAHEAD, is installed, simply type in:

RUN and press ENTER
6 and press ENTER
7 and press ENTER

or other values desired; all at one shot without waiting. The characters typed in will not show on the screen until the computer is ready for them, at which time they appear in the same locations they normally would. The above program can also be used to test KEYAHEAD after it is installed.

William Medlock is a self-taught computer programmer who has worked at everything from fixing TVs to designing telemetry systems and hardware. He is currently involved in hardware, firmware and software development of LAN interfaces.

Program Overview

As with *Repeat*, *Key Ahead* has a Start-Up routine to install it into the operating system. But unlike *Repeat*, *Key Ahead* has three discrete sections, each with independent functions. The first is the above-mentioned Start-Up routine, the second scans the keyboard, the third is used by the operating system for keyboard input. In the assembly listing (See Listing 1.), lines 190 through 480 comprise the first section; lines 500 through 770 comprise the second section; and lines 790 through 960 comprise the third section.

When *Key Ahead* is running, sections two and three provide two distinct functions simultaneously. Section 2 is an Interrupt routine that scans the keyboard. If a key has been pushed, the character is put in a FIFO (First In First Out) Buffer. Section three takes the place of POLCAT in the operation system. Things should make more sense as we explore each section.

Section One

Section 1, or the Start-Up routine, initializes Section 2 as an Interrupt routine, initializes the FIFO read and write pointers, disconnects POLCAT from the operating system, and replaces it with Section 3 of KEYAHEAD.

Since interrupt vectors are being changed, interrupts must be turned off before anything else. Line 250 does this by changing the value in the CC register. Lines 260 through 290 store the address of the old interrupt vector for use by SUPER in Section 2, and replace it with the address of SUPER.

Lines 300 through 320 initialize the values of the read and write pointers to the bottom of the buffer. Lines 330 and 340 store the top address of the buffer in TOP. This is done by adding the value SIZE to the relative address of BUFFER. The value of SIZE is declared in Line 980. The size of the buffer can be changed to any size by changing this value.

Since Section 2 uses POLCAT, which is the operating system's keyboard scanning routine, POLCAT must be disconnected from the rest of the operating system and replaced.

POLCAT is called by four different functions in the operating system: when BASIC executes an INPUT command; when BASIC executes an INPUT command while in the high-resolution mode; when BASIC executes an INKEY instruction; and after each command is executed to test for the press of the BREAK key and future INKEY values.

In each instance, POLCAT is called by a JSR command. The disconnection of POLCAT from the operating system is accomplished by replacing its address in each of these JSR commands, with the address of the third section. Line 350 calculates the address of READ, which is effectively the third section, and lines 360 through 380 place the address in three of the four JSR commands, as shown in the comments.

If the operating system is allowed to test for a press of the BREAK key after each instruction, it takes everything out of the buffer that the second section has placed in it. The BREAK test must be turned off. To do

DISTO PRODUCTS

All Disto Products now carry a 1-Year Warranty and are shipped **2nd Day Air** (at no extra charge!) within Continental US. All Disto Add-Ons (& Super Controller II) include OS9 Drivers, unless otherwise specified.

Disto Mini Controller (with RSDOS or CDOS) : **$74.95**
Disto Super Controller (with RSDOS or CDOS): **$99.95**
Disto Super Controller II (with RSDOS or CDOS): **$129.95**
- **Mini Eprom Programmer Add On: $54.95**
- **Hard Disk Adapter: $39.95** w/ RS232: **$69.95**
- **RT Clock & Printer Interface: $34.95 (OS9 Driver: $19.95)**
- **3-in-1 Multiboard Adapter:** Parallel Port, RT Clock & RS232 Port. **$74.95**
- **MEB Adapter: $34.95**
- **4-in-1 Board:** Parallel Port, RT Clock, RS232 & Hard Disk Interface: **$114.95**

RS232 Super Pack: True RS232 Port for your CoCo! Compatible with Tandy® RS232 Pack. Includes DB25 Cable. 100% Compatible with OS9 ACIA Software. Req. Multipak. Only **$54.95**



HARD DRIVES, Etc.

Systems w/ Seagate Hard Drive, Controller, Cables, CoCo XT Interface, Cables, Case (with fan & 60W Power Supply), Software (OS9 Software & HYPERIO Software!) & Instruction Manuals. Assembled/Tested/Formatted. Just *Plug'N'Run*. Req. Multipak. The Best Hard Drive Deal for the CoCo.

Seagate 20 Meg System: $509
Seagate 30 Meg System: $539
CoCo XT: Use 2 5-120 Meg Drives with your CoCo. Only **$69.95** w/ Real Time Clock: **$99.95**
CoCo XT ROM: Boots OS9 from hard/floppy. Only **$19.95**
HYPERIO: Allows Hard Drive use with RSDOS. Only **$29.95.**
HYPERIO Disto Version (for Disto Hard Drive Interface users).
HYPERIII: Adds RAM Disk & Spooler to CoCo 3 HYPER I/O. Only **$12.95**
HYPERIO Utilities (by Kevin Berner)
Hard Drive Utilities: MSA Backup, Copy/Kill/Rename, Hard Disk Backup to Floppies (vica versa) & more. Only **$21.95**
Disk Doctor: Checks/locks out bad sectors. only **$17.95**
Hard Drive Zap: View tracks, sectors, modify data on your hard disk. Only **$21.95**

DRIVES

There are a lot of dealers selling disk drives for the CoCo. Why buy from us? **First**, all our drives are BRAND NEW Fujitsu DOUBLE SIDED Drives. They are sleek, fast (6ms!), quiet and have a reputation of superb performance and reliability. **Second**, our Drive 0 & 2 Drive Systems come with the acclaimed DISTO Controller - with gold plated contacts & built-in ROM which allows you to access BOTH sides of our drives!. **Third**, our Drive 0 & 2 Drive Systems come with the **Official** 200 page Radio Shack Disk Manual. **Fourth**, you get $50 worth of our utility software (Disk Util 2.1A & Super Tape/Disk Transfer). Our drive systems are head & shoulders above the rest!

Drive 0 (with Disto Controller, Case, Power Supply, 1 Drive Cable, Manual, Software): **$209**
Drive 1 (with Case, Power Supply & Software): **$129** Bare 5 1/4" Drive: **$89**
2 Drive System (With Disto Controller, Case, Power Supply, 2 Drive Cable, Manual & Software): **$309**
1 Drive Cable: $16.95 **2 Drive Cable: $22.95** **4 Drive Cable: $34.95**
FD501 Upgrade Kit: Bare Drive, 2 Drive Cable & Instructions: **$109**
FD502 Upgrade Kit: Call 716-383-8830 for pricing & availability.

Magnavox 8CM515 RGB Monitor



Razor Sharp picture quality for your CoCo! Has 14" Screen, Analog/TTL RGB & Composite Inputs for CoCo 2/3, Speaker,Text Display Switch, Tilt Stand & 2 Year Warranty. Compatible with CoCo, IBM & many other computers! Only **$269** (add $12 S&H/$40 in Canada) Lowest Price in the Rainbow!

Magnavox RGB Cable for CoCo 3 and Composite Video / Audio Cable Set with Purchase of Monitor: **$19.95**



Rascan Video Digitizer

State-of-the-art video digitizer for the CoCo 3. *640 x 200* & *320 x 200* work area in color! Includes pop-up menu system, driver software & print driver disk.
Only **$159**

More Good Stuff...

DS69B Digitizer: Use your CoCo to display pictures from your VCR. Comes complete with CSEE Software. Only **$149.95. CoCo 2 Version: $99.95**

Questron Joystick (for CoCo): Atari type joystick w/ Rapid Fire. Only **$29.95**
Advanced Gravis Joystick: Features tension, rotary-centering, free floating controls with 3 buttons. Only **$59.95**
TRS-80 Color Mouse: $19.95(limited quantities)
MPI Locking Plate (Specify 26-3024/3124): **$8**
5 1/4" DS/DD Disks: $.40 each
5 1/4" Colored DS/DD Disks: $.89 each
3 1/2" DS/DD Disks: $1.49 each
5 1/4" Disk Case (for 70 disks): **$9.95**
3 1/2" Disk Case (for 40 disks): **$7.50**



NX1000 Color Ribbon:$12.95
NX1000 Black Ribbon: $8.50
Seikosha, EPSON, DMP,Panasonic, Okidata Gemini Ribbons: Only $8.50 each

Hardware Hackers: We are interested in your projects. Excellent royalties. Call 716-383-0026.

MICROCOM SOFTWARE 2900 Monroe Ave, Rochester, NY 14618.

To Order: Refer to Page 17 of our 6-page ad series (Pgs 7-17)
Credit Card Toll Free Orderline 1-800-654-5244 (9AM - 8PM 7 DAYS/WEEK)
Tech. Info (Between 4-8pm), Order Status, Info: 716-383-8830. Fax: 716-383-0026

VISA MasterCard AMERICAN EXPRESS DISCOVER

UPS 2ND DAY AIR

MORE BAUD LESS BUCKS

Save Time and Money with a Surprisingly Affordable 2400/1200/300 BPS Hayes - Compatible Modem for any Computer.

Don't be fooled by the low cost of these 2400 baud modems. These are high quality modems made in the USA, with performance features unmatched by competitors costing three times as much.

This is full-featured Hayes compatible modem that works with any computer. It features superior Hayes compatibility, advanced digital signal processing, and adaptive equalization for great performance and reliability. All of this in a compact, attractive go-anywhere package that's not not much larger than a paperback book.

Convenience features like call progress tone detection, auto-dial and auto-answer, a call progress speaker with volume control, a second jack for a local phone, on board diagnostics.

Money saving premiums for sign-up and connect time for Delphi, The Source, CompuServ, etc. Software available: ProcComm (PC) + 5; QuickLink (Mac) + 5; WizPro is free (shareware).

Backed by two year mfg. warrantee, so you can buy with confidence that comes with 11 years of telecommunication experience.

2400/1200/300 BPS modem $125.00

(Please add 2.50 shipping and handling)
Dealer inquiries welcome.

GCS FILE TRANSFER UTILITIES

See: Review - December Rainbow.
Dale Puckett - November Rainbow.

The **GCS File Transfer Utilities** provide a simple and quick method to transfer text and binary files from and to a variety of floppy disk formats.

Just place the **PC (MSDOS), RSDOS, FLEX** or **MINI-FLEX** disk into your disk drive - enter a simple command and the file is copied into a **OS-9** file. File transfer back is just as simple. Under Multi-Vue version, just select command from one of three menus.

Commands **Dir** of PC, RS or FLEX disk
Dump disk sector of PC, RS or FLEX
Read file from PC, RS or FLEX disk
Write file to PC, RS or FLEX disk
Rename file on PC disk
Delete file from PC disk
Format PC disk

Extensive Options Single, Double sided disks.
Single, double density disks.
35, 40 or 80 track floppy drives.
8 or 9 sectors (PC).
First level sub-directories (PC).
Binary files. Use pipes for direct and multiple transfers.

Requires OS-9. 2 drives (one can be hard or ramdisk - one floppy 40 T DD DS).
Multi-Vue for Multi-Vue version.
SDISK (SDISK3 for COCO III).

GCS File Transfer Utilities for CoCo

Multi-Vue	**version**	**$54.95**
Standard	**version**	**$44.95**
SDISK or SDISK3		**$29.95**

Standard diskettes are OS-9 format (5.25") add $2.50 for 3.5". Orders must be prepaid or COD. VISA/MC. Add $1.75 S&H, COD is additional.

GRANITE COMPUTER SYSTEMS
Route 2 Box 445 Hillsboro, NH 03244
(603) 464-3850

OS-9 is a trademark of Microware Systems Corporation and Motorola Inc. MS-DOS is a trademark of Microsoft Corp. FLEX is a trademark of TSC, Inc.

this, instead of inserting the address of READ into the JSR command of this function, it is tricked into "thinking" that the test has taken place and the result is no key. This is done by replacing the JSR command with a CLRA and two NOP commands, lines 390 through 430. The changes in BREAK and INKEY operation is discussed in the caveat section at the end of the article.

There is one more connection that exists between POLCAT and the outside world. That is the POLCAT vector stored in locations $A000 and $A001.(There is more about this use of POLCAT in the Extended BASIC book or the *EDTASM* manual.) Lines 440 through 460 store the address of POLCAT for use by POLL in the second section and replace it with the address of READ. The installation of KEYAHEAD is complete. Lines 470 and 480 turn the interrupts back on and return control back to BASIC.

Section Two

There is one difficulty with setting up an Interrupt routine; there already is one. The CoCo has an interrupt task running all the time. One of the purposes of this task is to time out the disk drive motor. It also controls the timer accessed by BASIC. The solution to the problem is to execute each interrupt routine at every other interrupt.

A routine that allocates time in a computer is called a supervisor. *Key Ahead* has one called SUPER. Granted, it is probably the smallest supervisor you'll ever see, but it's all that is needed.

Location TOGGLE is alternately cleared and incremented. When TOGGLE contains a zero, it is incremented and control is passed to the original Interrupt routine, the address of which is stored in SUBONE. When TOGGLE contains a one, it is cleared and control is passed to POLL.

POLCAT is called by POLL, Line 680, and Line 690 tests for a key. Lines 700 and 710 store the character in the FIFO buffer. The exact location in the buffer is determined by the value of the write pointer WRPTR. After it is incremented the value of WRPTR is compared with the top of the buffer, Line 720. If they are equal, WRPTR is restored to the bottom of the buffer, Line 740. Line 750 places the pointer value back in memory, Line 760 clears the interrupt, and Line 770 returns control back to BASIC or the machine language application program that happens to be running.

Section Three

The third section, or READ, takes the place of POLCAT in the operating system. The same registers are pushed to the stack as were with POLCAT. If you're wondering why Section 2 did not push any registers, it is because the microprocessor automatically pushes the entire processor state to the stack whenever it receives an interrupt request.

Register A is cleared to show a no-key condition, Line 860. The read and write pointers are compared, lines 870 and 880; if they are equal, the buffer is empty. If the pointers are not equal, A is loaded with the top of the buffer and restored if the top has been reached, lines 910 through 930. Lines 940 through 960 place RDPTR back in memory, restore the registers and return control to the calling routine.

The size of the FIFO buffer can be changed by changing the value in Line 980. You'll never use more than 256 bytes. The PC uses much less, but the PC warns you when you have filled the buffer. *Key Ahead* does not. When the write pointer wraps around and catches up with the read pointer, *Key Ahead* thinks that the buffer is empty and everything that was typed ahead is lost. So it is best to keep the buffer size large.

This is not a multitasking environment in the strictest sense. In a multitasking environment, every task has its own stack. *Key Ahead* uses the existing stack.

Assembling the Program

Key Ahead was written using relative addressing. See the previous article for a discussion of PC relative indirect addressing. KEYAHEAD can be entered using a disk assembler such as Color Disk *EDTASM*, or the cartridge *EDTASM*. If a disk assembler is used, KEYAHEAD can be assembled to disk without a start address. It can then be loaded into any part of memory and started using:

```
LOADM"REPEAT",address
EXEC
```

The same procedure can be used if the cartridge *EDTASM* and a tape system is used, with CLOADM being used instead of LOADM. If you have a disk system but only have the cartridge *EDTASM*, first decide what address will be used for the start of KEYAHEAD. Then assemble to tape or assemble to memory and save to tape. Then re-insert the disk controller, load *Key Ahead* from tape and resave to disk using SAVEM.

Repeat and *Key Ahead* can be loaded and started individually; although starting *Key Ahead* alters the speed of *Repeat*. There are two cautions if this is done. First, always start *Repeat* first; the computer hangs if *Key Ahead* is started first. Second, make sure the two programs do not overlap. Just to make remembering easier, leave 256 bytes for *Repeat* and 512 bytes for *Key Ahead*.

BIG BASIC NEW!

Full Power for your CoCo 3!
(From Danosoft)
Gives up to 92K User Memory in 128K CoCo and 476K in 512K CoCo from BASIC with any mix of program/variables. You can have one BIG program or 58 Separate ones running at once from computer memory in multiple windows! Big Basic also allows you to Disk Chain any size program. Step up to the full potential of your CoCo 3 with Big Basic. Only **$39.95**

512K Upgrades

Fully assembled, tested and ready to be shipped NOW! Our design allows mounting chips on top to prevent any heating problems. No soldering; Full PICTURE instructions for 2 minute installation! Comes with following software (value $100):

- 512K Ramtest
- 512K Backup Lightning
- 512K Print Spooler
- 512K Ramdisk
- OS9 Level II Ramdisk

The absolute best 512K Upgrade Package Available!
90 day warranty! **New Low Price $149.95**
0K Upgrade Board (with 512K Ramtest/Ramdisk/Spooler): **$39.95**

Upgrades for CoCo 2

64K Upgrade (8 chip) for CoCo I, CoCo II's with Cat # 26-3026/3027/3134/3136: **$29.95**
64K Upgrade (2 chip) for 26-3134 A/B CoCo II: **$39.95**
(Free 64K Software included with 64K Upgrades)

COMMUNICATIONS EXTRAVAGANZA

(1) **Avatex 1200e Modem:** Fully Hayes Compatible 300/1200 w speaker, Auto Dial/Answer/Redial.
(2) **MODEM CABLE** (4pin to DB25; Reg $19.95)
(3) **Autoterm** Software (Reg $39.95)
(4) Free Compuserve Offer & Access Time
(5) **UPS 2nd Day Air Shipping**
Only **$129.95**



Avatex 1200e Modem Only : $85
Zoom 2400 Modem Only: $149
Communications Extravaganza 2400: Includes Zoom 2400 baud modem, cable, software & 2nd Day Air Shipping. Only **$189.95**
All our modems carry a 2 Year Warranty!

KEYBOARDS, ETC...

Keyboard Extension Cable allows you to move your keyboard away from the computer & type with ease. Use your existing keyboard or leave your present keyboard intact and use a second keyboard. Only **$39.95**
CoCo 3 Keyboard: $39.95 w/ Extension Cable: **$69.95**
CoCo 2 Keyboard: $19.95 w/ Extension Cable: **$49.95**
(CoCo 3 Keyboard includes free Function Keys Software)

EPROM ...



INTRONICS EPROM PROGRAMMER: Programs 2516 to 27512 & more! Includes software & complete documentation. Latest version. Lowest Price Anywhere. CoCo 1,2,3. Only **$137.95**
DATARASE Eprom Eraser: For 24/28 pin Eproms. Only **$49.95**
Both Eprom Programmer & Eraser: $179.95



2764 Eprom: $8 **27128 Eprom: $9**
ROMPAK (w/ Blank PC Board, 27xx Series): $12.95
BLANK CARTRIDGE (Disk Controller Size): $10.95

CABLES, Etc.



Magnavox 8505/8515/8CM643 Analog RGB Cable: $24.95
Serial-to-Parallel Interface: Use your parallel printer at high speed (300-9600 baud) with the CoCo. Comes with all cables. No software compatibility problems. Only **$44.95**
15" Shielded Multipak Extension Cable: $36.95
Y Cable: Use your disk system with Speech/RS232 Pack, DS69 Digitizer, etc. Only **$27.95**
RGB Analog Extender Cable: $19.95
SONY Monitor Cable: $29.95
MODEM Cable: 4 pin to DB25. Only **$19.95**
2 Position Switcher: Hook 2 devices to serial port. **$29.95**
HI-RES Joystick Interface: $11.99

CHIPS, Etc.

Genuine RS **Disk Rom 1.1** (Needed for CoCo 3): **$29.95**
ECB Rom 1.1: $29.95
68B09E Chip: $14.95 **68B21 Chip: $5.95**
GIME Chip for CoCo 3:**$39.95**
Genuine RS **Multipak PAL Chip** (Specify 26-3024 / 26-3124): **$19.95**
PAL Switcher: Allows you to switch between CoCo 2 & 3 modes when using the Multipak. You need the OLDER & NEW PAL Chip for the 26-3024 Multipak. Only **$39.95.** With NEW PAL Chip Only **$49.95**

MICROCOM SOFTWARE 2900 Monroe Ave, Rochester, NY 14618.

VISA MasterCard AMERICAN EXPRESS DISCOVER

To Order: All Orders $50 & above (except Printers, Monitors, Drives, Computers) shipped by **UPS 2nd Day Air** at no extra charge in Continental US. We accept Visa, MC, Amex, Discover, Check, MO & School PO's. Please add $3.00 S&H ($10 for Drives) in Continental US; all others add 10% S&H (Min $5). NYS Residents please add sales tax. Our Australian Agent: Australian Peripheral Development. Ph: 07-208-7820.
Credit Card Toll Free Orderline 1-800-654-5244 (9AM - 8PM 7 DAYS/WEEK)
Tech. Info (Between 4-8pm), Order Status, Info: 716-383-8830. **Fax:** 716-383-0026.

UPS 2ND DAY AIR

Listing 1: KEYSBIN

```
00090TITLE   KYAHEAD.ASM
00100 *************************
00110 * KEYAHEAD              *
00120 * MAY BE LOADED TO ANY  *
00130 * LOCATION              *
00140 * MUST NOT BE INSTALLED *
00150 * BEFORE REPEAT         *
00160 * COCO III ONLY         *
00170 *************************
00180
00190 * FIRST SECTION
00200 *************************
00210 * START UP ROUTINE      *
00220 * INSTALLS KEYAHEAD IN  *
00230 * OPERATING SYSTEM      *
00240 *************************
00250 START  ORCC    #$50           DISABLE INTERRUPTS
00260LDD     $10D            INTERRUPT JUMP ADDR
00270STD     SUBONE,PCR
00280LEAY    SUPER,PCR       ADDR OF SUPER
00290STY     $10D            SUPER IS NEW INTERRUPT
00295                        *ENTRY POINT
00300LEAX    BUFFER,PCR      ADDR OF BUFFER
00310STX     WRPTR,PCR       INITIALIZE WRITE PNTR
00320STX     RDPTR,PCR       INITIALIZE READ PNTR
00330LEAX    BUFFER+SIZE,PCRADDR OF TOP OF BUFFER
00340STX     TOP,PCR         ADDR OF TOP INTO TOP
00350LEAX    READ,PCR        ADDR OF READ ROUTINE
00360STX     $A0DA           JMP FROM INPUT
00370STX     $F781           JMP FROM INPUT H RES
00380STX     $A569           JMP FROM INKEY
00390LDA     #$4F            CLRA CODE
00400LDY     #$ADEB          JMP FROM BREAK POLL
00410STA     ,Y+             INSERT CLRA
00420LDD     #$1212          2 NOP'S
00430STD     ,Y              INSERT NOP'S
00440LDD     $A000           POLCAT VECTOR
00450STD     KEYSUB,PCR
00460STX     $A000           READ IS NEW POLCAT
00465                        *VECTOR
00470ANDCC   #$AF            TURN ON INTERRUPTS
00480RTS                     BACK TO BASIC
00490
00500 * SECOND SECTION
00510 *************************
00520 * SUPERVISOR            *
00530 * CONTROLS TIME         *
00540 * DISTRIBUTION          *
00550 *************************
00560 SUPER  TST     TOGGLE,PCR     WHO'S TURN IS IT
00570BNE     POLL            POLL'S TURN
00580INC     TOGGLE,PCR      NEXT TIME POLL'S TURN
00590JMP     [SUBONE,PCR]    JUMP TO ORIG INTR
00595                        *ROUTINE
00600
00610 *************************
00620 * KEYBOARD POLL         *
00630 * USES POLCAT, WHICH HAS*
00640 * BEEN LIFTED OUT OF    *
00650 * OPERATING SYSTEM      *
00660 *************************
00670 POLL   CLR     TOGGLE,PCR     NEXT TIME ORIG INTR
00675                        *ROUTINE
00680JSR     [KEYSUB,PCR]    JUMP TO POLCAT
00690BEQ     POUT2           NO KEY
00700LDX     WRPTR,PCR       WRITE POINTER
00710STA     ,X+             STORE NEW CHARACTER
00720CMPX    TOP,PCR         TOP OF BUFFER
00730BNE     POUT            NOT TOP OF BUFFER
00740LEAX    BUFFER,PCR      RESET WRPTR TO BOTTOM
00750 POUT   STX     WRPTR,PCR      STORE WRPTR
00760 POUT2  LDA     $FF02          CLEAR INTERRUPT
00770RTI                     RETURN FROM INTERRUPT
00780
00790 * THIRD SECTION
```

If you are using *EDTASM*, *Repeat* and *Key Ahead* can be merged into one program (this is best from a performance point of view). First, delete all lines up to and including Line 90 in both programs. Make sure the listings include all comment and blank lines. Then, use the following command sequence:

```
LD REPEAT
LDA KEYAHEAD
N100,100
M2210,8300:12200,1
D2200
D6400
D7500
D8200
E2225
5D
```

Then change the constant in Line 6300 to #$15, and the constant in Line 7400 to #4. This command sequence assumes lines 730 and 840 are included in the REPEAT listing.

BASIC Program

If you are not already familiar with any of these procedures, or do not have any type of assembler, use the included BASIC program.

The BASIC version of *Key Ahead* can be used with a minimum of effort. Note that the line numbers are not consecutive multiples of ten, as is customary. The BASIC versions of *Key Ahead* and *Repeat* can be merged together so that all functions can be performed by one program, without any modification. The only requirement is to type in the programs exactly as they are listed. REM lines and lines not serving any purpose are there for a reason. Like the assembly language versions, *Repeat* and *Key Ahead* can be started separately, but the repeat speeds will be wrong. So it is best to merge them. The repeat speeds are corrected when the programs are merged.

Unfortunately, automatic merging can only be done with a disk system; but it is possible to merge manually by noting line number duplications. Remember that lines from KEYAHEAD take priority over lines from REPEAT. To merge the two programs, *Key Ahead* must be saved to disk in ASCII format (i.e., SAVE "KEYAHEAD", A). First load REPEAT, then type MERGE "KEYAHEAD".

Applications and Caveats

When *Repeat* and *Key Ahead* are running together, the repeat speeds no longer depend on what type of applications program is running (BASIC or machine language). Repeat speeds depend on the delay constants and the interrupt rate only.

When *Key Ahead* is running with machine language application programs with flashing cursors, many times the cursor

3 Fabulous Bargains!

These specials will be withdrawn without notice. Don't miss them!

Max-10™

The Dazzling Word Processor

$39.95

Max-10: the Rolls-Royce of word processors. The only one with true graphic capability and dozens of type styles. Using your dot matrix printer you get from tiny footnotes (6 point) to big titles (24 point).

The *Rainbow* review (1/89) said: **"An incredible job of providing power, flexibility and speed in a program that is as easy to use as it is to pronounce! ... Max-10 takes a back seat to none, and is beyond comparison with most."** Max-10, the only word processor with **"What You See Is What You Get"**. A word processor you will love at first sight.

CoCo Max III

The Famous Graphics Creator

$49.95

CoCo Max III: now a classic and probably the most popular CoCo program ever. If the price was the reason that stopped you before, this *special* will delight you. Listen (*Rainbow* 3/88): **"There are no limits to what you can do with this fabulous program. Speed, ease, animation, power and color, all in one package. CoCo Max III is the ultimate program for the CoCo 3."** Check any Rainbow (up to 4/89) for complete info on CoCo Max.

To top it off, we include a free **Demo Disk** plus the super **CoCo Show** program, which lets you make your own "slide shows".

Save $70

BOTH

CoCo Max III and **Max-10** for only

$79.95

Desktop Publishing: together, **CoCo Max III** and **Max-10** form an unbeatable system for reports, flyers, invitations, greeting cards, signs, newsletters, etc. It's far beyond anything you've ever seen on a CoCo.

Here is one of the hundreds of unsolicited letters we got: **"Max-10 and CoCo Max III are wonderful. They are the first Color Computer products I have purchased that were even better than I hoped for."**

At **Colorware**, we all work hard to make you feel that way and we thrive on your appreciation.

About Max-10

What the CoCo Community needs is a word processor that's rock solid, blindingly fast, feels like a Macintosh, makes all the others look boring, and does not cost $80

Max-10 is just that and more. It allows on screen mixing of graphics and text, large headlines, multiple columns and full page preview (with graphics).

We swear that Max-10 will add excitement to your word processing, and that's no small task!

PRINTERS SUPPORTED: EPSON FX,MX,RX,LX AND COMPATIBLES; DMP 105,106,110,130; CGP220 (B&W); OKI 182,92,192; STAR NX-10, NX-1000.

Max-10 Add-ons

- **Max-10 Fonts**. 36 super fonts on 2 disks. Send for list. Order #C-23 ..... **$29.95**
NOTE: Max-10 and CoCo Max Fonts aren't interchangable.
- **Spell Checker** 50000 word dictionary for online spell checking and dictionary lookup. Perfect seamless integration with Max-10. Order #C-24..... **$29.95**

System Requirements

Max-10 and CoCo Max III Require: any CoCo 3; 1 or more disk drives; joystick or mouse; Radio Shack or Colorware Hi-Res Pack;a video or RGB monitor or a TV.

About CoCo Max III

Whether you doodle for fun or do graphics for a living, **CoCo Max** will amaze you. It's a promise.

Its major features include: Huge picture area (2 full hi-res 320x192 screens). Large editing window. **Zoom** mode for detail work. 28 point and click drawing tools. Shrink and stretch. **Rotation** at any angle (1.5° steps). 512K memory support (all features work with 128K too). Undo (Oops) feature to fix mistakes. **Animation**. Special effects. Color sequencing (8 colors, variable speed). 13 fonts (more available). Each font has 8 sizes and 5 styles for thousands of possible combinations. Translate program to convert most types of pictures. **CoCo Show** "slide show" program. Miniload program to help use pictures with your software. Color editing of patterns. Prints in single or double size. Select 16 of 64 available colors, all 64 colors are shown at once for easy selection. Pull-down menus. **40 paint brush** shapes. Two color lettering. Spray can. Amazing "flowbrush". RGB and composite monitor support. Colors print in 5 shades of gray.

PRINTERS SUPPORTED: EPSON RX,FX,MX,LX AND COMPATIBLES; STAR/GEMINI NX-10,NX-1000; DMP100,105,106,110,120,130,200; OKI 82A,182,192; CGP-220(B&W)

Color Drivers available. See next column.

CoCo Max III Add-ons

- **Max Fonts** disks. 95 fonts on 4 disks. Order #C-73..... **$49.95**
- **Max Edit** Create new fonts or edit existing ones. Order #C-16 ..... **$19.95**
- **Color Printer** drivers for NX-1000 Rainbow (#C-2), CGP-220 (#C-1) or Okimate 20 (#C-3)..... ..... each **$19.95**

CoCo Max I and II

- **CoCo Max I on tape**. See previous ads or write for info. For CoCo 1 or 2. Order #C-7..... **$59.95**
- **CoCo Max II**. For all disk CoCos. Multi-pak or Y-Cable required. #C-85..... **$69.95**

Digitizers

Digitize any picture from any video source (VCR, camera...) for use with CoCo Max III and Max-10.

DS-69. Requires Multipak. 2 pictures per second. Order #C-18 ..... **$99.95**

DS-69B Faster: 8 pix/sec. #C-92... **$149.95**

Call or Write Now

VISA (203) 348-9436 MasterCard

Weekdays 9-5 EST

Ordering Information: We accept Visa, Mastercard, Checks, and M.O. C.O.D. is $4 extra. Purchase orders are subject to credit approval. CT residents add 7.5% sales tax.

Shipping: $4 per order (usually UPS ground). UPS 2nd Day Air: $4 extra. Next Day service available. Canada: $6 per order (Airmail). Outside US and Canada: Add 10% of order total.

COLORWARE

COLORWARE
242-W West Avenue
Darien, CT 06820

```
00800 ************************
00810 * READ FROM FIFO BUFFER *
00820 * REPLACES POLCAT IN    *
00830 * OPERATING SYSTEM      *
00840 ************************
00850 READ     PSHS    U,X,B          PSH WHAT POLCAT PUSHES
00860  CLRA                   MAKE A SHOW NO KEY
00870  LDX     RDPTR,PCR      ADDR OF READ POINTER
00880  CMPX    WRPTR,PCR      ADDR OF WRITE POINTER
00890  BEQ     RDOUT2         POINTERS EQUAL BUFFER
00895                         *EMPTY
00900  LDA     ,X+            LOAD NEW CHARACTER
00910  CMPX    TOP,PCR        TOP OF BUFFER
00920  BNE     REDOUT         NOT TOP OF BUFFER
00930  LEAX    BUFFER,PCR     RESET RDPTR TO BOTTOM
00940 REDOUT   STX     RDPTR,PCR      STORE RDPTR
00950 RDOUT2   PULS    U,X,B          RESTORE REGISTERS
00960  RTS
00970
00980 SIZE     EQU     256
00990 ************************
01000 * MEMORY ALLOCATION     *
01010 ************************
01020 TOGGLE   RMB     1
01030 SUBONE   RMB     2
01040 KEYSUB   RMB     2
01050 WRPTR    RMB     2
01060 RDPTR    RMB     2
01070 BUFFER   RMB     SIZE
01080 TOP      RMB     2
01090  END
```

will flash much faster than normal. This is because the cursor is flashed by counting the number of keyboard polls and READ is much shorter than POLCAT.

There is no SHIFT-@ pause available while scrolling a LIST or DIR, or while running a BASIC program. SHIFT-@ was turned off by the same action that turned off the BREAK key test, and for the same reason. Every- time the operating system tests for a SHIFT-@, it takes a character from the buffer, draining the buffer dry, so you would be typing into a bottomless pit. BREAK only works when there is an INPUT or an INKEY, but it can be typed ahead (assuming *Repeat* is not inhibiting BREAK).

If you do not want the operator to be able to key ahead from one section of a program to the next, the INKEY line: `10 A$=INKEY$:IF A$<>""THEN 10` does nicely.

Machine language programs with SHIFT-@ or BREAK features, such as *EDTASM*, use the same access to POLCAT for all keyboard functions, the $A000 vector, so the buffer draw-out cannot be avoided. For this reason, usability of *Key Ahead* in this environment is severly restricted. If you insist on using *Key Ahead* with *EDTASM*, follow the cautions listed last month for *Repeat*, using $7D00 as the manual origin.

As with OS-9, disk access will slow down *Key Ahead*. Unless you hold the key down briefly, key action is not guaranteed. Write verification also hampers *Key Ahead* operation. A little practice during disk reads soon tells you how much of a pause on the key ensures results, but during disk writes, it is best to just wait.

As with *Repeat*, the assembled version of *Key Ahead* can be loaded and started by a BASIC program. Also, the BASIC version can be merged into the end of a program.

Testing

The short program at the beginning of this article can be used for testing, or `FOR A = 1 TO 5000:NEXT` can be used. All that's needed is something to keep the computer busy. When the computer is busy, nothing you type appears on the screen. When the computer is ready for input, the data you typed ahead appears on the screen as if it was entered normally.

(Questions or comments concerning this article may be addressed to the author at 2429F Wesvill Ct., Raleigh, NC 27607. Please include an SASE when requesting a reply.) ❑

Listing 2: KEYAHEAD

```
0 ' COPYRIGHT 1989  FALSOFT,INC
10 CLEAR 200,31999:REM ADD-1
30 PRINT"KEYAHEAD":OF=75
40 ADD=32000:EX=ADD
50 REM
60 REM
110 READ BYTE
120 IF BYTE = 256 THEN 140
130 POKE ADD,BYTE:ADD=ADD+1:GOTO
110
140 REM
180 REM
210 EXEC EX:END
240 DATA 26,80,252,1,13,237,141,
0,148,49,141,0,63,16,191,1,13,48
250 DATA 141,0,144,175,141,0,136
,175,141,0,134,48,141,1,132,175,
141,1
260 DATA 128,48,141,0,83,191,160
,218,191,247,129,191,165,105,134
,179,16,142
270 DATA 173,235,167,160,204,18,
18,237,164,252,160,0,237,141,0,8
9,191,160
280 DATA 0,28,175
290 DATA 57
370 DATA 109,141,0,76,38,8,108,1
41,0,70,110,157,0,67,111,141,0,6
2
380 DATA 173,157,0,61,39,20,174,
141,0,57,167,128,172,141,1,55,38
,4
390 DATA 48,141,0,49,175,141,0,4
1,182,255,2,59,52,84,79,174,141,
0
400 DATA 32,172,141,0,26,39,16,1
66,128,172,141,1,22,38,4,48,141,
0
410 DATA 16,175,141,0,10,53,84,5
7,256
```

A-BUS™ MAGIC

Classroom to advanced industrial applications.



NEW: REMOTE A-BUS! Use the new Serial (RS-232) Adapter or Processor to control any A-BUS system. Cards can be up to 500 ft away using phone type cable, or off premises using a modem. Call or send for the new A-BUS Catalog which covers all the products.

Be a Wizard in your Lab, Factory, College, Home...

It used to be difficult and costly to do process control, robotics, data acquisition, monitoring and sensing with your computer. Now the low-cost A-BUS system makes it easy to do almost any project you can imagine.

Versatility. A-BUS cards handle most interfacing, from on/off switching, to reading temperatures, to moving robot arms, to counting events, to sensing switches...

Adaptability. The A-BUS is modular, allowing expansion well beyond your needs. It works with almost any computer, or even as a remote data station with the **new** serial adapters.

Simplicity. You can start using the A-BUS in minutes. It's easy to connect, and software is a breeze to write in any language.

Reliability. Careful design and rugged construction make the A-BUS the first choice in specialized I/O.

An A-BUS system consists of: ▪ An A-BUS adapter plugged into your computer ▪ A cable to connect the adapter to 1 or 2 A-BUS function cards. ▪ The same cable will also fit an A-BUS Motherboard for expansion to up to 25 cards in any combination.

Important

All A-BUS Systems: ♦ Come assembled and tested ♦ Include detailed manuals with schematics and programming examples ♦ Can be used with almost any language (BASIC, Pascal, C, assembler, etc.) using simple "IN" and "OUT" commands (PEEK and POKE on some computers) ♦ Can grow to 25 cards (in any combination) per adapter ♦ Provide jumper selectable addressing on each card ♦ Require a single low cost unregulated 12V power supply ♦ Are usually shipped from stock. (Overnight service is available.)

About Alpha Products

Founded in 1976 for the purpose of developing low cost I/O devices for personal computers, Alpha has grown to serve over 70000 customers in over 60 countries. A-BUS users include many of the Fortune 500 (IBM, Hewlett-Packard, Tandy, Bell Labs, GM...) as well as most major universities. A-BUS products are U.S. designed, U.S. built, and serviced worldwide.
Overseas distributors: England: Caldy Science Assoc. Ltd., Merseyside, 051 342 7033.
Australia: Brumby Technologies Pty. Ltd., NSW, 759 1638. **France:** Coserm, Rungis, 46 86 64 75

Inputs, Outputs, etc.

Analog Input: 8 analog inputs. 0-5.1V in 20mV steps (8 bits). 0-100V range possible. 7500 conversions/second. AD-142: $142

12 Bit A to D: Analog to digital converter. Input range -4V to +4V, expandable to 100V. On-board amplifier. Resolution 1mV. Conversion time 130ms. 1 channel. (Expand to 8 channels with the RE-156 card.) AN-146: $153

Relay Card: 8 individually controlled industrial relays each with status LED's (3A at 120VAC contacts, SPST). RE-140: $142

Reed Relay Card: 8 reed relays (20mA at 60VDC, SPST). Individually controlled and latched, with status LEDs. RE-156: $109

D/A converter: 4 Channel 8 Bit D/A converter with output amplifiers and separate adjustable references. DA-147: $149

24 line TTL I/O: Connect 24 input or output signals (TTL 0/5V levels or switches). Variety of modes. (Uses 8255A) DG-148: $72

Digital Input: 8 optically isolated inputs. Input can be 5 to 100V voltage levels or switch closures. IN-141: $65

Digital Output Driver: 8 outputs: 250mA at 12V. Drive relays, solenoids, stepper motors, lamps, etc. ST-143: $78

Clock with Alarm: Powerful clock/calendar. Battery backup. Timing to 1/100 sec. Alarm relay, LED and buzzer. CL-144: $98

Touch Tone Decoder: Each tone is converted into a number which is stored on the board. PH-145: $87

A-BUS Prototyping card: 4x4.5" card. Will accept up to 10 I.C.s. With power & ground bus. PR-152: $16

Counter Timer: Three 16 bit counters/timers. Use seperately or cascade for long (48 bit) counts. CT-150: $132

Call our application engineers to discuss your project.

Motion Control

Smart Quad Stepper Controller: The world's finest. On board microprocessor controls four motors simultaneously. Uses simple English commands like "MOVE ARM 10.2 (INCHES) LEFT". For each axis, you control coordinates (absolute or relative), ramping, speed, units, scale factors, etc. Many inputs for limit switches, etc. On the fly reporting of speed, position... Built in drivers for small motors (such as MO-103 or 105). SC-149: $299
Options: ► 5 amp/phase power booster for 1 motor: PD-123: $49
► Remote "teach" keypad for direct motor control: RC-121: $54



A large A-BUS system with two Motherboards
Adapter in the foreground plugs into PC,XT,AT type slot.

Stepper Driver Kit: For experimenting with stepper motors. Includes 2 MO-103 motors and a ST-143 dual driver PA-181: $99

Stepper Motors: (4 phase, unipolar)
MO-103: 2¼" dia, ¼" shaft, 7.5°/step, 12V, 5 oz-in torque. $15
MO-104: 2" dia, ¼" shaft, 1.8°/step, 5V, 60 oz-in torque. $45
MO-105: 1.7" square. .2" shaft, 3.75°/step, 12V, 6 oz-in. $15

A-BUS Adapters

► Can address 64 ports and control up to 25 A-BUS cards.
► Require one cable. Motherboard required for more than 2 cards.

A-BUS Parallel Adapters for:

IBM PC/XT/AT & compatibles. Uses one short or long slot.	AR-133: $69
Apple II,II+,IIe Plugs into any slot inside.	AR-134: $52
Commodore 64,128 Plugs into Expansion Port on back.	AR-139: $48
TRS-80 Model 102,200 Uses 40 pin "System bus".	AR-136: $76
Model 100 (Tandy portable) Plugs into socket on bottom.	AR-135: $75
TRS-80 Model 3,4,4D Y-Cable available if 50 pin bus is used.	AR-132: $54
TRS-80 Model I Plugs into 40 pin expansion bus.	AR-131: $39
Tandy Color Computers Fits ROM slot, Multipak or Y-Cable	AR-138: $49

A-BUS Cable: Necessary to connect any parallel adapter to one A-BUS card or to first motherboard. 50 pin, 3 ft. CA-163: $24
Special Cable for two A-BUS cards CA-162: $34

Serial Adapter: Connect A-BUS systems to any RS-232 port. Allows up to 500 ft from computer to A-BUS. SA-129: $149

Serial Node: To connect additional SA-129/A-BUS systems to a single RS232 serial port (max 16 nodes). SN-128: $49

Serial Processor: same as above plus built in BASIC for off-line monitoring, logging, decision making, etc. SP-127: $189
Use SA-129 or SP-127 with modems for remote data acquisition.

Motherboard: Holds up to 5 A-BUS cards in sturdy aluminum frame with card guides. A sixth connector allows (using cables CA-161: $12) additional Motherboards to be added. MB-120: $108

Power Supply: Power pack for up to 4 cards. PS-126: $12

Complete Catalog Available
For Orders and Info call (203) 656-1806
Weekdays from 9 to 5 EST or **FAX** 203 656-0756

Ordering Information: We accept Visa, Mastercard, Checks, and M.O. C.O.D. is $4 extra. Purchase orders are subject to credit approval. CT residents add 7.5% sales tax.
Shipping: $4 per order (usually UPS ground). UPS 2nd Day Air: $4 extra. Next Day service available. *Canada:* $6 per order (Airmail). *Outside US and Canada:* Add 10% of order total.

ALPHA Products
a Sigma Industries Company
242-W West Avenue, Darien, CT 06820

Two BASIC09 utilities. . .

USTime and *StripBin*

By Jerry Yates

In the February 1989 issue of THE RAINBOW, Richard Ries gave us a BASIC09 program that sets the date and time in the U.S. format instead of the European or Military format. His program inspired me to write *USTime*, which displays the date and time as: January 23, 1989 9:23:45 am/pm, instead of 89/01/23 09:23:45. I find it much easier to read.

To run the program, simply type `runb ustime`. The best way to use this program is to type in Listing 1 and run it. After you are sure there are no errors, pack the program, then merge it with `Runb`.

I use the routine in several programs as a routine to display the date and time.

Listing 2, `StripBin`, is a BASIC09 program to strip the first X-modem block (128 bytes) from a file that was uploaded in CoCoBin format. (CoCoBin is a type of protocol used by *Wiz* and *WizPro*.) This block contains information about the file, such as the attributes, name of the file, and the number of blocks in the file.

This is great, but if you don't have *Wiz* or *WizPro*, and download one of the files, you will go crazy trying to find out what's wrong with it. I did just that several times.

I wrote this program to remove that block, rewrite the file, and set the "e pe" attributes. If you specify the `CMDS` directory in the destination path, all you have to do is run the file.

Jerry Yates is a self-taught programmer who is a supervisor for Stone Container Corporation in Louisville, Kentucky. He has an associate degree in electronics from DeVry Institute of Electronics and is the former President of the LoCo-CoCo Club.

Listing 1: `USTime`

```
PROCEDURE USTime
0000        (* USTime By Jerry Yates )
001A        (* 3005 Bob White Ct.    )
0034        (* Louisville, Ky. 40216 )
004E
004F        (* Display the date and time as: )
0071        (* Janurary 23, 1989  9:23:45 Pm. or Am.)
009A
009B        DIM month(12):STRING[10]
00AC        DIM flag:STRING[4]
00B8        DIM x:INTEGER
00BF
00C0        FOR x=1 TO 12
00D0          READ month(x)
00D9        NEXT x
00E4        x=VAL(MID$(DATE$,4,2))
00F1        PRINT month(x); " "; MID$(DATE$,7,2); ", 19"; LEFT$(DATE$,2
             ); "  ";
0116
0117        IF VAL(MID$(DATE$,10,2))<12 THEN
0128          flag=" Am."
0133        ELSE
0137          flag=" Pm."
0142        ENDIF
0144
0145        IF flag=" Pm." THEN
0155          x=VAL(MID$(DATE$,10,2))
0162          IF x>12 THEN
016E            x=x-12
0179          ENDIF
017B          PRINT x; RIGHT$(DATE$,6); flag
0189          END
018B        ELSE
018F          IF VAL(MID$(DATE$,10,2))<10 THEN
01A0            PRINT RIGHT$(DATE$,7); " "; flag
01AE          ELSE
01B2            PRINT RIGHT$(DATE$,8); " "; flag
01C0          ENDIF
01C2        ENDIF
01C4        END
01C6        DATA "January","February","March","April","May","June","July"
0203        DATA "August","September","October","November","December"
```

The last block of the file may contain some trash. This can be corrected by loading the file into memory, deleting the original, and saving it back to disk:

```
OS9: load /d0/cmds/filename
OS9: del /d0/cmds/filename
OS9: save /d0/cmds/filename filename
```

To run `StripBin` type:

```
OS9: basic09 stripbin
```

Follow the prompts. The program checks for errors 211, 215, 216 and 218. If one of these errors occur, you will be told which error occurred, what the error means, and given suggestions for the appropriate corrective action.

The program also warns to use the program only on files that are in the CoCoBin format. Using it on any other file makes the file useless. The original file is not deleted for just that reason.

(Questions or comments concerning this article may be addressed to the author at 3005 Bob White Court, Louisville, KY 40216. Please include an SASE when requesting a reply.) ❑

Listing 2: `StripBin`

```
PROCEDURE StripBin
 0000      DIM inpath,outpath,errnum:BYTE
 000F      DIM buffer,infile,outfile:STRING[128]
 0023      DIM answer,bell,cls:STRING[1]
 0037      cls=CHR$(12)
 003F      bell=CHR$(7)
 0047      PRINT cls
 004C      PRINT "StripBin Ver 1.00"
 0061      PRINT "Copyright (C) 1988"
 0077      PRINT "by Jerry Yates"
 0089      PRINT
 008B      PRINT "     W A R N I N G "
 00A2      PRINT bell
 00A7      PRINT "     Use this program only on a file that is in the CoCoBin format"
 00ED      PRINT "and was downloaded with standard Xmodem.  CoCoBin is a type of Xmodem"
 0136      PRINT "used by Wiz and WizPro.  It places an extra block at the beginning"
 017C      PRINT "of the file.  This progran strips that block and rewrites the file to"
 01C5      PRINT "to disk.  It will also set the 'e pe' attributes."
 01FA      PRINT
 01FC      ON ERROR GOTO 20
 0202 10   INPUT "Enter Source file (/path/filename)? ",infile
 0231      INPUT "Enter Dest. File (/path/filename)? ",outfile
 025C      PRINT
 025E      CREATE #outpath,""+outfile:WRITE
 026D      OPEN #inpath,""+infile:READ
 027C      GET #inpath,buffer
 0286      buffer=""
 028D      PRINT "Working";
 0299      WHILE EOF(#inpath)<>TRUE DO
 02A5        GET #inpath,buffer
 02AF        PUT #outpath,buffer
 02B9        PRINT ".";
 02BF        buffer=""
 02C6      ENDWHILE
 02CA      CLOSE #inpath
 02D0      CLOSE #outpath
 02D6      PRINT
 02D8      PRINT "The New attributes are: ";
 02F5      SHELL "attr "+outfile+" e pe"
 030A      PRINT "Done!!!!"
 0316      PRINT
 0318      PRINT "Another (Y/N)? ";
 032C      INPUT answer
 0331      IF answer="Y" OR answer="y" THEN
 0346        GOTO 10
 034A      ENDIF
 034C      END
 034E 20   errnum=ERR
 0357      PRINT bell
 035C      PRINT "Error #"; errnum;
 036C      IF errnum=211 THEN
 0378        PRINT " Unexpected End of File"
 0393      ELSE
 0397        IF errnum=215 THEN
 03A3          PRINT " Bad Path Name"
 03B5          PRINT "Check Path and Enter again."
 03D4        ELSE
 03D8          IF errnum=216 THEN
 03E4            PRINT " File <"; infile; "> Not Found"
 0401            PRINT "Recheck Source (/path/flename)."
 0424          ELSE
 0428            IF errnum=218 THEN
 0434              PRINT " File <"; outfile; "> Already Exists"
 0456              PRINT "Delete <"; outfile; "> or enter another Dest. File"
 0486            ENDIF
 0488          ENDIF
 048A        ENDIF
 048C      ENDIF
 048E      PRINT
 0490      GOTO 10
  0494       END
```


PERRY COMPUTERS
The Ideal Buy
1-800-248-3823

TANDY COMPUTERS

Tandy 1000-HX 256K 5 1/4"	535.00
Tandy 1000-SL 384K 5 1/4"	675.00
Tandy 1000-TL 640K 3 1/2"	955.00
Tandy 3000-NL 512K 3 1/2"	1275.00
Tandy 4000-LX 2 Meg 3 1/2"	2999.00
Tandy 4000 1 Meg 3 1/2"	1890.00
Tandy 4000-SX 1 Meg 3 1/2"	2210.00
Tandy 5000MC 2 Meg 1 Drive	3825.00
Tandy 5000MC 2 Meg 40 Meg	4955.00
Tandy 5000MC 2 Meg 84 Meg	5395.00
Tandy 102 24K	430.00
Tandy Color 3 128K	155.00

MONITORS & CARDS

VM-5 Monochrome Green	115.00
CM-5 Color RGB	220.00
CM-11 Color RGB	315.00
Magnavox CM8762 Color RGB	295.00
Magnavox 9CM053 Color EGA	389.00
Magnavox 9CM062 Color VGA	429.00
Packard Bell Monochrome TTL	89.00
Amdek 410 Monochrome	155.00
Amdek 732 VGA Color Analog	425.00
NEC 2A 14" Super VGA Color	545.00
NEC 3D 14" Digital Monitor	710.00
Tandy EGA Card	205.00
Paradise Basic EGA Card	195.00
Video 7 Vega/Deluxe	239.00

DISK DRIVES

5 1/4" External Drive 1000HX	180.00
Tandy 20 Meg Hardcard	450.00
30 Meg Hardcard	395.00
5 1/4" External for Tandy 1400	215.00
Seagate 20 Meg Drive & Card	269.00

MODEMS

Prac. Peripherals 1200B Internal	75.00
Prac. Peripherals 2400B Internal	175.00
Packard Bell 2400B Internal	140.00

PRINTERS

DMP-107 Dot-Matrix	230.00
DMP-300 Dot-Matrix	505.00
DWP-230 Daisy Wheel	345.00
Epson LX-810 Dot-Matrix	209.00
Epson FX-850 Dot-Matrix	375.00
Epson LQ-510 Dot-Matrix	365.00
Epson LQ-850 Dot-Matrix	585.00
Epson FX-1050 Dot-Matrix	495.00
Panaonic KX-P1180 Dot-Matrix	205.00
Panasonic KX-P1191 Dot-Matrix	260.00
Panasonic KX-P1124 Dot-Matrix	369.00

All prices and offers may be changed or withdrawn without notice. Advertised prices are cash prices. C.O.D. accepted add 2% (minimum charge $10.00). M.C., Visa add 2%. All non defective items require return merchandise authorization. Call for RMA Number before returning. Delivery is subject to product availability. Add 1½% for shipping and handling, $5.00 minimum charge.

TM - Registered Trademark of Tandy, Epson, and IBM

Monday thru Friday 9am - 5pm EST.

PERRY COMPUTERS

124 South Main Street, Perry, MI 48872
CALL 1-517-625-4161 or TOLL-FREE
1-800-248-3823

Create a library of graphics designs with just two short programs

Draw It Quick!



By Dale Tinklepaugh

For pictures you might want to use in a number of different programs, *Quick Draw* can make it easier to generate, save and use graphics designs. It is used to interactively draw a picture in high resolution and then to create a disk file of BASIC statements. The data file can be merged with other programs and used to draw the same picture over and over again.

After loading *Quick Draw* and typing RUN, you will be prompted for any legal output filename. Next you will be asked for the starting line number for the DATA statements. The program will increment the following line numbers by two.

After entering the starting line number, you will be asked for the minima and maxima for the picture. Enter standard-integer high-resolution coordinates. *Quick Draw* draws the box containing all points within the specified range. A blinking cursor controlled by the arrow keys will appear in the upper left corner of the box. You can change the program to use a joystick if you like, but I prefer keys for ease in maintaining precise control.

Nothing will be drawn until you press R. Then each point the cursor leaves will be reset. If you want to set some points, press P and pass the cursor through the points you want to set. When the picture is the way you want it, press S to save the contents of the graphics area to disk.

To use the disk file, you will need to merge it with a BASIC program that has room for the data lines. It will also need a section of code that reads the data, writes it into graphics memory and gets the data into an array.

Core is a program showing what is needed to recreate the picture. A program can use several such segments with several sets of data to draw different pictures. *Core* has been written to merge with a data file starting at Line 100. If PIC.DAT is the name of such a file, then the following commands will finish the task:

```
LOAD "CORE"
MERGE "PIC.DAT"
SAVE "filename"
RUN
```

A disk can be used to store a library of designs. If a mnemonic filename does not convey the nature of the data, you can load the data file, insert a remark and save the file in ASCII format (i.e., SAVE "PIC.DAT", A).

(Questions or comments concerning these programs may be addressed to the author at 14684 Joshua Tree Ave., Sunnymead, CA 92388. Please enclose an SASE when requesting a reply.) □

Dale Tinklepaugh, who has been computing for 10 years, enjoys color graphics, assembly language and exploring new ways to apply computers to improve personal productivity. A software engineer at Hughes Aircraft, he is also studying for his master's degree in computer engineering at USC.

Listing 1: QUIKDRAW

```
Ø ' COPYRIGHT 1989  FALSOFT,INC
1Ø PCLEAR4
2Ø INPUT"OUTPUT FILE NAME";OF$
3Ø INPUT"LEFTMOST X";XL
4Ø INPUT"RIGHTMOST X";XR
5Ø INPUT"TOPMOST Y";YT
6Ø INPUT"BOTTOMMOST Y";YB
7Ø INPUT"BEGINNING LINE NUMBER";
K
8Ø LG=INT(XL/8):RG=INT(XR/8)
9Ø IF XR/8<>INT(XR/8) THEN ODD=1
 ELSE ODD=Ø
1ØØ M1=INT((XR-XL-1)/8):M2=YB-YT
11Ø DIM V(M1,M2),N(15)
12Ø PMODE4
13Ø SCREEN1,1
14Ø PCLS
15Ø COLOR 1
16Ø LINE (XL,YT)-(XR,YB),PSET,BF
17Ø X=XL:Y=YT:CO=1
18Ø A$=INKEY$:IF A$<>"" GOTO 22Ø
19Ø PSET(X,Y)
2ØØ A$=INKEY$:IF A$<>"" GOTO 22Ø
21Ø PRESET(X,Y):GOTO 18Ø
22Ø IF A$="P" THEN CO=1 ELSE IF
A$="R" THEN CO=Ø
23Ø IF CO=1 THEN PSET(X,Y) ELSE
PRESET(X,Y)
24Ø IF(A$=CHR$(9) AND X+1<=XR) T
HEN X=X+1
25Ø IF(A$=CHR$(8) AND X-1>=XL) T
HEN X=X-1
26Ø IF(A$=CHR$(1Ø) AND Y+1<=YB)
THEN Y=Y+1
27Ø IF(A$=CHR$(94) AND Y-1>=YT)
THEN Y=Y-1
28Ø IF(A$="S") THEN 3ØØ
29Ø GOTO 18Ø
3ØØ OPEN "O",#1,OF$
31Ø PRINT #1,K;" DATA ";M1;",";M
2;",";XL;",";XR;",";YT;",";YB;",
";LG;",";RG
32Ø T=Ø:K=K+2
33Ø FOR I=Ø TO M2
34Ø FOR J=LG TO RG
35Ø AD=&HEØØ+32*(YT+I)+J
36Ø N(T)=PEEK(AD)
38Ø T=T+1:IF T<=15 THEN GOTO 41Ø
39Ø GOSUB 46Ø
4ØØ T=Ø:K=K+2
41Ø NEXT J
42Ø NEXT I
43Ø IFT<=15 THEN GOSUB 46Ø
44Ø CLOSE #1
45Ø END
46Ø PRINT #1,K;" DATA ";N(Ø);","
;N(1);",";N(2);",";N(3);",";N(4)
;",";N(5);",";N(6);",";N(7);",";
N(8);",";N(9);",";N(1Ø);",";N(11
);",";N(12);",";N(13);",";N(14);
",";N(15)
47Ø RETURN
```

Listing 2: CORE

```
Ø ' COPYRIGHT 1989  FALSOFT,INC
1Ø PCLEAR4
12 DIM V(29,39)
14 PMODE4
16 SCREEN1,1
18 PCLS
2Ø COLOR 1
128Ø READ M1,M2,XL,XR,YT,YB,LG,R
G
129Ø FOR I=Ø TO M2
13ØØ FOR J=LG TO RG
131Ø AD=&HEØØ+32*(YT+I)+J
132Ø READ B
133Ø POKE AD,B
134Ø NEXT J
135Ø NEXT I
136Ø GET(XL,YT)-(XR,YB),V,G
137Ø PCLS
14ØØ PUT(XL,YT)-(XR,YB),V,PSET
2ØØØ GOTO 2ØØØ
```


VIP Software for the CoCo 3

VIP Writer III includes VIP Speller.....$79.95
VIP Calc III.....$69.95
VIP Database III.....$69.95
VIP Library /WDCE.....$179.95
Upgrade Writer to Writer III.....$49.95
Upgrade Calc to Calc III.....$29.95
Upgrade Database to Database III....$39.95
Upgrade Library to Library /WDCE....$99.95

VIP Software for ALL CoCos

VIP Writer includes VIP Speller*.....$69.95
VIP Calc.....$59.95
VIP Database.....$49.95
VIP Speller.....$34.95
VIP Disk-Zap.....$29.95
VIP Integrated Library.....$149.95
Upgrade any VIP pgm to VIP Library $99.95

Upgrading? Send disk only + amount + $3 S/H
See our July ads for more information
VISA 1-800-322-9873 M/C
SD Enterprises info line (805) 566-1317
P. O. Box 621 Carpinteria Ca 93013

VIP Library orders add $4 S/H USA, $5 Canada & $10 Foreign
Other orders add $3 S/H in USA, $4 Canada, $6 Foreign. COD orders add an additional $2.75. Checks allow 3 weeks for delivery. Calif. res. add 6% tax.

Find the hidden balls with a shooting ray of light

The Black Box

By Evan Veal



Figure 1: A Simple Detour



Figure 2: A Detour Leading to a Hit



Figure 3: A Deflection Due to a Double Detour

The Black Box, a new twist to the game of Hide and Seek, requires skill, logic and luck. In this game the computer is the hider and you are the seeker. The computer has hidden five balls within the "black box" (an 8-by-8 grid), and you must find them.

Your only tool in finding these hidden balls is a ray of light that you shoot into the box. The ray of light must follow certain rules as it travels through the box, and the presence of the balls affects its path. Upon shooting the ray of light into the box, you are shown where the ray exited the box, if it did actually exit the box. From this information you must deduce the positions of the balls within the box. When you think you have correctly located a ball, you may mark it on the grid. The object of the game is to gain points by locating the five balls in the fewest possible moves.

The rules governing the movement of the ray of light inside the box are as follows:

- Barring interference, the ray of light travels in a straight line and the exit point is exactly opposite the entry point.
- If the ray scores a direct hit on a ball, it does not exit the box, but the entry point is marked with a hit marker and a beep is sounded.
- If the ray of light approaches a ball from the side (i.e., the ball is in Row 8 and the light passes down Row 7) it makes a 90-degree turn away from the ball. This is called a *detour*. The light is guided by these three rules and all phenomena observed are properties of those rules.

A *reflection* occurs when the light exits at the same place it entered. This suggests that either the light was detoured in such a way as to send it back to its entry point, or that there is a ball in the square immediately adjacent to the square where entry was attempted. The latter is true due to the third rule. If the ball is directly adjacent, it triggers the 90-degree detour before the ray has had a chance to enter the box. Thus, the only possible direction for the ray of light is out of the box.

The ray of light can be detoured any number of times before it exits the box or hits a ball. One should note that, under normal circumstances, the ray of light should always exit the box or register a hit. However, certain exotic ball combinations can cause the ray of light to be trapped in an infinite loop within the box, neither exiting nor hitting a ball. This causes the game to seemingly hang-up after you fire a ray. This occurence is very rare, but if it happens, press BREAK and run it again.

The following diagrams illustrate common light path patterns in *The Black Box*:

- Figure 1 illustrates a simple detour.

Evan Veal is a student at the College of William & Mary in Williamsburg, Virginia. He is majoring in computer science and his hobbies include programming on the CoCo and writing science-fiction short stories.

• Figure 2 is a detour that leads to a hit (resulting in a red hit marker).
• Figure 3 shows a reflection caused by two detours (a common configuration for a reflection).
• Figure 4 shows a reflection due to a ball adjacent to the entry point. (Note the arrow indicating the path of the light.) The light never actually entered the box.
• Figure 5 shows what looks like a hit, but turns out to be a detour.

The third rule comes into effect one square before the ball. The light is detoured away from Ball A and so never hits Ball B, which is right next to Ball A, directly in the light's path. Things like this add an exciting twist to *The Black Box*. You've got to keep a sharp eye out for the expected, as well as the unexpected.

Playing the Game

To play *The Black Box*, move the cursor over the grid with your right joystick. You may fire a ray of light into the box by positioning the cursor in one of the border boxes and pressing the fire button on the joystick. To place a ball on the grid where you suspect one is located, press the fire button on the joystick. To remove a ball, reposition the cursor over it and press the fire button again. Note that balls may be placed only in the grid in the center. They may not be placed in border boxes, and attempting to do so results in firing a ray. Placing the cursor in any of the four corners of the board and pressing the fire button puts you in the Solve menu to the side.

Once within this menu you may "solve" the game, which causes the computer to display the real positions for the balls, and tallies up your score. Each ball located correctly is worth 100 points, and additional points are awarded according to how many turns you used in solving the game. The number of moves currently used is constantly updated below the menu.

You may also "kill" the current game and get a new one if you cannot solve the current one. The Kill option, however, does not display the solution of the game or your score. The third option on the side menu is the Back option, which allows you to leave the menu and resume playing the game.

To run *The Black Box*, type (C)LOAD"BLACKBOX", and then RUN, after the program has loaded. The program uses a high-speed poke and requires a joystick. If your machine cannot accept the high-speed poke, delete Line 5 from the listing.

The program also contains instructions within the code. If you don't want to type in the instructions, delete them. The code is modularized and the instructions are contained within the last module. In order to delete this module, delete lines 2700 through 2900. Then press N (No) when the program asks if you want instructions. Good luck and good hunting.

(Questions or comments concerning this article may be addressed to the author at 9323 Avenue A, Brooklyn, NY 11236. Please enclose an SASE when requesting a reply.) ❑



Figure 4: A Typical Reflection



Figure 5: A Hit That Looks Like a Detour

5Ø	133	174Ø	15Ø
22Ø	211	22ØØ	65
325	194	2415	15Ø
415	148	268Ø	141
77Ø	133	277Ø	16
995	2Ø6	286Ø	189
126Ø	28	END	2Ø2
151Ø	79		

The listing: BLACKBOX

```
Ø ' COPYRIGHT 1989  FALSOFT,INC
2 ' DRAW INTRO SCREEN
5 POKE 65495,Ø
1Ø CLSØ:PMODE3,1
12 PRINT@224,"      B   L   A
C   K"
14 PRINT@288,"          B   O
X"
16 PRINT@448," [C] COPYRIGHT 198
5 EVAN VEAL"
18 TIMER=Ø
19 IF TIMER>=3ØØ THEN2Ø ELSE 19
2Ø CLEAR 25ØØ
25 CLSØ:PRINT@256,"     INSTRUCT
IONS(Y OR N)?"
26 A$=INKEY$:IF A$<>"Y" AND A$<>
"N" THEN 26 ELSE IF A$="Y" THEN
GOSUB 275Ø
27 '
28 ' INITIALIZE VARIABLES
3Ø DATA 62,1,88,25,1Ø6,43,124,61
,142,79,16Ø,97,178,115,196,133,2
14,151,236,174
4Ø DATA U4NR5U4R5D8BR4,R7L5U8L2R
7D4NL5D4BR4,BU8NR5D8R5BR4,NL1NR5
U8NL1R5D8BR4,NR5U4NR2U4R5BD8BR4,
```

```
U4NR2U4R5BD8BR4,U8R5ND1L5D8R5U3N
L2D3BR4,U4NU4R5U4D8BR4,R4L2U8NL2
R2BD8BR5,NU3R4U8NL2NR2BD8BR4,U8D
4R2NE4F4BR4,NU8R5BR4,U8F4E4D8BR4
,U8F8NU8BR4,NR5U8R5D8BR4
50 DIM NUM$(40),L$(15,2),CL(0,10
),CC(0,10),CS(0,10),CD(0,10),GR(
9,9),ZX(9),ZY(9),BL(5,2),B(10,2)
,MV$(40,2),M(20,2),AL$(26)
60 DATA U8R5D4L5D4BR9,U8R8D8NL8N
H2NF2BR4,U8R5D4L5R1F4BR4,R5U4L5U
4R5BD8BR4,BR3U8NL3R3BD8BR3,NU8R5
NU8BR4,BU8D4F4E4U4BD8BR4,BU8D8E4
F4U8BD8BR4,U2E4U2BL4D2F4D2BR4,BR
3U4NE4NH4D4BR8,BU8R8G8R8BR4
70 FOR N=0TO9:READA,B:ZX(N)=A:ZY
(N)=B:NEXT N
80 FOR N=1TO26:READA$:AL$(N)=A$:
NEXT N
130 NUM$(1)="R4L2U8NG2BR7BD8":NU
M$(2)="NR6U4R4U4NL5BR7BD8":NUM$(
3)="R5U4NL2U4NL5BR5BD8":NUM$(4)=
"BR4U6D2NR2L4U4BR10BD8":NUM$(5)=
"R6U5L4U3R5BR5BD8"
140 NUM$(6)="NU8R5U3L5BR10BD3":N
UM$(7)="U2E6NL7BR5BD8":NUM$(8)="
NR5U4NR5U4R5D8BR5":NUM$(9)="BU5N
R5U3R5D8BR5":NUM$(0)="NR8U8R8NG8
D8BR5"
150 FOR N=10TO40
160 K$=STR$(N):K1=VAL(MID$(K$,2,
1)):K2=VAL(RIGHT$(K$,1))
170 NUM$(N)=NUM$(K1)+NUM$(K2)
180 K$=""
190 NEXT N
210 PCLS:COLOR2,5:LINE(4,3)-(12,
10),PSET,BF:GET(0,0)-(15,15),CC,
G:COLOR3,5:LINE(2,2)-(12,12),PSE
T,BF:GET(0,0)-(15,15),CD,G
220 PCLS:GET(0,0)-(15,15),CD,G
230 L$(1,1)="3,3":L$(1,2)="R10D1
0U5NL10D5L10U10":L$(2,1)="1,10":
L$(2,2)="R12H6G6"
240 L$(3,1)="7,2":L$(3,2)="R4D5R
4D2L4D5L4U5L4U2R4U5":L$(4,1)="3,
3":L$(4,2)="R10G10R10H10"
250 L$(5,1)="3,3":L$(5,2)="R10NG
10D10NH10L10U10":L$(6,1)="BM1,5"
:L$(6,2)="R14G7H7C1D5C3R14H7G7"
260 L$(7,1)="7,2":L$(7,2)="D6L3F
5E5L3U6L4":L$(8,1)="3,7":L$(8,2)
="R2U2R2U2R4D2R2D2R2D3L2D2L2D2L4
U2L2U2L2U3"
270 L$(9,1)="3,3":L$(9,2)="R10D1
0L10U10F10":L$(10,1)="3,3":L$(10
,2)="R10D10L10U10"
280 L$(11,1)="6,7":L$(11,2)="U6R
4D6R4D3NL12L2D4L8U4L2U3R4":L$(12
,1)="7,9":L$(12,2)="S2U10R4D10F8
L20E8S4"
290 L$(13,1)="2,13":L$(13,2)="U8
NR4U4R4ND4R8D8NL4D4L4NU4L8":L$(1
4,1)="2,14":L$(14,2)="U12R6ND12R
6D6NL12D6L12"
300 L$(15,1)="7,10":L$(15,2)="U5
H2U1R5D1G2D6R4D4L9U4R4"
310 PMODE3,1:PCLS:SCREEN1,1:COLO
R2,5
320 MV=0:P=1:BL=1:M=0:CO=0:MA=0:
TD=0:SC=5
324 '
325 ' DRAW GAME SCREEN
330 FOR Y=24TO 168 STEP 18:LINE(
86,Y)-(230,Y),PSET:NEXTY
340 FOR X=86TO 230 STEP 18:LINE(
X,24)-(X,168),PSET:NEXTX
350 LINE(81,18)-(235,173),PSET,B
:LINE(81,18)-(60,0),PSET,BF:LINE
(235,173)-(254,191),PSET,BF:LINE
(235,18)-(254,0),PSET,BF:LINE(81
,173)-(60,191),PSET,BF:LINE(60,0
)-(254,191),PSET,B
360 FOR Y=24 TO 168 STEP 18:LINE
(60,Y)-(81,Y),PSET:LINE(235,Y)-(
254,Y),PSET:NEXTY:FOR X=86 TO230
 STEP 18:LINE(X,0)-(X,18),PSET:L
INE(X,173)-(X,191),PSET:NEXTX:PA
INT(203,172),2,2
370 DRAW"BM3,30C2;"+AL$(2)+AL$(1
2)+AL$(1)+AL$(3)+AL$(11)
380 DRAW"BM13,46C2;"+AL$(2)+AL$(
15)+AL$(24)
390 LINE(0,18)-(50,54),PSET,B
400 DRAW"BM6,109C4;"+AL$(19)+AL$
(15)+AL$(12)+AL$(22)+AL$(5)
405 DRAW"BM8,132C4;"+AL$(2)+AL$(
1)+AL$(3)+AL$(11)
410 DRAW"BM10,154C4;"+AL$(11)+AL
$(9)+AL$(12)+AL$(12)
414 '
415 'PLACE BALLS
420 FOR X=1TO8:FOR Y=1TO8:GR(X,Y
)=0:NEXTY,X
430 FOR N=1TO5
440 X=RND(8):Y=RND(8)
450 BL(N,1)=X:BL(N,2)=Y
460 GR(X,Y)=-1
470 FOR M=1TO5
480 IF M=N THEN M=5:GOTO500
490 IF (BL(M,1)=BL(N,1)) AND (BL
(M,2)=BL(N,2)) THEN  GOTO 440
500 NEXT M,N
640 DRAW"BM0,174C2;"+AL$(13)+AL$
(15)+AL$(22)+AL$(5)+AL$(19)+"U2B
U2U2"
644 '
645 'START POLLING ROUTINE
650 PUT(0,176)-(30,184),CL,PSET
660 DRAW"BM0,18[illegible]2"+NUM$(MV)
670 X2=X1:Y2=Y1
680 X=JOYSTK(0):Y=JOYSTK(1)
690 Z=INT(X/7):GOSUB1770:X1=ZX
700 OX=Z
710 Z=INT(Y/7):GOSUB1760:Y1=ZY
720 OY=Z
730 PUT(X2,Y2)-(X2+15,Y2+15),CS,
PSET
740 GET(X1,Y1)-(X1+15,Y1+15),CS,
```

OUR LATEST 30 ISSUES

ISSUE #55, JAN. 1987
GRADE BOOK
MAIL LIST
DOWN HILL
FIRE FOX
GALLOWS
JETS
DIR MANAGER
FIRE RUNNER
GRAPHICS BORDER
COSMIC RAYS

ISSUE #56, FEB. 1987
CALENDAR PRINT
CRASH
GALACTA
DIVER
CLUE
WORD EDITOR
ALIEN HUNT
DEMON'S CASTLE
DRAW
DIG

ISSUE #57, MAR. 1987
THE BAKERY
ENCHANTED VALLEY
SAFE KEEPER
WAR 1
BOMB
PIANO PLAYER
SPREAD SHEET
SLOT MANEUVER
LIVING MAZE
GEM SEARCH

ISSUE #58, APR. 1987
ACCOUNTS PAYABLE
PRINTER GRAPHICS
SIMON
PANELING HELPER
MULTICAKES
CAR RACE
ELECTRONICS 1
BATTLE TANK
DISKETTE VERIFY
WEIRDO

ISSUE #59, MAY 1987
GENEOLOGY
HOME PLANT SELECT
CHECK WRITER
HELIRESCUE
KABOOM
NEWPONG
CROQUET
FUNCTION KEYS
ZOOM
ELECTRONICS 2

ISSUE #60, JUNE 1987
JOB COSTING
LABELS
CATCH A CAKE
COCO MATCH
ROBOTS
STREET RACERS
BOWLING3
ELECTRONICS 3
GRAFIX
KRON

ISSUE #61, JULY 1987
EZORDER
SUBMISSION WRITER
KEYS ADVENTURE
WALL PAPER
CHOPPER COMMAND
UNDERSTANDING OPPS.
BITCODE
ELECTRONICS 4
KINGPEDE
RAIDER

ISSUE #62, AUG.1987
PENSION MANAGEMENT
HERBS
CATALOGER UTILITY
RAIDERS
ALPHABETIZING
UFO
ELECTRONICS 5
RAMBO ADVENTURE
BLOCKS
CAVE

ISSUE #63, SEP. 1987
GENEOLOGIST HELPER
SMART COPY
MAINTENANCE
COCO3 - COCO2 HELP
DIRECTORY PICTURE
SUBSTANTIAL ATTACK
SAVE THE MAIDEN
CAVIATOR
ELECTRONICS 6
MONKEY SHINE

ISSUE #64, OCT. 1987
GARDEN PLANTS
FORT KNOX
ELECTRON FORMULAS
SNAKE IN THE GRASS
CYCLE JUMP
GEOMETRY
WIZARD
GAME OF LIFE
ELECTRONICS 7
FLIGHT SIMULATOR

ISSUE #65, NOV. 1987
TAXMAN
DAISY DOT
CHILD STONE ADVENT.
SIR EGGBERT
CROWN QUEST
GYM KHANA
COCO 3 DRAWER
FOOTBALL
ELECTRONICS 8
CHOP

ISSUE #66, DEC. 1987
ONE ROOM ADVENTURE
OS9 TUTORIAL
RIVER CAPTAIN
SOUNDS
BETTING POOL
ADVANCE
MATH TABLES
ELECTRONICS 9
LOWER TO UPPER
NOIDS

ISSUE #67, JAN. 1988
MEDIA MASTER
SAVE THE EARTH
WEIGHTS & MEASURES
LOW RES GRAPHICS
COAST TO COAST
BACCARAT
BATTLE SHIP
ELECTRONICS 10
TAPE CONVENIENCE
DUEL

ISSUE #68, FEB. 1988
COINFILE
WORD COUNTER
SQUIRREL ADVENTURE
AREA CODES
DRAW POKER
TURTLE RACES
ELECTRONICS 11
MULTI-SCREEN
CANON PRINT
COCO TENNIS

ISSUE #69, MAR. 1988
POLICE CADET
STAMP COLLECTION
BARRACKS ADVENTURE
CITY/TIME
HI-LO/CRAPS
OLYMPICS
HI-RES CHESS
ELECTRONICS 12
DOUBLE EDITOR
DOUBLE BREAKOUT

ISSUE #70, APRIL 1988
BLOTTO DICE
SUPER COMM
GENESIS ADVENTURE
PLANETS
PHKWAR
SIGN LANGUAGE
ARX SHOOTOUT
ELECTRONICS 13
MAGIC KEY
SNAP PRINT

ISSUE #71, MAY 1988
SUPER LOTTO
RODOL ADVENTURE
MAZE
YAHTZEE3
PHASER
SHAPES/PLATES
STAR WARS
ELECTRONICS 14
PRINTER CONTROL
MAZE 2

ISSUE #72, JUNE 1988
MARKET WATCHER
3 STOOGES
HOSTAGE ADVENTURE
PROGRAM TRIO
GLADIATOR
U.S. & CANADA QUIZ
JEOPARDY
ELECTRONICS 15
COCO 3 PRINT
CTTY

ISSUE #73, JULY 1988
FOREIGN OBJECTS
CHESS FUNDAMENTALS
WATERFOWL QUIZ
WHAMMY 3
ADVENTURE TUTORIAL
CIRCLE 3
EDUCATION TRIO
WRITE-UP EDITOR
PICTURE PACKER
AIR ATTACK

ISSUE #74, AUG. 1988
VIDEO CAT 3
1 EYE WILLIE
JAVA
GAME TRIO
CRIONAUT WARRIOR
ENVELOPE PRINT
RAM DRIVE 3
MODE 2
XMODEM TRANSFER
CAVE II

ISSUE #75, SEPT. 1988
DRACULA ADVENTURE
HELP TRIO PROGRAM
SHOWDOWN DICE
TARZAR 1 ADVENTURE
ARAKNON
CASH FLOW REPORTING
GRAPHICS LETTER
GRAPHIC EDITOR
ADDRESS BOOK
SQUARES

ISSUE #76, OCT. 1988
SUPER BLITZ 3
CHAMBERS
TRIO RACE
EARTH TROOPER
STARGATE
BOWLING SECRETARY
DISK TUTORIAL
JOYSTICK >KEYBOARD
KEYBOARD < JOYSTICK
* SAILORMAN

ISSUE #77, NOV. 1988
POLICE CADET #2
STARSHIP SHOWDOWN
MUSIC COMPOSER
COUPONS/REBATES
PROGRAM LIBRARY
BOYSCOUT SEMAPHOR
HOUSEHOLD CHORES
MAXOMAR ADVENTURE
CHUCK LUCK3
* BUZZARD BATE

ISSUE #78, DEC. 1988
POLICE CADET #3
TANK TURRET
WAR OF THE WORLDS
SPINSTER CAFE
COCO-SIZE
SIGN MAKER
LEGAL DEDUCTIONS
BOOK KEEPING
CAR LEASE 3
* WAREHOUS MUTANTS

ISSUE #79, JAN. 1989
POLICE CADET #4
DRAW POKER 3
TILER TEX
BATTLE
INSIDE THE COCO
COCO BULLETIN BOARD
HOT DIRECTORY
VCR TUTORIAL
PRINTER CONTROL
* THE KING

ISSUE #80, FEB. 1989
SCRABBLE
SPELLING CHECKER
SANDSTONE ADVNT.
THE FAMILY FEUD
HARNESS3 HANDICAP
MINIGOLF 3
ULTIMATERM 3
NETWORKING TUTORIAL
A-MAZING PLACE
* MONEYOPOLY

ISSUE #81, MAR. 1989
MONSTERS
SUPER CONCENTRAT
TEN PROGRAMS COCO3
FINANCE
SNOWBALL FIGHT
RULER
POP-UP WINDOWS
TARZAR2 - CASTLE
SUPER LISTER
* DRACONIAN

ISSUE #82, APRIL 1989
DUNGEON MAZE
DISK TRANSFER
MAIL MERGE
SUPER SPREADSHEET
BLASTER
TILER TWO
DREAM TUNNEL
DISK UTILITY 3
EDUCATION TRIO
* LUNCHTIME

ISSUE #83, MAY 1989
T&D FIRST 80
MODEM BATTLESHIP
CHURCH MANAGER
SUPER FILE SORT
BASEBALL STATS
TARZAR PT. 3
INVOICE
CARD SQUEEZE
SWORDPLAY 1 + 2
* BREWMASTER

ISSUE #84, JUNE 1989
CROSSWORD PUZZLES
MOUNT DEATH
TERRON
CRYPTOQUIP
PAPER WORKS
SUPER DATABASE
CONNECT3
BUSINESS MODEL
MASS FORMAT
* CHAMBERS

** TOM MIX PROGRAMS*

EACH ISSUE CONTAINS 10 PROGRAMS READY TO LOAD. AVAILABLE ON TAPE OR DISK. SEE JULY '89 RAINBOW FOR EARLIER ISSUES.

VISA

MasterCard

RAINBOW CERTIFICATION SEAL

SUPER SAVINGS

SINGLE ISSUE	$ 8.00
2-5 ISSUES	$ 6.00 EA
6-10 ISSUES	$ 5.00 EA
11 OR MORE ISSUES	$ 4.50 EA
ALL 84 ISSUES	$230.00

PURCHASE 20 OR MORE ISSUES AND RECEIVE A FREE 6 MONTH SUBSCRIPTION

ONE YEAR SUBSCRIPTION ONLY $ 60.00 !

COCO I, II, AND III

- **All Programs Include Documentation.**
- **We Send 1st Class - No Charge!**
- **For Information on Subscription Prices, Turn to Pages 63 and 115**

MAIL TO:

T&D SUBSCRIPTION SOFTWARE
2490 MILES STANDISH DR.
HOLLAND, MI. 49424
(616) 399-9648

PLEASE CIRCLE
TAPE OR DISK

1	9	17	25	33	41	49	57	65	73	81
2	10	18	26	34	42	50	58	66	74	82
3	11	19	27	35	43	51	59	67	75	83
4	12	20	28	36	44	52	60	68	76	84
5	13	21	29	37	45	53	61	69	77	
6	14	22	30	38	46	54	62	70	78	
7	15	23	31	39	47	55	63	71	79	
8	16	24	32	40	48	56	64	72	80	

Name _____

Address _____

City _____ State ____ Zip _____

Card # _____ Total $ _____

```
G
750 PUT(X1,Y1)-(X1+15,Y1+15),CC,
PSET
760 A=PEEK(65280):IF A=254 OR A=
126 THEN COLOR1,5:LINE(X1,Y1)-(X
1+15,Y1+15),PSET,BF:COLOR3,5:GOT
O780
770 X2=X1:Y2=Y1:GOTO680
780 SOUND150,2
790 IF OX<>0 AND OX<>9 AND OY<>0
 AND OY<>9 THEN GOTO2020
800 IF OX=0 AND OY=0 THEN 2190
810 IF OX=0 AND OY=9 THEN 2190
820 IF OX=9 AND OY=0 THEN 2190
830 IF OX=9 AND OY=9 THEN 2190
834 '
835 'SAVE MOVE -CHECK IF REPEAT
840 K$=STR$(OX)+","+STR$(OY)
850 FOR N=0 TO MV
860 IF MV$(N,1)=K$ THEN 900
870 NEXT N
880 MV$(MV,1)=K$
890 GOTO1000
894 '
895 'REPEAT MOVE PROCESSING
900 Z=OX:GOSUB1770:X1=ZX
910 Z=OY:GOSUB1760:Y1=ZY
920 X$=MV$(N,0):GOSUB1940:X=K1:Y
=K2
930 L=P
940 P=VAL(MV$(N,2))
950 IF P=17 THEN P=L:COLOR4,5:MV
=MV-1:GOTO 1720
960 IF P=18 THEN P=L:COLOR3,5:MV
=MV-1:GOTO1530
970 ZP$="Y"
990 GOTO 1600
994 '
995 'CONVERT X,Y TO GRAPHICS LOC
ATIONS
1000 IF X1=62 OR X1=236 THEN GOT
O 1020
1010 IF Y1=1 OR Y1=174 THEN 1070
1020 IF X1=236 THEN 1050
1030 Y=INT(Y1/18):X=0
1040 FLG$="X+1":GOTO 1120
1050 Y=INT(Y1/18):X=9
1060 FLG$="X-1":GOTO1120
1070 IF Y1=174 THEN GOTO1100
1080 X=INT((X1-66)/18):Y=0
1090 FLG$="Y+1":GOTO1120
1100 X=INT((X1-66)/18):Y=9
1110 FLG$="Y-1":GOTO1120
1114 '
1115 'PROCESSING OF BEAM PATH
1120 IF LEFT$(FLG$,1)="Y" THEN 1
320
1130 IF RIGHT$(FLG$,2)="-1" THEN
 GOTO 1230
1140 IF X=9 THEN 1580
1150 IF GR(X,Y)=-1 THEN 1510
1160 IF Y+1<10 THEN IF X=0 AND G
R(X+1,Y+1)=-1 THEN 1580
1170 IF Y-1>-1 THEN IF X=0 AND G
R(X+1,Y-1)=-1 THEN 1580
1180 IF Y-1<>0 THEN IF GR(X+1,Y-
1)=-1 THEN FLG$="Y+1":GOTO1120
1190 IF Y+1<>9 THEN IF GR(X+1,Y+
1)=-1 THEN FLG$="Y-1":GOTO1120
1200 IF GR(X,Y)=-1 THEN 1510
1210 IF X+1<>10 THEN X=X+1:GOTO1
120
1220 GOTO1120
1230 IF X=0 THEN 1580
1240 IF GR(X,Y)=-1 THEN 1510
1250 IF Y+1<10 THEN IF X=9 AND G
R(X-1,Y+1)=-1 THEN 1580
1260 IF Y-1>-1 THEN IF X=9 AND G
R(X-1,Y-1)=-1 THEN 1580
1270 IF Y-1<>0 THEN IF GR(X-1,Y-
1)=-1 THEN FLG$="Y+1":GOTO1120
1280 IF Y+1<>9 THEN IF GR(X-1,Y+
1)=-1 THEN FLG$="Y-1":GOTO1120
1290 IF GR(X,Y)=-1 THEN 1510
1300 IF X-1<>-1 THEN X=X-1:GOTO1
120
1310 GOTO1120
1320 IF RIGHT$(FLG$,2)="-1" THEN
GOTO 1420
1330 IF Y=9 THEN 1580
1340 IF GR(X,Y)=-1 THEN 1510
1350 IF X+1<10 THEN IF Y=0 AND G
R(X+1,Y+1)=-1 THEN 1580
1360 IF X-1>-1 THEN IF Y=0 AND G
R(X-1,Y+1)=-1 THEN 1580
1370 IF X-1<>0 THEN IF GR(X-1,Y+
1)=-1 THEN FLG$="X+1":GOTO1120
1380 IF X+1<>9 THEN IF GR(X+1,Y+
1)=-1 THEN FLG$="X-1":GOTO1120
1390 IF GR(X,Y)=-1 THEN 1510
1400 IF Y+1<>10 THEN Y=Y+1:GOTO1
120
1410 GOTO1120
1420 IF Y=0 THEN 1580
1430 IF GR(X,Y)=-1 THEN 1510
1440 IF X+1<10 THEN IF Y=9 AND G
R(X+1,Y-1)=-1 THEN 1580
1450 IF X-1>-1 THEN IF Y=9 AND G
R(X-1,Y-1)=-1 THEN 1580
1460 IF X-1<>0 THEN IF GR(X-1,Y-
1)=-1 THEN FLG$="X+1":GOTO1120
1470 IF X+1<>9 THEN IF GR(X+1,Y-
1)=-1 THEN FLG$="X-1":GOTO1120
1480 IF GR(X,Y)=-1 THEN 1510
1490 IF Y-1<>-1 THEN Y=Y-1:GOTO1
120
1500 GOTO1120
1504 '
1505 ' ***HIT***
1510 COLOR3,5
1520 MV$(MV,0)=MV$(MV,1):MV$(MV,
2)="18"
1530 LINE(X1,Y1)-(X1+15,Y1+15),P
RESET,BF
1540 LINE(X1,Y1)-(X1+15,Y1+15),P
SET,BF
1550 GET(X1,Y1)-(X1+15,Y1+15),CS
,G
```

```
1560 COLOR2,5
1565 SOUND 180,4
1570 MV=MV+1:GOTO650
1574 '
1575 '***REFLECTION***
1580 IF X=OX AND Y=OY THEN GOTO1
700
1590 MV$(MV,0)=STR$(X)+","+STR$(
Y):MV$(MV,2)=STR$(P)
1600 Z=X:GOSUB1770:X3=ZX
1610 Z=Y:GOSUB1760:Y3=ZY
1620 X$=L$(P,1):GOSUB1940:C=K1:C
1=K2
1630 T=C+X1:T1=C1+Y1:T2=C+X3:T3=
C1+Y3
1640 COLOR1,5:LINE(X3,Y3)-(X3+15
,Y3+15),PSET,BF:COLOR3,5165Ø
DRAW"BM"+STR$(T)+","+STR$(T
1)+"C3"+L$(P,2):DRAW"BM"+STR$(T2
)+","+STR$(T3)+"C3"+L$(P,2)
1660 GET(X1,Y1)-(X1+15,Y1+15),CS
,G
1670 IF ZP$="Y" THEN ZP$="N":P=L
:GOTO650
1680 P=P+1:MV=MV+1
1690 GOTO650
1694 '
1695 '***DETOUR***
1700 COLOR4,5
1710 MV$(MV,0)=MV$(MV,1):MV$(MV,
2)="17"
1720 LINE(X1,Y1)-(X1+15,Y1+15),P
SET,BF
1730 GET(X1,Y1)-(X1+15,Y1+15),CS
,G
1740 COLOR3,5
1750 MV=MV+1:GOTO650
1754 '
1755 'X,Y/PIXEL CONVERSION
1760 ZY=ZY(Z):RETURN
1770 ZX=ZX(Z):RETURN
1940 T=INSTR(1,X$,","):K1=VAL(LE
FT$(X$,T-1)):K2=VAL(RIGHT$(X$,LE
N(X$)-T)):X$="":RETURN
2014 '
2015 'PLACE BALL ON GRID
2020 K$=STR$(OX)+","+STR$(OY)
2030 FOR N=1TO10
2040 IF (B(N,1)=OX) AND (B(N,2)=
OY) THEN LINE(X1,Y1)-(X1+15,Y1+1
5),PRESET,BF:GET(X1,Y1)-(X1+15,Y
1+15),CS,G:GOTO2140
2050 NEXTN
2060 IF BL>=10 THEN GOTO680
2070 FOR N=1TO6
2080 CIRCLE(X1+9,Y1+9),N,2
2090 NEXT N
2100 GET(X1,Y1)-(X1+15,Y1+15),CS
,G
2110 B(BL,1)=OX:B(BL,2)=OY
```


Make Signs, Banners, and Greeting Cards!



The Coco Graphics Designer Plus $29.95

Super easy-to-use point and click graphical interface, features windows, scroll bars, radio buttons, and joystick or mouse control.



The CoCo Graphics Designer Plus (CGDP) is CoCo 2 and 3 Compatible. It allows pictures, and text in up to 4 sizes and 16 fonts, per page or banner. The cards & signs feature hi-resolution borders and complete on-screen previews. The CGDP comes with 16 borders, 5 fonts, and 32 pictures. It's 100% machine language for fast execution.

Printer Support Radio Shack DMP105, 106, 110,120, 130, 132, 200, 400, 420, 430, 440, 500, Epson FX/RX/LX/EX/LQ, Gemini 10X, Star SG10, NX10, NX1000, Panasonic KXP1080, 1090, 1091, 1092, Prowriter, C. Itoh 8510 & more.. Call for complete list.

Requirements: 64K CoCo II or III, disk drive with RSDOS, mouse or joystick.

Max Compatible
Zebra's Picture disks 2, 3, and 4 include a simple format conversion utility making them easy to use with Colorware's MAX-10, CoCo MAX II and III.

In addition to the font, border, and picture collections that come with the CoCo Graphics Designer Plus, the following optional disks are available for $14.95 each.

Border Disk #1 Contains 176 High resolution borders, great variety from simple to ornate.
Font Disk A 10 Fonts: Western, Stencil, Banner, Shadow, Variety, Type, Stripes, Digital, Bold3, Object
Font Disk B 10 Fonts: Arcade, Circle, Alien, Cube, Baroque, Deco, Block, Gray, Computer, Script
Picture Disk #2 4 sets of 30 pictures each: Sports, America, Party, Office, Total 120 pictures.
Picture Disk #3 4 sets of 30 pictures each: Animals, Nature, Religion, Travel, Total 120 pictures.
Picture Disk #4 120 holiday pictures: Christmas, Thanksgiving, New Year's, Easter, Halloween, etc.

Ordering Instructions: All orders add $3.00 Shipping & Handling. UPS COD add $3.00. VISA/MC Accepted. NY residents add sales tax.

Zebra Systems, Inc., 78-06 Jamaica Ave., Woodhaven, NY 11421 (718) 296-2385

```
2120 BL=BL+1
2130 GOTO680
2140 BL=BL-1
2150 FOR H=N TO 9
2160 B(H,1)=B(H+1,1):B(H,2)=B(H+
1,2)
2170 NEXTH
2180 GOTO680
2184 '
2185 ' MENU SELECTION
2190 J1=JOYSTK(0):J2=JOYSTK(1)
2200 IF J2<21 THEN LINE(0,95)-(5
6,114),PSET,B
2210 IF J2>42 THEN LINE(0,140)-(
56,159),PSET,B
2215 IF (J2>=21) AND (J2<=42) TH
EN LINE(0,117)-(56,136),PSET,B
2220 A=PEEK(65280):IF A=254 OR A
=126 THEN 2240
2230 LINE(0,95)-(56,114),PRESET,
B:LINE(0,117)-(56,136),PRESET,B:
LINE(0,140)-(56,159),PRESET,B:GO
TO2190
2240 IF J2>42 THEN 310
2243 IF (J2>=21) AND (J2<=42) TH
EN LINE(0,117)-(56,136),PRESET,B
:GOTO 650
2244 '
2245 'SOLVE GAME
2250 FOR N=1TO5
2270 Z=BL(N,1):GOSUB1770:X=ZX:Z=
BL(N,2):GOSUB1760:Y=ZY
2280 FOR T=1TO5
2290 IF (B(T,1)=BL(N,1)) AND (B(
T,2)=BL(N,2)) THEN BL(N,1)=-10:G
OTO 2320
2300 NEXT T
2305 SOUND 30,7
2310 COLOR4,5:LINE(X,Y)-(X+15,Y+
15),PSET,BF:GOTO2410
2320 COLOR2,5:LINE(X,Y)-(X+15,Y+
15),PSET,BF
2330 FOR T=1TO500:NEXTT
2340 SOUND190,3
2350 FOR T=1 TO10
2360 COLOR4,5:LINE(X,Y)-(X+15,Y+
15),PSET,BF
2370 FOR Z=1TO100:NEXTZ
2380 COLOR2,5:LINE(X,Y)-(X+15,Y+
15),PSET,BF
2390 NEXT T
2400 FOR W=1TO750:NEXTW
2410 NEXT N
2414 '
2415 'SCORING
2420 FOR N=1TO5
2430 IF BL(N,1)<>-10 THEN SC=SC-
1
2440 NEXT N
2450 IF SC=0 THEN SO=0:GOTO2500
2460 A=SC*100:B=1-(MV/32):SO=INT
(A+(B*125))
2494 '
2495 'DRAW END SCREEN
2500 LINE(0,95)-(57,160),PRESET,
BF
2510 DRAW"BM0,120C2;"+AL$(19)+AL
$(3)+AL$(15)+AL$(18)+AL$(5)
2520 SO$=STR$(SO)
2530 DRAW"BM3,136C3"
2540 FOR N=1TOLEN(SO$)
2550 K$=MID$(SO$,N,1)
2560 IF K$=" " THEN 2600
2570 IF K$=""THEN 2600
2580 DRAWNUM$(VAL(K$))
2590 K$=""
2600 K$="":NEXT N
2610 LINE(0,15)-(56,55),PRESET,B
F
2620 DRAW"BM6,12C2;"+AL$(16)+AL$
(12)+AL$(1)+AL$(25)
2630 DRAW"BM0,25C2;"+AL$(1)+AL$(
7)+AL$(1)+AL$(9)+AL$(14)+"BR4U1B
U2U3R5U4L7D2"
2640 DRAW"BM9,45C2;"+AL$(25)+"BR
6"+AL$(14)
2650 J1=JOYSTK(0)
2660 IF J1<=32 THEN LINE(6,34)-(
21,48),PSET,B:LINE(25,34)-(39,48
),PRESET,B
2670 IF J1>32 THEN LINE(25,34)-(
39,48),PSET,B:LINE(6,34)-(21,48)
,PRESET,B
2680 IF PEEK(65280)=254 OR PEEK(
65280)=126 THEN GOTO2690 ELSE GO
TO2650
2690 IF J1<=32 THEN 310 ELSE END
2700 TIMER=0
2705 IF TIMER<=65 THEN 2705
2710 PRINT@480," press fire butt
on to continue";
2720 IF PEEK(65280)<>126 AND PEE
K(65280)<>254 THEN 2720 ELSE CLS
:PRINT@11,"BLACK BOX":RETURN
2730 TIMER=0
2731 IF TIMER<=30 THEN 2731
2735 PRINT" <-MORE->"
2740 IF PEEK(65280)<>126 AND PEE
K(65280)<>254 THEN 2740 ELSE RET
URN
2745 'INSTRUCTIONS
2750 CLS:PRINT@11,"BLACK BOX"
2760 PRINT"OBJECT:"
2770 PRINT"  THE OBJECT OF BLACK
 BOX IS    TO LOCATE FIVE BALLS
WHICH ARE  HIDDEN WITHIN THE GRI
D OR BOX.  YOU LOCATE THEM BY FI
RING RAYS  OF LIGHT INTO THE BOX
 AND       OBSERVING WHERE THEY
EXIT."
2780 PRINT"  THE LIGHT RAYS ARE
BENT IN    PARTICULAR WAYS WHEN
THEY ENCOU -NTER THE BALLS WITHI
N THE BOX  AND YOU MUST DEDUCE T
HE BALLS'  POSITIONS BY OBSERVIN
G HOW EACH RAY OF LIGHT IS BENT
WITHIN THE GRID."
2790 GOSUB2700
```

Radio Shack Has the Best in Color Computer Software.

Choose from a library of popular titles in entertainment, education and productivity

At Radio Shack, we're dedicated to making sure that you never run out of ways to use and enjoy your Color Computer. We've got a terrific line of software of all types.

Let your Color Computer open the door to a world of fun. Choose from a dazzling selection of popular and challenging games, including Nintendo™ classics.

One of the most valuable potentials of your Color Computer is in providing your children a head start in their education. We've got learning programs for children of all ages that will provide hours of productive fun! With this selection, you'll find programs that help develop hundreds of useful skills.

No matter what your personal needs, we've got programs that'll put your Color Computer to work where you need it most—like personal filing, word processing, spreadsheets and communications.

Send in the coupon for a free copy of our 1990 Software Buyer's Guide. Or pick one up at any Radio Shack—your one-stop neighborhood software center.

Send me a new 1990 software guide.

Mail to: Radio Shack, Dept. 90-A-115-2
300 One Tandy Center, Fort Worth, TX 76102

Name _____

Address _____

City _____

State _____

ZIP _____

Phone _____

Nintendo/TM Nintendo of America, Inc.

Radio Shack®
The Technology Store℠
A DIVISION OF TANDY CORPORATION

```
2810 PRINT"PLAYING THE GAME:"
2820 PRINT"   WHEN THE GAME BEGI
NS THE      CURSOR WILL BE SOMEWH
ERE ON THE GRID. TO SHOOT RAYS O
F LIGHT IN -TO THE GRID YOU POSI
TION THE    CURSOR IN ONE OF THE
BORDER      BOXES AND PRESS THE F
IRE BUTTON"
2830 PRINT" WHEN YOU DO THIS THE
 BOX MAY    TURN PURPLE OR ORANGE
 OR AN      ICON WILL APPEAR IN I
T. IF IT    TURNS PURPLE THIS SIG
NIFIES A    HIT. IF THE BOX TURNS
 ORANGE     IT SIGNIFIES A REFLEC
TION."
2840 GOSUB2700
2850 PRINT"  IF AN ICON APPEARS
IT MEANS    THE BEAM OF LIGHT HAS
 EXITED     THE GRID AT SOME OTHE
R POINT."
2860 PRINT"   WHEN YOU THINK YOU
 HAVE       LOCATED A BALL MOVE T
HE CURSOR   ONTO ITS SUSPECTED LO
CATION ON   THE GRID AND PRESS TH
E FIRE      BUTTON. A BALL WILL A
PPEAR       AT THAT POINT. TO REM
OVE A BALL MERELY REPOSITION THE
 CURSOR"
2870 PRINT"OVER IT AND PRESS THE
 FIRE BUT  -TON AND IT WILL BE R
EMOVED."
2875 GOSUB2700
2880 PRINT"    WHEN YOU THINK YO
U HAVE      LOCATED ALL OF THE BA
LLS OR AS   MANY AS POSSIBLE, THE
N MOVE THE CURSOR TO ONE OF THE
FOUR CORN  -ERS OF THE GRID AND
PRESS THE   FIRE BUTTON. THIS WIL
L PUT YOU   IN THE SIDE MENU."
2890 PRINT"    HERE, SELECTING T
HE SOLVE    OPTION WILL GIVE THE
SOLUTION    TO THE MAZE AND YOUR
SCORE."
2892 GOSUB2730
2895 PRINT"   YOU MAY ALSO AT AN
YTIME       DURING THE GAME GO TO
 THE SIDE   MENU AND SELECT THE <
KILL>       OPTION WHICH WILL KIL
L THE"
2900 PRINT"CURRENT GAME AND GIVE
 YOU A NEW ONE."
2905 GOSUB2700
2920 PRINT:PRINT"   YOU ARE NOW
READY TO FACE          THE CHALLE
NGE OF THE                    BLA
CK BOX"
2930 PRINT:PRINT"  GOOD LUCK AND
 GOOD HUNTING!"
2940 GOSUB2700
2950 RETURN
```


* ultra * ultra * ultra *

ULTRA-BASE

The ultimate database program for the CoCo 1, 2, or 3 with at least 64K.

Keep track of over 500 names and addresses, with up to 32K of information in memory at any time.

Alphabetizes by first or last word in any of the seven categories.

Arranges positive numbers in numerical order.

Multiplies any two designated categories to obtain lists with total value.

Prints mail labels with up to four lines from any designated categories.

Very "user friendly", just make choices from the self-explanatory menu to tell the program what you want to do. 64K Tape or Disk.

ULTRA-MERGE

Create personalized letters, forms etc. using your favorite word processor program and ULTRA-BASE.

Use your word processor program to create an ASCII master copy of a letter (or whatever), leaving blanks at various strategic places within it.

Then, use ULTRA-MERGE to print personalized copies of this letter by filling in the letter's blanks with data taken from the categories you specify within the designated ULTRA-BASE files. Print one letter for each record in the specified ULTRA-BASE file, or you can write the letter for a designated name, zip code, town, state or whatever. 64K disk.

ULTRA-CAT

Organize your program collection in a fast and nearly effortless manner. Simply insert one of your program disks into the drive, and ULTRA-CAT reads them and creates a 7-category ULTRA-BASE file describing the contents of that disk. Keep a separate file for each of your disks, or merge all of the individual files into one massive file containing information on about 1000 different programs - and this entire file can be in memory at one time! Then, using the powerful sorting, editing, and printing abilities of ULTRA-BASE itself, you can have the most organized program collection in the country. Requires at least 64K.

TO SEE TOTHIAN'S OTHER INNOVATIVE IDEAS - WRITE AND HAVE YOUR NAME PLACED ON OUR FREE MAILING LIST.

NO OBLIGATION.

FREE CALENDAR PROGRAM WITH YOUR SUMMER ORDER

Three ULTRA Ideas from

- ULTRA-BASE DISK OR TAPE... $24.95
- ULTRA-BASE AND ULTRA-MERGE. $39.95
- ULTRA-BASE AND ULTRA-CAT... $39.95

ULTRA-BASE, ULTRA-MERGE, AND ULTRA-CAT..... $54.95

ADD $2.00 S/H
ADD $4.00 FOR U.P.S.
ADD $3.00 FOR C.O.D.
PA residents Add 6% Sales Tax

TOTHIAN SOFTWARE
Box 663
Rimersburg, PA 16248

Use our 800 number!

For credit card orders, you may want to phone in your subscription. Our *credit card order* number is (800) 847-0309, 8 a.m. to 5 p.m. EST. All other inquiries please call (502) 228-4492.

We accept VISA, MasterCard, and American Express.

Subscriptions to THE RAINBOW are $31 a year in the United States. Canadian rate is $38 (U.S. funds only). Surface rate elsewhere is $68 (U.S.). Airmail is $103 (U.S.). All subscriptions begin with the current issue. Please allow 6 to 8 weeks for the first copy. Kentucky residents add 5% sales tax.

In order to hold down non-editorial costs, we do not bill.

MULTI-YEAR SUBSCRIPTION DISCOUNT AVAILABLE

(See information on order form)

Our 800 number is also good for ordering RAINBOW ON TAPE or RAINBOW ON DISK!

Just call (800) 847-0309 anytime from 8 a.m. to 5 p.m. EST. *Credit card orders only.*

Subscriptions to RAINBOW ON TAPE are $80 a year in the United States, $90 (U.S. funds) in Canada and $105 (U.S.) in all other countries.

RAINBOW ON DISK is $99 a year in the United States, $115 (U.S.) in Canada and $130 (U.S.) in all other countries.

Individual issues of RAINBOW ON TAPE are $10 in the U.S., $12 (U.S.) in Canada and all other countries. Individual issues of RAINBOW ON DISK are $12 in the U.S., $14 (U.S.) in Canada, and $16 (U.S.) in all other countries. Kentucky residents please add 5% sales tax.

RAINBOW ON TAPE and RAINBOW ON DISK are not stand-alone products; you need the magazine for loading and operating instructions and the necessary documentation. THE RAINBOW magazine is a separate purchase.

Send Me Rainbow Magazine!

Which Tandy Color Computer do you use? ☐ CoCo 1 ☐ CoCo 2 ☐ CoCo 3

Here's your chance to have a Pot O' Gold full of programs, articles and information about CoCo every month of the year!

As the premier magazine of the Tandy Color Computer, THE RAINBOW has more of everything — and greater variety, too. Do yourself and your CoCo a favor and subscribe to THE RAINBOW today!

Choose one: ☐ One Year $31 — 35% off cover price
☐ Two Years $58 — 39% off cover price
☐ Three Years $79 — 44% off cover price

Note: Non-U.S. subscribers must inquire about multi-year

☐ IF RENEWING, PLEASE ATTACH LABEL

*Name*_____

*Address*_____

*City*_____ *State*_____ *ZIP*_____

☐ Payment Enclosed (payment must accompany order)

Charge: ☐ VISA ☐ MasterCard ☐ American Express

Account Number_____

Signature_____ Card Expiration Date_____

Give Your Fingers A Break!

YES! Sign me up: ☐ *NEW* ☐ *RENEW (attach label)*

☐ *RAINBOW ON TAPE* ☐ *RAINBOW ON DISK (Available beginning with the October 1986 issue)*

☐ *A Full Year* ☐ *Single Issue (specify month & year)* _____

Name _____

Address _____

City _____ State _____ ZIP _____

☐ Payment Enclosed (payment must accompany order)

Charge: ☐ VISA ☐ MasterCard ☐ American Express

Account Number _____

Signature _____ Card Expiration Date _____

The Biggest
The Best
The Indispensable

The RAINBOW
THE COLOR COMPUTER MONTHLY MAGAZINE

THE RAINBOW is the biggest, best, brightest and most comprehensive publication a happy CoCo ever had! **THE RAINBOW** features more programs, more information and more in-depth treatment of the Tandy Color Computer than any other source.

A monthly issue contains nearly 200 pages and up to two dozen programs, 14 regular columns and as many as 12 new product reviews. And advertisements: **THE RAINBOW** is known as *the* medium for advertisers — which means every month it has a wealth of information unavailable anywhere else about new products! Hundreds of programs are advertised in its pages each month.

Every single issue of **THE RAINBOW** covers the wide spectrum of interests in the Tandy Color Computer — from beginners' tutorials and arcade games to telecommunications and business and finance programs. Helpful utilities and do-it-yourself hardware projects make it easy and fun to expand your CoCo's capabilities. And, monthly reviews by independent reader reviewers take the guesswork out of buying new software and hardware products.

Join the tens of thousands who have found **THE RAINBOW** to be an absolute necessity for their CoCo. With all this going for it, is it surprising that more than 90 percent of **THE RAINBOW** subscribers renew their subscriptions? We're willing to bet that, a year from now, you'll be doing the same.

Rainbow On Tape & Rainbow On Disk!

— great ways to bring **THE RAINBOW** into your life. Each month, all you do is pop the tape into your cassette player or the disk into your drive. No more lost weekends. As soon as you read an article about a program in **THE RAINBOW**, it's ready to load and run. No work. No wait.

Just think how your software library will grow. With your first year's subscription, you'll get almost 250 new programs: games, utilities, business programs, home applications. And, with **RAINBOW ON DISK**, you'll also get all the OS-9 programs.

RAINBOW ON TAPE and **RAINBOW ON DISK** — they're the "meat" of **THE RAINBOW** at a price that's "small potatoes." And now you even have a choice about how it should be served up to you.

To get your first heaping helping, just fill out and return the attached reply card. No postage necessary.

BUSINESS REPLY CARD
FIRST CLASS PERMIT NO. 1 PROSPECT, KY

POSTAGE WILL BE PAID BY ADDRESSEE

The RAINBOW®
THE COLOR COMPUTER MONTHLY MAGAZINE

The Falsoft Building
P.O. Box 385
Prospect, KY 40059-9989

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY CARD
FIRST CLASS PERMIT NO. 1 PROSPECT, KY

POSTAGE WILL BE PAID BY ADDRESSEE

The RAINBOW®
THE COLOR COMPUTER MONTHLY MAGAZINE

The Falsoft Building
P.O. Box 385
Prospect, KY 40059-9989

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

Colorful equations

The Graphics Corner Part I of III

By William P. Nee

Welcome to The Graphics Corner. This mini-series will show you three ways to create color graphics on your CoCo, using BASIC and machine language programs, one and two-dimensional arrays, and the CoCo's upper 32K RAM memory. These three programs should be modified and experimented with as much as possible since the variations are endless.

Listing 1: COLRDEMO

```
10 PMODE 3,1:PCLS:SCREEN 1,1
20 FOR X=0 TO 30:XX=X+X
30 FOR Y=0 TO 30
40 C=(X*X+Y*Y) AND 3
50 PSET(XX,Y,C):NEXT Y,X
60 GOTO 60
```

Our first program explains how to use a mathematical equation of almost any type to make a graphics pattern. As we go across and down the entire screen, each *x* (horizontal) and *y* (vertical) point is computed according to the formula we select, and the result is used to determine the color of that point. Since we want the maximum number of colors, we'll use PMODE 3, colors 0 through 3. If our color value is greater than 3, we will AND it with 3 — this keeps the color value between 0 and 3.

Bill Nee bucked the "snowbird" trend by retiring to Wisconsin from a banking career in Florida. He spends the long, cold winters writing programs for his CoCo.

Let's try a quick demonstration. The equation for a circle, *x*x+y*y*, draws well, so we'll let our color C=(X*X+Y*Y) AND 3. Since PMODE 3 uses two bits across for each color, we need to double the *x* value when we set it (not when we compute it). Listing 1 gives a quick demonstration.

The result is pretty, but there's not too much to it. We need to be able to enlarge the pattern and choose how far it goes horizontally and vertically. Let's use the same formula for comparison. First, choose the coordinates where the graphics will start and how far they'll go in each direction. Let's start with an *x* value of -32 and a *y* value of -32, and go +64 in each direction. Next, scale each value. Since there are 128 color bits across, each one is 64/128 (the *x* distance/128) of the distance across; and since there are 192 pixels down, each one is 64/192 (the *y* distance/192) of the distance down. The *x* values will be the horizontal distance across (H) times the *x* scale (XS) added to the original starting point (XC); the *y* values will be the vertical distance down (V) times the *y* scale (YS) added to the original starting point (YC). Our new program should look like Listing 2.

Now let's make a few refinements. We'll use DATA lines for the starting coordinates and distances, and read them at the beginning of the program. Instead of having to re-compute the color value at every point, use the DEF FN command in BASIC. At the start of the program we'll define the color as DEF FN(C)=INT(X*X+Y*Y) AND 3. As an option,

Listing 2: CIRCLE1

```
5 XC=-32:XS=64/128:YC=-32:YS=64/
192
10 PMODE 3,1:PCLS:SCREEN 1,1
20 FOR H=0 TO 30:X=XC+H*XS:HH=H+
H
30 FOR V=0 TO 30:Y=YC+V*YS
40 C=INT(X*X+Y*Y) AND 3
50 PSET(HH,V,C):NEXT V,H
60 GOTO 60
```

Listing 3: CIRCLE2

```
0 DIM XC,YC,XD,YD,XS,YS,MX,MY,H,
HH,V,X,XX,Y,C
1 READ XC,XD,YC,YD:XS=XD/128:YS=
YD/192:MX=127:MY=191
2 DEF FN F(C)=INT(X*X+Y*Y)AND 3
3 PMODE3,1:PCLS:SCREEN1,1
4 FORH=0TOMX:HH=H+H:X=XC+H*XS:FO
RV=0TOMY:Y=YC+V*YS:PSET(HH,191-V
,FNF(C)):NEXTV,H
5 GOTO 5
6 DATA -32,+64
7 DATA -32,+64
```

Burke & Burke

Purveyors of fine Color Computer Hardware and Software Since 1987



INTERNATIONAL ORDERS: 206-235-0917

TOLL-FREE U.S. ORDER HOTLINE: 1-800-ADS-AHOY 1-800-237-2409

TECHNICAL SUPPORT: 1-206-235-0917

QuarterMeg

256K memory upgrade for CoCo 3: $89.95!

Price includes 4 memory chips at our current reference market price. Due to fluctuating market conditions, prices are subject to change without notice.

A New Breed of CoCo 3 Memory Expansion

Uses existing CoCo 3 64K x 4 memory chips!

Our revolutionary circuit combines four 64K x 4 memory chips on the QuarterMeg board with the four identical memory chips in the 128K CoCo 3 to double your OS9 and BASIC memory to 256K. Piggy-back upgrades to 512K!

Expandable to 512K!

Zero-K QuarterMeg (no chips) -- $39.95

Also available: Standard QuarterMeg (4 chips), Full QuarterMeg (8 chips) & Fat QuarterMeg (512K -- 16 chips)

>>> MARKET PRICE <<<

File System Repack

Your OS9 disks are suffering from a bad case of fragmentation, and $29.95 we've got the cure.

Did you know that OS9 gets less efficient (and just a little slower) every time you use it? It's true! As you modify or create files, OS9 breaks them up into smaller and smaller pieces scattered randomly across your disks. Smaller pieces mean slower disk access.

Our new File System Repack program examines each file on your hard or floppy disk. It reverses the effects of fragmentation by gathering up and combining pieces of files. In addition to the immediate benefit of a faster system, our program also reduces disk head movement -- in the long term, decreasing wear on your system's mechanical parts.

Real BASIC for OS9!

There is nothing wrong with your Color Computer. Do not attempt to adjust it.

Burke & Burke's R.S.B. software gives you a complete, OS9-compatible version of Disk Extended Color BASIC. We've added new software for OS9-style graphics, sound, printer, and disk I/O. The BASIC you know and love is now running under Level 2 OS9 windows!

R.S.B. loads and saves files using OS9's file format, so we've also included utilities to transfer BASIC programs and data files betwen OS9 and BASIC disks. Of course, you can't use R.S.B. to run machine language programs, and some BASIC commands work slightly differently under R.S.B.

Your BASIC programs can take full advantage of great OS9 features like hard disks, no-halt floppies, multi-tasking, and 2 MHz operation.

R.S.B. requires a CoCo 3 with at least 128K RAM (256K strongly recommended), a floppy controller with either Tandy Disk BASIC or DISTO CoCo 3 CDOS, and Level 2 OS9.

R.S.B. Version 1.3 $39.95

CoCo-XT Hard Disk Interfaces

Hundreds of Color Computer enthusiasts in the US, Canada, Europe, South America, and Australia love our affordable high-performance hard disk interfaces! Look at these features:

NO HALT • 1 or 2 hard drives • 30% faster than SASI • Uses PC-type hard disk drives & controllers • 5 Meg to 120 Meg per drive • Does not use interrupts • Multi-PAK recommended • Works with 12 Volt Y-cables • Includes EZGen boot file editor for easy installation

Each interface includes a durable, fully enclosed metal housing, user manual, and software for use with HYPER-I/O or OS9. The CoCo XT-RTC adds a battery-powered real time clock / calendar for OS9 and BASIC.

CoCo XT $69.95
CoCo XT-RTC $99.95

Share your hard disk between BASIC and OS9 with HYPER-I/O (not included)

The Profesional Touch: XT-ROM 2.3

Install XT-ROM in your CoCo XT hard disk controller's BIOS ROM socket. It automatically boots and reboots OS9 from your hard disk.

XT-ROM $19.95

Select among any of two different hard disk boot files, two different floppy boot files, or your BASIC ROM at power-up. XT-ROM gives your system that "professional touch". Great for unattended BBS, home security, or other fail-safe CoCo applications.

HYPER-I/O

Now BASIC runs hard drives, big floppies, and more!

HYPER-I/O modifies the Disk BASIC in your CoCo 1, 2, or 3 to provide a "Dynamic Disk Interface". Use your existing BASIC and M/L software with hard disk interfaces (CoCo XT, DISTO, LR), RAM Disks, and any mix of floppy drives from 160K to 720K each. Fully RESET protected, user configurable, expandable, EPROM-able HYPER-I/O V2.6B is the most versatile CoCo hard disk DOS available. *Please specify HYPER-I/O, DISTO HYPER-I/O, or LR HYPER-I/O when ordering.* $29.95

HYPER-III (Adds RAM Disk and Print Spooler to CoCo 3 HYPER-I/O. *$12.95*

HYPER-I/O & HYPER-III work with your B&B, RGB, LR, or DISTO Hard Disk

HYPER-I/O Utilities

by Kevin Berner

The HYPER-I/O HARD DISK UTILITIES let you perform wildcard copy, delete, and search operations on your HYPER-I/O directories. Great timesaver for moving data from floppy disk to hard disk, or for BBS maintenance. Kevin's DISK DOCTOR will lock out bad sectors on your hard or floppy disks, and includes a disk-zap utility designed specifically for use with HYPER-I/O.

DISK Doctor $17.95 HYPER-I/O Hard Disk Utilities $21.95

>>> WOW! Both Great Utilities for Only $37.95 <<<

OS9 Utilities

Wild & MV Version 2.1

Use "wildcards" with most OS9 commands, or rearrange your directory tree. Features recursive directory searches. A hard disk must! $19.95

EZGen Version 1.06

Powerful OS9 bootfile editor. Change module names, add or delete modules, patch bytes, or rearrange modules. Works on other files, too. $19.95

PERTASCII $19.95

PERTASCII is a Level 2 OS9 scrambled-letter word game for 1-16 players: yourself, the computer, other users on your system, even friends that call in on a modem.

Great for BBS and multi-user systems . . . or play against the computer to hone your skills! Includes a user-expandable 15,000 word vocabulary.

Minimum 256K CoCo 3, Level 2 OS9, and one disk drive required. CoCo 2 and 128K owners: watch for our 128K / 64K version!

Contact Frank Hogg, Microcom, or Howard Medical for information about complete Burke & Burke hard disk kits and assembled systems.

Hardware, or What?

68B09E 2MHz Microprocessor	$14.95
4' Hard Disk Cable Set	$17.50
Blank 27128 EPROM (for HYPER-I/O)	$9.95
Hard Disk BIOS Socket Installed	$7.50

Daggorpatch

Yet another does not return!

Don't be afraid of the dungeons . . .

Only $9.95!

DAGGORPATCH puts the thrill back into your Dyna Micro Dungeons of Daggorath™ game cartridge by patching it to run from disk. Includes disk load & save, auto-repeat command, pause, DMP-100 screen dump, tape-to-disk, and more!

Burke & Burke

P.O. Box 58342 Renton, WA 98058

(206) 235-0917

MasterCard VISA

WASHINGTON RESIDENTS PLEASE ADD 8.1% SALES TAX. U.S. COD's add $2.75. Minimum U.S. shipping & handling $3.00. $4.00 minimum shipping to Canada. Please allow 2 weeks for delivery. Overnight or 2-day delivery available for in-stock items.

Software upgrades $5.00 each w/ receipt, including U.S. shipping. Telephone orders call 1 (800) 237-2409

RAINBOW CERTIFICATION SEAL

Burke & Burke Advertisement The RAINBOW August, 1989
Copyright 1989 by Burke & Burke

Table 1

XC	XD	YC	YD	Equations
-8	16	-8	16	`INT(32*(SIN(X)*SIN(X)+COS(Y)*COS(Y))) AND 3`
0	10	-3	6	`INT(EXP(X)*COS(Y)) AND 3`
-16	32	-16	32	`INT(SQR(ABS(X*X-Y*Y))) AND 3`
-4	8	-4	8	`INT(X*X+Y*Y)*(X:X+Y*Y)-2(X*X-Y*Y)) AND 3`
-2.5	5	-2.5	5	`INT((X*X+Y*Y)*(X*X+Y*Y)*(X*X+Y*Y)-(X*X-Y*Y)*(X*X-Y*Y)) AND 3`

you can have the *y* point `PSET` as (...,`191-V,C`) — this makes our display a little more realistic-looking since most graphs are numbered from low to high as you go up. Finally, we'll define all our variables at the start of the program (so BASIC will have locations for them immediately), renumber the program, and combine lines where possible — to get that extra added speed. If your computer will handle it, you can also insert the fast poke (`POKE 65495,0`) in the first line. The final program should look about like Listing 3.

With the mechanics of the program out of the way, let's have some fun with it. Since the equation makes designs, start by changing it to `X*X-Y*Y`. What a difference a sign makes!

Another variation is `X*X+2*Y`. You can make the numbers cubic powers `X*X*X=Y*Y*Y`, but if the value before you `AND` it with 3 is too large, you will get a Function Call Error. You can only `AND` a number if it is between -32768 and +32767.

Another variation is to use `SIN` and `COS`. But since their value is only between -1 and +1, you must include a multiplier in the formula, such as `INT(32*(SIN(X)+COS(Y)) AND 3`. If you use `LOG`, the starting coordinates will usually have to be greater than zero (try to find `LOG(0)` or `LOG(-32)`). Another way to vary the display is to keep the formula the same, but increase or decrease the distance. Try Listing 3 again, but use `XC=-16`, `XD=+32`, `YC=-16`, `YD=+32`. Finally, you can vary the `AND` number. Try using . . . `AND 2` in the formula computation.

Table 1 is a list of functions and their coordinates I've found interesting to graph. You will find many more on your own. That's it for The Graphics Corner this month. Next time we'll investigate one-dimensional arrays and use two ML programs to create a graphics display that really zips along.

(Questions or comments concerning this article may be addressed to the author at Route 2, Box 216C Mason, WI 54856-9302. Please enclose an SASE when requesting a reply.)

METRIC INDUSTRIES, INC.



Model 101
Serial to Parallel Printer Interface

★ Works with any COCO
★ Compatible with "Centronics" Parallel Input Printers
★ Just turn the knob to select any one of 6 baud rates 300-9600
★ Comes complete with cables to connect to your printer and computer
★ Can be powered by most printers



Model 104 Deluxe Interface with "Modem Switch"

★ **Same Features as 101 Plus**
★ Built in Serial Port for your Modem or other serial device
★ Switch between Serial Output and Parallel Output
★ Comes with cables to connect to your computer and printer
★ Can be powered by most printers



Model 105 Serial Switch

★ Connects to your COCO to give you 2 switch selectable Serial Ports
★ Comes with a 3 foot cable to connect to your computer
★ Now you can connect your Printer (or printer interface) and your Modem (or other serial device) to your COCO and flip the switch to use either device
★ Does not require power

Cassette Label Printing Program

★ **New Version 2.1 prints 7 lines** of information on Cassette labels
★ Comes on Tape with instructions to transfer to disk
★ Menu driven, very easy to use
★ **Save and Load Labels from Tape and Disk**
★ Uses the features of your printer to print standard, expanded, and condensed characters
★ **Automatically Centers Each Line of Text**
★ Allows editing of label before printing
★ Program comes with 24 labels to get you started
★ 16K ECB required

Some of the Printers That Can –
Supply power for the 101 and 104 are Radio Shack, Star, Okidata, Brother, Juki, and Smith Corona.

Some of the Printers That Cannot –
Supply power for the interfaces are Epson, Seikosha, Panasonic, Silver Reed and NEC. If your printer cannot supply power to the interface you can order your interface with the "P" option or you can supply your own AC adapter. We recommend the Radio Shack 273-1431 AC adapter with a 274-328 connector adapter.

Write or call for more information or for technical assistance.

Price List

Model 101	**35.95**
Model 101P	41.95
Model 104	44.95
Model 104P	51.95
Model 105	14.95
Cassette Label Program	6.95
Pin Feed Cassette Labels:	
White	3.00/100

4 Pin Din Serial COCO Cables:

Male/Male 6 foot	4.49
Male/Female 6 foot	4.49
Female/Female 6 foot	4.49

Other Lengths Available.

All items covered by a 1 year warranty

Ordering Info

★ **Free Shipping** in the U.S.A. (except AK and HI) on all orders over $50
★ On orders under $50 please add $2.50 for shipping and handling
★ On orders outside the U.S.A. please write or call for shipping charges

You Can Pay By:
★ VISA or MasterCard
★ Or send check or money order payable in U.S. funds

Metric Industries Inc.
P.O. Box 42396
Cincinnati, OH 45242

(513) 677-0796

High-density printer enhancements for the shoestring desktop publisher, Desktop High

High Capacity Screen Dumps for the Shoestring Desktop Publisher

Part II of III

By H. Allen Curtis

In Part I of this three-part article (May '89, Page 100), it was pointed out that the quality of any desktop publisher is reflected directly and crucially by the quality of its screen dumps. Presented were high-quality, high-capacity screen dumps maximizing the capabilities of printers commonly owned by DESKTOPL users. In this article analogous screen dumps are presented for DESKTOPH users.

The screen dumps formerly developed to work with DESKTOPH print two screen images per page. The new high-capacity screen dumps employ eight and 12 screens in printouts. The eight-screen dumps produce two-column printouts with four screen images per column. The 12-screen dumps yield three-column printouts with four screen images per column.

Two screen dumps — one for the two-column, eight-screen printout and the other for the three-column, 12-screen printouts — were written to work with the Tandy DMP-series of dot-matrix printers. Each of the screen dumps work in either of two graphics modes — the 800 dots-per-line or the 960 dots-per-line mode. Commonly used DMP-105, -106, -110 and -200 printers have one or the other of these two modes. Each of the DMP-130 and -130A, connected as a serial printer, has only a graphics mode providing 480 dots per line. Therefore, they will not work with these two screen dumps. However, with a parallel-to-serial interface connection, the DMP-130 and -130A will work with the other pair of screen dumps presented in this part of the article.

Each column of the two-column, eight-screen dump in the 960 dots-per-line mode is 480 dots wide. The screen dump prints the left- most three-quarters of each screen (480*192 of the possible 640*192 dots). Thus, the page capacity of the screen dump is 8*3/4=6 screens, which is three times the page capacity of the screen dumps generally in use. In the 800 dots-per-line mode each column is 400 dots wide, leading to a page capacity of five screens. The page capacities of the three-column, eight-screen dump in the 800 and 960 dots-per-line modes are also five and six screens, respectively. This is due to the fact that each column is proportionally narrower for this screen dump.

The other pair of screen dumps developed for this part of the article are for Epson or Epson-compatible printers. Here Epson-compatible means almost all dot-matrix printers other than the Tandy printers. The printers must be able to operate in a 960 dots-per-line mode and/or in a 1920 dots-per-line mode. One screen dump provides a two-column, eight-screen printout in the 960 dots-per-line mode. The other screen dump yields a three-column, 12-screen printout optionally in the 960 or 1920 dots-per-line mode. The screen dump for the two-column, eight-screen printout, like its counterpart for Tandy printers, has a six-screen-per-page capacity. The page capacities of the three-column, 12-screen, dump are six and 12 screens in the 960 and 1920 dots-per-line modes, respectively. The screen dump with the 12 screens-per-page capacity prints at a dot density of 240 dots-per-inch, a density approaching the 300 dots-per-inch capabilities of expensive laser printers.

There is a drawback, however, to the screen dump operating in the high-density 1920 dots-per-line mode. Each screen image is condensed to such an extent that only one (Font 4) of the 19 available fonts is large enough for suitable use with the dump. Hence, until a new set of large fonts (if there is a substantial reader response) is developed, it is preferable to employ the three-column, 12-screen dump in the 960 dots-per-line mode.

For DESKTOPH there are two BASIC driver programs, each servicing two high-capacity screen dumps. One driver is for DMP printers, the other for Epson-compatible printers. The printer drivers are shown in Listings 1 and 2. DRIVERHT, the program of Listing 1, is the driver for DESKTOPH and Tandy-DMP printers. Likewise, DRIVERHE, the program of Listing 2, is the driver for

H. Allen Curtis lives in Williamsburg, Virginia. He is interested in 17th and 18th century history and enjoys biking through the colonial capital. He balances past and present with his computer work.

DESKTOPH and Epson-compatible printers.

Your DESKTOPH program will have to be altered to work with DRIVERHT or DRIVERHE, by merging with it one of four patch programs — HALTER, HALTERD, HALTERE, and HALTERDE — of Listings 3, 4, 5 and 6, respectively. Which one of the patch programs you must merge with DESKTOPH depends on what version of that program you are using. Presently, there are effectively four different versions of DESKTOPH. These different versions are an outgrowth of selling to many DESKTOPH users a built-in screen dump, enhancements or both. The four versions are as follows:

- Version 1 — The original DESKTOPH with 2, 10 or 19 fonts, with or without the word processor input feature introduced in *The Desktop Publisher: A Reprise* (September '88 issue of THE RAINBOW).
- Version 2 — Like Version 1 with the exception that a patch program merged with DESKTOPH gives the O command screen dump capabilities.
- Version 3 — Like Version 1, but a patch program merged with DESKTOPH provides some new commands.
- Version 4 — A combination of Versions 2 and 3.

The programs HALTER, HALTERD, HALTERE, and HALTERDE are associated with Versions 1, 2, 3 and 4 respectively, of DESKTOPH. Each of these patch programs gives the O command of DESKTOPH the ability to transfer control to DRIVERHT or DRIVERHE. Those of you with Epson or Epson-compatible printers will have to change Line 725 of the patch program associated with your version of DESKTOPH. In that line you will have to replace DRIVERHT with DRIVERHE.

Each patch program expands the powers of the O command further. It adds an option to the O command allowing you to look at the directory of the disk in Drive 0. For later printing, you will be saving eight or 12 screens on disk by means of the Save Screen option of the O command. To keep track of what files are already on the disk, you may occasionally need to use the directory option of the O command. Each patch program gives DESKTOPH the ability, by means of the O and I commands, to address drives when saving and loading screen files. If you have more than one drive, you may want to save screen files on a disk in a drive other than Drive 0. You should then append to DIR in Line 725 a drive number 1, 2 or 3 corresponding to the drive you intend to employ. Some of you having Version 2 or Version 4 of DESKTOPH may need to change Line 725, by replacing THENCLS:EXEC&H149 with the BASIC commands in the corresponding part of Line 725 of your present DESKTOPH. For instance, many of you using HDUMP105 screen dump need to make the replacement:

```
THENCLS:PRINT#-2,CHR$(27);CHR$(20
::EXEC&H132A.
```

When you have typed the patch program for DESKTOPH and made, if needed, any of the discussed changes in Line 725, save it in ASCII format. For example, to save HALTERD in ASCII format, type: SAVE"HALTERD",A and press ENTER.

Baud Rate	Value
1200	41
2400	18
4800	6 or 7
9600	1

Table 1

To make the necessary alteration of DESKTOPH, do the following: Get out the disk containing your version of DESKTOPH and its font files, then make a backup copy of the disk. Put away the original and work with the backup copy. For compatibility with DRIVERHT or DRIVERHE, your DESKTOPH version must have the filename DH. Therefore, insert the disk containing DESKTOPH in the drive and type: RENAME"DESKTOPH/BAS"TO"DH/BAS" and press ENTER. Now enter LOAD "DH", then insert in the drive the disk containing the patch program — HALTER, HALTERED, HALTERE, or HALTERDE. If your patch program is HALTERDE, for instance, type: MERGE"HALTERDE" and press ENTER. Do similarly for any one of the other three patch programs, but with its name instead of HALTERDE. Finally, insert the disk containing DH in your drive and type: SAVE"DH" and press ENTER.

Depending on what printer you have, you may have to change some lines of the driver program, DRIVERHT or DRIVERHE, whichever one you will be using. The poke command in Line 5 of each of these programs is employed to set the baud rate of your particular printer. If your printer operates at 600 baud, you need not change Line 5. Otherwise, delete the apostrophe from Line 5 and replace the question mark with the value associated with the baud rate of your printer. These values are given in Table 1. If the control codes for initiating the 800 or 960 dots-per-line graphics mode are other than 27, 20 or 27, 19, respectively, for your DMP printer, you need to change Line 740 or 730 of DRIVERHT, accordingly.

If you have a printer that is Epson-compatible but not an Epson, you may have to tailor-make DRIVERHE to fit the needs of your printer. Tailor-making DRIVERHE involves changing seven DATA statements containing Epson printer-control code sequences. Lines 650 through 670 contain the control codes for a two-column printout. Similarly, lines 720 through 750 hold control codes needed for three-column printouts. The first DATA value in each of the lines specifies the number of values in the control code sequence represented by the remainder of the DATA statement. Lines 650 and 720 are identical and specify the control code sequence for line spacing.

For ordinary printing your printer provides a line spacing of one-sixth inch, which produces six lines of print per inch. For the printer graphics modes the line spacing must be a closer, 7/72 inch. The Epson control code sequence yielding the required line spacing is 27,49. In lines 650 and 720 the initial value of 2 indicates the following values. 27 and 49 represent the control code sequence. Check your printer manual to see whether or not 27,49 is the control code sequence for a line spacing of 7/72 inch. If your printer has a different control code sequence for that line spacing, modify lines 650 and 720 accordingly. If the control code has three values, for instance, in addition to changing the control code sequence, you will have to alter the initial value to 3. In such a case, the DATA statement would end with four zero values instead of the five required for the Epson printer. It may be that your printer automatically adjusts the line spacing to fit the graphics modes. In that event, you need to replace the initial value 2 in lines 650 and 720 with 0. However, if your printer does not have automatic line spacing adjustment and you make the 0 for 2 substitution, your printout will show noticeable gaps between lines.

BASIC lines 670 and 740 also deal with line spacing. They hold control code sequences for the return to one-sixth inch line spacing. Therefore, check your manual for a 27,50 control code sequence, and if needed, make changes in lines 670 and 740 analogous to those made for lines 650 and 720. Lines 660, 730 and 750 contain the Epson control code sequences for specifying the graphics modes. Lines 660 and 750 are exactly the same. The graphics mode indicated by each of those two lines is the one with a dot density of 960 dots per line (120 dots per inch). The first two values, 192 and 3 indicate a maximum of 192+3*256=960 dots that are to be printed per line. If your printer manual has a different control code sequence for this graphics mode, be sure to change lines 660 and 750 so that the codes specify a maximum of 960 dots printed per line.

Line 730 holds the control sequence for

the graphics mode with a dot density of 1920 dots per line (240 dots per inch). The last two values of the Epson code sequence specify a maximum of 128+7*256=1920 (the width of three screens) that are to be printed per line. If your printer requires another control code sequence for the 1920 dots-per-line mode, modify Line 730 accordingly. Be sure to make the change in such a way that the code will provide for a maximum of 1920 dots per line.

A few tips on the typing of the driver program, DRIVERHT or DRIVERHE, should prove helpful. Before you run the driver that you are typing, save it on disk. Each driver contains some pokes to memory. Any typing error involving the pokes or related memory locations could cause the loss of the whole program, when it is run. After saving the driver in its entirety, run it. When the driver asks whether you want a two- or three-column printout, press 3. You will then be asked to wait a few moments.

If you made an error in DRIVERHT lines 50 through 150 or DRIVERHE lines 50 through 120, the program will stop and report the line in which the error occurs. Respond to the error report by comparing your erroneous line with the correct rendition in the listing before rectifying the error. Repeat this running and correcting process until the driver executes to the point at which the screen with the few moments wait request is replaced with another prompt screen. Press BREAK to stop the program. Next, run the program and press 2 for a two-column printout. A request for a few moments wait will occur. If you made a mistake in typing DRIVERHT, lines 290 through 370 or DRIVERHE, lines 270 through 330, the program will stop and report the number of the erroneous line. Rectify the error. Repeat running and correcting the program until it can execute beyond the screen containing the few moments wait request. Finally, save the driver program on disk.

Both DRIVERHT and DRIVERHE provide prompts and messages to lead you through the program in effecting the desired two- or three-column printout. You must, however, have ready on disk the required screen files previously saved by the desktop publisher program DH. The eight- or less character filename of each screen file must adhere to the structure described in Tables 2 and 3. In these tables the heading, Screen Image Printout Destination, refers to the location on the printed page of the screen image.

The patch programs, HALTER, HALTERD, HALTERE, and HALTERDE of listings 3 through 6 have given the program DH a handy new feature. The feature promotes pleasingly-spaced two- and three-column printouts. With the new feature DH positions every character of any font within a vertical distance of eight, 12, 16 or 24 dots on the screen. Each of those distances divides evenly into the 192-dot vertical size of a DH screen. This means that with a top margin setting of zero in the M command of DH, each screen holds exactly 24, 16, 12 or eight lines of characters depending on the font in use. This guarantees that in a printout of two-screen images, one above the other in a column, the spacing between screen images will be indistinguishable from the spacing between lines of either screen image written with the same font.

Tables 4 through 8 give the margin settings specified by DH's M and W com-

Final Two Characters of Filename	Screen Image Printout Destination
L1	Top ¼ of Left Column
L2	2nd ¼ of Left Column
L3	3rd ¼ of Left Column
L4	Bottom ¼ of Left Column
R1	Top ¼ of Right Column
R2	2nd ¼ of Right Column
R3	3rd ¼ of Right Column
R4	Bottom ¼ of Right Column

Table 2: Filename Structure for Two-Column, Eight-Screen Printout

Final Two Characters of Filename	Screen Image Printout Destination
L1	Top ¼ of Left Column
L2	2nd ¼ of Left Column
L3	3rd ¼ of Left Column
L4	Bottom ¼ of Left Column
M1	Top ¼ of Middle Column
M2	2nd ¼ of Middle Column
M3	3rd ¼ of Middle Column
M4	Bottom ¼ of Middle Column
R1	Top ¼ of Right Column
R2	2nd ¼ of Right Column
R3	3rd ¼ of Right Column
R4	Bottom ¼ of Right Column

Table 3: Filename Structure for Three-Column, 12-Screen Printout

Each Screen Destined for Left-Column Printout			Each Screen Destined for Right-Column Printout		
Margins			Margins		
Top	Left	Right	Top	Left	Right
0	64	392	0	8	336

Table 4: Margin Settings for Two-Column, Eight-Screen Printout in 800 Dots-Per-Line Graphics Mode

Each Screen Destined for Left-Column Printout			Each Screen Destined for Right-Column Printout		
Margins			Margins		
Top	Left	Right	Top	Left	Right
0	64	472	0	8	416

Table 5: Margin Settings for Two-Column, Eight-Screen Printout in 960 Dots-Per-Line Graphics Mode

Screen Destined for Left Column Printout	Screen Destined for Middle Column Printout	Screen Destined for Right Column Printout
Margins Top Left Right 0 32 264	Margins Top Left Right 0 16 248	Margins Top Left Right 0 0 232

Table 6: Margin Settings for Three-Column, 12-Screen Printout in 800 Dots-Per-Line Graphics Mode

Screen Destined for Left Column Printout	Screen Destined for Middle Column Printout	Screen Destined for Right Column Printout
Margins Top Left Right 0 32 320	Margins Top Left Right 0 16 304	Margins Top Left Right 0 0 288

Table 7: Margin Settings for Three-Column, 12-Screen Printout in 960 Dots-Per-Line Graphics Mode

mands that produce pleasingly spaced two- and three-column, high-capacity printouts. It must be pointed out and emphasized that the right margin setting for the screens intended for a two-column, eight-screen printout (800 dots-per-line graphics mode) must not exceed 400. The reason for this is that each column cannot exceed 400 dots of the 800 dots per line. For similar reasons the right margin settings for the printouts associated with Tables 5, 6 and 7 must not exceed 480, 264 and 320 respectively. In every case, you must be using the higher of the two resolutions of the DH screen available to you through the R command.

A typical session for producing a two-column printout is as follows: It is assumed that you are making use of the word processor input file feature of DH. If your copy of DH does not have this feature, you need to write a screen when others are employing the feature. It is also assumed that you already have on a disk the word processor file in proper form for input. Suppose the filename of the file is MYDOC. You need a blank formatted disk for saving screens. Since eight screen files almost completely fill a single-sided 35-track disk, you cannot have the MYDOC file on the same disk with the screen files. This means that those with only one disk drive will swap the MYDOC file and screen files disks to make the former ready for the I command and the latter for the O command.

Depending on the size of the font you choose, a MYDOC file of 60 to 90 lines, each line 60 characters long, should be sufficient to fill a page in the two-column, eight-screen format. Your printer should be ready to use. Load and run DH. Select a font suitable for your prospective two-column

CRC COMPUTERS

SUMMER SALE (JULY & AUGUST)

Call or write for your SUMMER SALE Catalog
One Year Limited Warranty on all DISTO Products

DISTO

Mini Controller 1
The No-Extra-Cost Controller
• 2 DOS Switcher (switch included)
• NO clumsy jumpers to move
• Accepts 24 or 28 pin EPROMs
65$ DOS included (add 10$ for 2nd DOS)

See page 123, March 89 Rainbow for more info

RS-232 SuperPack 45$
• A Stand-Alone (Multi-Pak rqd.) adapter that gives the user a true RS-232 Serial Port. • Completely compatible with OS-9's ACIA software.
• Compatible with software that requires the Tandy Deluxe RS-232 Pack.
• DB-25 cable included.

MEB Adapter 30$
To plug into your DISTO Super Add-Ons (Multi-Pak required)

Super RAM 3 ZeroK Board 25$
Free software included

RGB to Monochrome 35$ Video/Audio Adapter
See page 123, March Rainbow 89

The only floppy disk Controllers that ELIMINATES the need of a Multi-Pak

Super Controller I
Along with the included DOS, plug-in three more software selectable DOSes or 2764 or 27128 EPROMs burned to your liking.
The internal M.E.B. (Mini Expansion Bus) lets you add DISTO's incredible Super Add-ons.
85$/95$ (2 DOSes)

See page 122, March 89 Rainbow for more info

Super Controller II
NOW AVAILABLE AT YOUR LOCAL RADIO SHACK STORE
Part no: 90-2009
• Under OS-9:
• Buffered Read/Write sector achieved without halting the CPU.
• Continual use of keyboard even while reading or writing to disk.
• System's clock no longer looses time during Read & Write.
• NMI is blocked & transferred to IRQ in software for low CPU overhead. • Completely Interrupt driven for fast & smooth Multi-Tasking operations.
• Drivers written by KEVIN DARLING 105$

Don't let anyone tell you otherwise, the WD 1773 does not have any problems with COCO 3s.
!! Only bad designs do !!

RADIO SHACK (R) which has more experience with COCO controllers than any other supplier now carry the DISTO SUPER CONTROLLER II

DISTO SUPER ADD-ONS

70$ 3 in 1 Multi Board Adapter
Parallel Printer Port, Real Time Clock and a true RS-232 Serial Port.
External DC adapter required.
(OS-9 Driver included)

35$ Real Time Clock & Printer Interface
OS-9 Driver (20$)

50$ Mini EPROM Programmer

30$ Hard Disk Adapter
Works with SASI & SCSI interface.
No Multi-Pak needed if used with SC1 or SC2.
Compatible with RGB DOS and Burke & Burke Hyper I/O. OS-9 Driver included.

60$ Hard Disk Adapter with RS-232

NEW 4 IN 1 MULTIBOARD ADAPTER
Same as 3 in 1 Multiboard with built-in hard disk adapter 105$

CRC COMPUTERS INC.
11 Boul. Des Laurentides, Laval, (Quebec), Canada H7G 2S3
Call for Canadian Prices Include S&H of $4 or $8 if order exceeds $75
Sorry: No personal cheques
Master Card and Visa Accepted
1-514-967-0195

document. If the highest density graphics mode that your printer has is 800 dots per line, make the left-column margin settings in accordance with Table 4. If your printer has 960 dots-per-line graphics mode, make the settings according to Table 5. If you have only one disk drive, swap the DH disk with the one containing MYDOC.

Next, by means of the ASCII Input option of the I command, employ the word processor input feature to fill a screen. When the screen is full, opt to have the remainder of the MYDOC file recorded in a file called REST. Take this option every time you fill a screen. Employ the O command to see the screen on disk and choose a filename six or less characters in length. Supposing you chose the name DUMP, when saving the screen, type the filename as DUMPL1, where the final two characters indicate that the screen image is to be printed as the top part of the left column of the page. If your disk containing MYDOC is in a drive other than 0, append to the filename the usual colon and drive number.

Now clear the screen and use the word processor input feature to bring information from REST. Save the screen as previously, but this time use the filename DUMPL2. Repeat twice the process used to obtain the second screen file. Save the third and fourth screens as DUMPL3 and DUMPL4. After you have saved a full left column of screens, make the right-column margin settings in accordance with Table 4 or Table 5 again, then clear the screen. Input another screen and save it as DUMPR1. Continue the process analogously until all eight screens have been saved.

Suppose REST becomes empty before all the required screens have been filled and saved. You must still have a full complement of screens saved on disk. Suppose that you were able to save seven screens. In such a case, clear the screen and save the blank screen as DUMPR4. At this point, you must make certain that the disk containing DRIVERHT or DRIVERHE is in Drive 0. It is convenient to have the program recorded on the disk containing DH. Select the high-capacity screen dump option of the O command. This causes the driver program to be loaded and run. Answer the two- or three- column prompt by pressing 2. DRIVERHT will ask you to press 1 for the 800 dots-per-line graphics mode and 2 for the 960 dots-per-line-graphics mode. Type the appropriate number. You are asked whether or not you need to be refreshed about file and filename requirements. For the first usage of the driver, press Y for Yes.

After reading the provided information, you are given three options. Take the option to load screens for dumping. If you do not have more than one disk drive, you will have to insert the disk containing the screen files just saved. When asked for a filename, enter DUMP if the screen file is in Drive 0; otherwise, enter DUMP followed by a colon and the appropriate disk drive number. The driver program then loads DUMPL1 and DUMPR1, initiates the appropriate screen dump and printing ensues. When the screens of DUMPL1 and DUMPR1 are printed, the driver loads DUMPL2 and DUMPR2 to resume printing. This process continues until the two-column printout is complete. At that time you are given three options for further action. To take the option to return to DH, make certain that the DH disk is in Drive 0. Taking that option causes DH to be loaded and run. If the file REST contains more information, you will want to prepare screen files for a second two-column printout.

If writing a newsletter, for instance, you may want to have the newsletter name span the two or three columns of the printout. The following example indicates how this can be accomplished: Select a medium- to large-sized font, say Font 1. Suppose the newsletter is called *The CoCoNut Chronicle* and you want a two-column printout. Clear the screen. Turn word wrap off by means of the W command. Using the R command, select the lower of the two resolutions of the DH screen. This produces a double-width newsletter name when the screen is in the higher resolution. For balanced spacing, "*The CoCoNut*" should appear in the left column of the printout; whereas "*t Chronicle*" should be in the right column. Press the space bar two times and then type The Coconut.

Each of the patch programs of listings 3 through 6 has added another feature to DH (a feature also introduced to DH previously in my September '88 article). With this feature DH can move a printed line of characters left or right. The printed line must generally begin or end with one or more spaces when moving it right or left, respectively. To move a printed line right you must position the cursor to the right half of the screen. To move the line left, the cursor must be in the left half of the screen.

Now, employ the R command to change the screen to its higher resolution. By means of the T command, set both tabs to 400 or to 480, depending on whether the printout will be at a dots-per-line density of 800 or 960, respectively. Return to the graphics screen via the B command. Then press the down-arrow key to position the cursor at 400 or 480. Repeatedly press the SHIFT up-arrow until the "t" of "CoCoNut" is just to the right of the cursor. Press the space bar to erase "t". Then select a suitable font.

Make the left-column margin settings according to Table 4 or 5. Press ENTER twice to space down to a convenient place to start writing the text of the newsletter. Use the word processor input feature to fill the rest of the screen and save it on disk as the top left column. After you have saved all the screens for the left column do the following: Clear the screen; choose Font 1; change the screen to its lower resolution; with the M command set the top and left

Time:	Process: Generate screen and save it as:
1	DUMPL1 DUMPL2 Swap disks
2	DUMPL3 DUMPL4 Swap disks
3	DUMPM1 DUMPM2 Swap disks
4	DUMPM3 DUMPM4 Swap disks
5	DUMPR1 DUMPR2 Swap disks
6	DUMPR3 DUMPR4

Table 9

Screen Destined for Left Column Printout			Screen Destined for Middle Column Printout			Screen Destined for Right Column Printout		
Margins			Margins			Margins		
Top	Left	Right	Top	Left	Right	Top	Left	Right
0	64	640	0	32	608	0	0	576

Table 8: Margin Settings for Three-Column, 12-Screen Printout in 1920 Dots-Per-Line Graphics Mode

GAME POINT SOFTWARE

Rupert Rythym

by Nickolas Marentes



Help Rupert infiltrate "Music Box Records" and collect all of his stolen notes which are scattered throughout the complex. Ride the crazy elevators and beware of the security robots on patrol.

This strategy arcade game features 17 different, 16 color graphic screens and some of the hottest digitized percussion music and vocals you've ever heard. Disk or Tape. . .$24.95

NEW For CoCo 1, 2, 3

bash

by Steve Bjork

Based on a popular arcade game which we can't mention (But sounds like "Art Gannoyed"). BASH challenges you to clear the screen by "BASHING" your ball through multiple brick layers. Of course you'll have help getting through this 20 level game by activating options like, Slow Ball, Expanded Paddle, Multi-Ball, and more!

$24.95



SPACE INTRUDERS

by Nickolas Marentes

Enemy alien creatures have been identified entering our solar system, their destination: our home planet! Their goal: the total annihilation of our race. They must not be allowed to land!

An action arcade game featuring high quality 16 color graphics and sound effects. $24.95



MINE RESCUE

by Steve Bjork

A terrible mine disaster has just occured and it will be up to you and your talents to enter the mine, jump the pits, avoid the spikes, fight off the bats and other creepy crawlers and get air to the needy victims. Mine rescue features over 2 megabytes of arcade-style graphics, real time music and multiple mine levels. Hours of fun!

$24.95



warp fighter 3-D

by Steve Bjork

$24.95 (Extra Glasses $2.95)

NEW For CoCo 3

This Month's Feature

Z'89

by Steve Bjork

A hostile space fortress has been spotted at the outer edge of our galaxy. Destroy this menacing battle platform by navigating your spacecraft with the utmost skill to scale walls; dodge force fields; blow up fuel tanks; dog fight defense ships; evade comets and ultimately disable the powerful robot overlord!

Six years after this arcade hit was first released on the Color Computer 1, world renown software author Steve Bjork brings one of his most popular and most requested games to the Color Computer 3 market.

Z'89 puts your flying skills to the ultimate test in this 100% M/L game featuring 5 Mega-Bytes of Super-Res Graphics and Digital sound! At last, a program that actually out shines the original arcade version!!! Requires a Color Computer 3 128K disk system.

REG. $29.95 Introductory Special $24.95!

NEW For CoCo 1, 2

DONUT DILEMMA

by Nickolas Marentes

Angry Angelo has raided Antonio's Donut Factory sending the entire complex amuck! Donuts have come alive and are jumping around in wild frenzies. Machines have gone out of control throwing cooking fat, dough and icing sugar everywhere! You must help poor Antonio climb ladders, Jump platforms and ride elevators to reach the top floor and shut down the factory's power generator which will restore law and order.

Disk. . .$19.95

WE NOW ACCEPT. . . MasterCard VISA DISCOVER AMERICAN EXPRESS

ALL PROGRAMS REQUIRE A COLOR COMPUTER 3 DISK OR TAPE SYSTEM (unless indicated).

Personal checks, money orders, and American C.O.D. orders accepted. Include $3.00 for S/H. $2.50 extra for C.O.D. orders. (Cal. res. add 6.5 % tax.)

ATTENTION PROGRAMMERS: Game Point Software is looking for talented writers. Top royalties guaranteed.

GAME POINT SOFTWARE

P.O. Box 6907, Burbank, CA 91510-6907
(818) 566-3571 • BBS: (818) 772-8890
Toll Free: 800 877-2232 Ext. 139

margins to 0; type `t Chronicle`; return the screen to the higher resolution; select the text font again; make the right-column margin settings according to Table 4 or 5; and press ENTER twice. Fill the rest of the screen and save it as the top-right column.

Because a single-sided 35-track disk does not have the capacity to hold more than eight screen files, the screens associated with the three-column printout must be recorded on two disks, six screens per disk. The screens representing the top half of the printout must be saved on one disk and those for the bottom half must be on the other disk.

Thus, the two disks must be swapped five times during the process of generating and saving 12 screens for the three-column printout. In Table 9, the process is illustrated for a pair of disks associated with a six or less character filename, DUMP.

In DRIVERHT or DRIVERHE, the two disks needed for a three-column printout need to be swapped once only after the top half of the page has been printed. Because you may want to have several copies of the three-column printout, it is well that the disk swapping has been minimized in the driver programs.

Before this article concludes, be aware of the following: For a two or more page continuation of a two- or three-column printout, use two or more word processor input files. Employing one long word processor file is very time-consuming while the REST file is being derived after the filling of every screen. Each word processor file should terminate at the end of a paragraph. If REST becomes empty before a screen is completely filled, position the cursor to the beginning of the next line. Then use the ASCII file option of the I command to fill the remainder of the screen and following screens with information from the next word processor file.

(Questions or comments concerning this article may be addressed to the author at 172 Dennis Drive, Williamsburg, VA 23185. Please include an SASE when requesting a reply.)

Editors Note: The patches in listings 3 through 6 are in tokenized format on this month's RAINBOW ON TAPE/DISK. In order to use them, you need to save them in ASCII format on a fresh disk using the A option of the SAVE command.



Listing 1: DRIVERHT

```
0 ' COPYRIGHT 1989, FALSOFT,INC
5 'POKE150,?
10 PCLEAR2:CMP:WIDTH40:CLS3:LOCA
TE7,2:ATTR0,2:PRINT"HIGH CAPACIT
Y SCREEN DUMPS":LOCATE11,4:PRINT
"FOR TANDY PRINTERS":LOCATE11,6:
PRINT"BY H. ALLEN CURTIS":LOCATE
18,8:ATTR3,2:PRINT"FOR";:LOCATE1
4,11:ATTR7,2:PRINT"FALSOFT, INC"
:
20 LOCATE13,13:PRINT"COPYRIGHT 1
989";:LOCATE13,14:ATTR0,2,U:PRIN
T"              ";:ATTR0,2
30 LOCATE3,18:PRINT"TYPE 2 OR 3
DEPENDING ON WHETHER        YOU
WANT A 2 OR 3 COLUMN PRINTOUT,
    RESPECTIVELY.";:LOCATE15,14
40 K=1:C=0:X=&H1000:W$(0)="12":W
$(1)="TRIO":W$(2)="1/4":W$(3)=",
 M1":M$="PRESS SPACE TO CONTINUE
":DIMS$(13),C(13)
50 S$(0)="1F314F8D3027028A018D27
27028A028D2127028A048D1B27028A08
8D15":C(0)=1763
60 S$(1)="27028A108D0F27028A208D
0927028A408A807EA285308850E684D4
5039":C(1)=2617
70 S$(2)="C680D7508DC0045026FA39
861B97528D3E8D2D8D358DE933410A51
26F8":C(2)=3227
80 S$(3)="8D2634408D338DDB33410A
5126F835408D1B8D2A8DCD33410A5126
F88D":C(3)=2788
90 S$(4)="0A0A5226D039390D7EA285
3388291E32C628D751398E7071BFFFA2
398E":C(4)=2969
100 S$(5)="727320F78E7A7B20F28D1
F86128DDC8DA3C6788D1F1F238DDFC67
88D17":C(5)=3560
110 S$(6)="1F238DDEC6788D0F8DDD0
F6F39C6FED76FCE40001F32398E4000A
6C0A7":C(6)=3365
120 S$(7)="80A6C0A7805A26F5398DE
517FF6CC6F08DE81F238DA8C6F08DE01
F238D":C(7)=4163
130 S$(8)="A7C6F020C78DCC861C17F
F53C6508DCD1F238D8DC6508DC51F238
D8CC6":C(8)=3837
140 S$(9)="5020AC8DB117FF388D1B1
7FF778D1617FF798D11860117FF29860
DBDA2":C(9)=3173
150 S$(10)="85861EBDA285208C30C9
01904FC6A0A7805A26FB39ABCDEFABCD
EFABCD":C(10)=4121
160 K$=INKEY$:IFK$=""THEN160ELSE
IFK$="2"THEN280ELSEIFK$<>"3"THEN
SOUND60,3:GOTO160
170 LOCATE3,18:PRINTSTRING$(120,
32):LOCATE10,18:PRINT"A FEW MOME
NTS PLEASE";:LOCATE15,14
180 FORI=0TO10:FORJ=1TO29:A$=MID
$(S$(I),2*J-1,2):A=VAL("&H"+A$):
C=C+A:POKEX,A:X=X+1:NEXT:IFC<>C(
I)THENCLS3:LOCATE8,12:PRINT"TYPI
NG ERROR IN LINE";50+10*I:ENDELS
EC=0:NEXT
190 GOSUB720:GOSUB680
200 K$=INKEY$:IFK$=""THEN200ELSE
IFK$="N"THEN500
210 GOSUB690
220 K$=INKEY$:IFK$=""THEN220
230 GOSUB710
```

LOOK AT THESE POWERFUL M.L. PROGRAMS FOR BASIC USERS !

INTRODUCING THE AMAZING:

"BIG BASIC"

COCO3 USERS CAN EXPERIENCE NEW OPPORTUNITY & FULL POWER!

Now you can access up to 472K of memory in a 512K CoCo or up to 92K in a 128K machine with any mix of programs and/or data . At last, you can do sizable basic programming with a CoCo 3. (Also offers simplified memory management for M.L. programmers.)

Magically fast executes one big program or database in basic; or up to 58 separate basic programs running at once from computer memory in up to 58 separate windows! Saves programs or variables with their currently running parameters and loads back that way as if you never left the program.

Chain in unlimited sized programs or data from disk(s) without erasing existing programming or variables. Also works with RGB DOS and hard disk.

- Uses 3 new simple basic words to create the power.
- Provides for variable exchange between windows.
- Programs can be saved over multiple disks or use our BIG DISK Utility. (See below)
- Modifies your basic operating system in some 70 locations but does not occupy user memory.
- Has excellent Demo program and Manual.
- Does not support cassette use.
- ONLY $39.95 U.S. or $47.00 CDN. plus $2.50 shipping & handling.

Ontario residents add 8% PST.

For any CoCo (at least 64K) with 1.1 or 2.1 Disk Extended Basic:

"UTILITIES PACKAGE"

6 HANDY M.L. RESIDENT UTILITIES FOR BASIC USERS !

"BIG DISK"	• Standard double-sided drives converted to 360K in drive0 !
"DOUBLE40"	• Sets drives for 40 tracks each side.
"CONVERT/DISK"	• Formats 40 tracks on each side of a disk without disturbing the first 35. Instantly doubles all your present storage.
"QUIKDRIV/6MS"	• Sets fast drive stepping rate.
"QUIKDRIV/30M	• Fast drive shut off.
"SET FEED"	• Sets line spacing for printouts.

Only $17.95 U.S. $21.00 CDN.
Plus $2.50 Shipping.
Ont. Residents add 8% PST.

RAINBOW CERTIFICATION SEAL

"MEMORY MASTER"

OUR FAVORITE PROGRAMMING TOOL

Scan, Edit, Copy, Printout any memory in your computer or on disk. Fix disks.

Fast entry of M.L. Listings.

Dual Windows ! Run two Basic Programs at once !
Chain in large running programs and variables from disk without restarting the existing program in the computer.
Includes Demo Program and Manual.

Only $24.95 U.S. $29.25 CDN.
Plus $2.50 Shipping.
Ont. Residents add 8% PST.

DANOSOFT
Box 124, Station "A"
Mississauga, Ontario L5A 2Z7

Package price all three programms;
$68.00 U.S.
$80.25 CDN.

Phone: (416) 897-0121
Office hours Eastern time.
Ont. Residents add 8% PST.

VISA
MasterCard

Plus $2.50 For Shipping

```
240 LOCATE4,11:PRINT"OF A TRIO O
F FILES INDICATE              THE
 LEFT, MIDDLE, AND RIGHT
     PARTS OF THE TOP 1/4 OF THE
           PRINTOUT.  L2, M2,
AND R2                  INDICATE TH
E NEXT 1/4, ETC.              EXC
EPT FOR THE LAST 2
250 LOCATE4,17:PRINT"CHARACTERS,
 THE FILENAME OF              ALL
 FILES MUST BE THE SAME.":LOCATE
6,20:PRINTM$;
260 K$=INKEY$:IFK$=""THEN260
270 GOTO500
280 K=2:W$(0)="8":W$(1)="PAIR":W
$(3)="    ":LOCATE3,18:PRINTSTRI
NG$(120,32):LOCATE10,18:PRINT"A
FEW MOMENTS PLEASE";:LOCATE15,14
290 S$(0)="1F314F8D3027028A018D2
727028A028D2127028A048D1B27028A0
88D152702":C(0)=1804
300 S$(1)="8A108D0F27028A208D092
7028A408A807EA285308850E684D4503
9C680D750":C(1)=3197
310 S$(2)="8DC0045026FA39861B975
28D2E8D1D8D258DE933410A5126F88D1
68D258DDD":C(2)=3261
320 S$(3)="33410A5126F88D0A0A522
6E039390D7EA2853388151E32C63CD75
1398E7071":C(3)=2812
330 S$(4)="BFFFA2398E727320F78D1
B86128DE18DB8C6788D1B8DDC8DE4C67
88D138E7A":C(4)=4284
340 S$(5)="7BBFFFA20F6F39C6FED76
FCE40001F32398E4000A6C0A780A6C0A
7805A26F5":C(5)=3985
350 S$(6)="39128DE48D85C6F08DE88
DA98DB1C6F020CB8DD4861C17FF74C65
08DD58D96":C(6)=4662
360 S$(7)="8D9EC65020B88DC117FF6
18D158D918D11860117FF58860DBDA28
5861EBDA2":C(7)=3755
370 S$(8)="85209E30C901904FC6A0A
7805A26FB39ABCDEFABCDEFABCDEFABC
DEFABCDEF":C(8)=4960
380 FORI=0TO8:FORJ=1TO31:A$=MID$
(S$(I),2*J-1,2):A=VAL("&H"+A$):C
=C+A:POKEX,A:X=X+1:NEXT:IFC<>C(I
)THENCLS3:LOCATE8,12:PRINT"TYPIN
G ERROR IN LINE";290+10*I:ENDELS
EC=0:NEXT
390 GOSUB720:GOSUB680
400 K$=INKEY$:IFK$=""THEN400ELSE
IFK$="N"THEN500
410 CLS3:LOCATE6,4:PRINT"YOU SHO
ULD HAVE READY 8 FILES
 (SCREEN IMAGES) FOR LOADING.
420 LOCATE6,6:PRINT"THE SCREEN I
MAGES OF ONE PAIR             OF F
ILES SHOULD CORRESPOND TO
    THE TOP FOURTH PART OF THE
          PRINTED PAGE.  ANOTH
ER PAIR
430 LOCATE6,10:PRINT"SHOULD CORR
ESPOND TO THE NEXT            FOU
RTH PART OF THE PAGE, ETC.":LOCA
TE8,20:PRINTM$;
440 K$=INKEY$:IFK$=""THEN440
450 CLS3:LOCATE6,4:PRINT"THE LAS
T 2 CHARACTERS OF EACH
 FILENAME MUST INDICATE WHERE
        THE SCREEN IMAGE IS TO
BE              PRINTED.  FOR I
NSTANCE, L1               AND R1
ENDING THE FILENAMES
460 LOCATE6,9:PRINT"OF A PAIR OF
 FILES INDICATE               THE
LEFT AND RIGHT PORTIONS
    OF THE TOP FOURTH OF THE
          PAGE.  L2 AND R2 IND
ICATE                 THE NEXT FOU
RTH, ETC.  EXCEPT
470 LOCATE6,14:PRINT"FOR THE LAS
T 2 CHARACTERS,               THE
 FILENAMES OF ALL FILES
     MUST BE THE SAME."
480 LOCATE8,20:PRINTM$;
490 K$=INKEY$:IFK$=""THEN490
500 GOSUB670
510 K$=INKEY$:IFK$=""THEN510
520 IFK$="3"THENPCLEAR4:ENDELSEI
FK$="2"THENPCLEAR4:RUN"DH"ELSEIF
K$<>"1"THEN510
530 WIDTH32:CLS:PRINT@130,"ENTER
 PART OF FILENAME COMMON   TO AL
L FILES.  (IF YOU HAVE      MORE
THAN 1 DRIVE, YOU MAY       ADDRE
SS A DRIVE BY APPENDING     A COL
ON FOLLOWED BY THE DRIVE    NUMBE
R TO THE FILENAME PART.
540 IFK=1THENCLEAR200,&H3FFF:K=1
:X(1)=&H109A:X(2)=&H10D4:X(3)=&H
10ED:X(4)=&H1108 ELSECLEAR200,&H
3FFF:K=2:X(1)=&H1085:X(2)=&H10BC
:X(3)=&H10CC:X(4)=&H10DF
550 L$(1)="L1":L$(2)="L2":L$(3)=
"L3":L$(4)="L4":M$(1)="M1":M$(2)
="M2":M$(3)="M3":M$(4)="M4":R$(1
)="R1":R$(2)="R2":R$(3)="R3":R$(
4)="R4":O(1)=0:O(2)=240:O(3)=480
:O(4)=160:H=&HFFA2
560 PRINT@326,">>>  ";:LINEINPUT
F$
570 A=INSTR(1,F$,":"):IFA>0THEND
$=RIGHT$(F$,LEN(F$)-A+1):F$=LEFT
$(F$,A-1)ELSED$=""
580 IFK=2THENFORI=1TO4:POKEH,&H7
0:POKEH+1,&H71:LOADM F$+L$(I)+"/
HR1"+D$,O(I):LOADM F$+L$(I)+"/HR
2"+D$,O(I)+8192:POKEH,&H72:POKEH
+1,&H73:LOADM F$+R$(I)+"/HR1"+D$
,O(I):LOADM F$+R$(I)+"/HR2"+D$,O
(I)+8192:POKEH,&H7A:POKEH+1,&H7B
:EXECX(I):NEXT:GOTO660
590 FORI=1TO2:POKEH,&H70:POKEH+1
,&H71:LOADM F$+L$(I)+"/HR1"+D$,O
```

VISA

<<< GIMMESOFT >>>

A new generation of Color Computer products

MasterCard

MAXSOUND

RAINBOW CERTIFICATION SEAL

A High Quality Digital Audio Sampler and Sequencer

Turn your CoCo III into a REAL digital audio sampler with HIGH quality audio reproduction. Easily add exotic effects, ECHO, stuttering, speed shifting, sequencing, and reverse audio to BASIC or ML programs or GRAPHICS! Now includes Data Compression. Imagine recording any Voice, Music, or Sound effect and being able to use these DIGITAL recordings in your own programs! 3 disk sides includes: INTERFACT/BIN - ML driver for sound effects. G&M/BAS - Adds sound effects to Graphics. SHOWTIME and DEMO disks. SCOPE/BAS - Turns CRT into a Digital Oscilloscope to look at MAXSOUND waveforms. Version 3.0 upgrade (Includes improved ECHO and the ability to print NAMETAGS and locations to the screen and/or printer) ..... $6.95 + Shipping & Handling

Call to hear 'OVER THE PHONE' Demo - 9am to 9pm VOICE only.
DOWNLOAD Demo Files 300/1200/2400 24 hrs - 301-675-7626 MODEM only.
(128k or 512k CoCo III only) DISK ... >>> NEW LOW PRICE >>> .. $49.95

Games

See previous Rainbow ads for complete descriptions.

Warrior King	$29.95
In Quest of the Starlord	$34.95
Kung-Fu Dude	$24.95
Pyramix	$19.95
Hall of the King I,II or III	each $29.95
Dragon Blade	$19.95

Utilities

Fkeys III	$19.95
Sixdrive	$16.95
Multi-Label III	$16.95
AD&D Companion	$24.95
MPI-CoCo Locking Plates	
26-3024 or 26-3124	$ 7.95

VER. 3

V-Term Terminal Emulator

RAINBOW CERTIFICATION SEAL

Communicate with VAX, UNIX, Mainframe, and BBS Systems!

-VT-100, VT-52, Vidtex (includes RLE graphics display), and standard CRT emulations.
-Menus can be operated concurrently with other terminal functions. (Disk Basic!)
-Full 28 line by 80 column screen, with 3 bottom lines protected for menus.
-Serial port up to 2400 baud, RS-232 Pak up to 19,200 baud, DCModem Pak at 300 baud.
-XModem, XModem-CRC, Y-Modem, and ASCII file transfers directly to disk or memory.
-RAMDISK like buffer, Capture buffer, Snapshot, Conference mode, and 35/40/80 Tracks.

NEW FEATURES: 15-Entry autodialer, 10 Programmable macro keys for each system, compatible with Hyper I/O and RGBDOS harddrive systems, and baud rates up to 19,200!

Version 03.02.00 upgrade ..... $6.95 + S&H Disk (128k or 512k CoCo III only) $39.95

Telepak II

(CoCo I/II/III) **A TRULY COMPATIBLE RS-232 INTERFACE!**

Now, from Orion Technologies, comes the answer to the continuing demand for an RS-232 interface. Telepak II now includes a 3 foot DB25 cable, gold card edge contacts, and low power drain (5v) components. Works on ALL Color Computers with or without a Multi-Pak interface. (MPI required on disk systems) Baud rates up to 19,200! (19.2 tested using V-TERM ver 3). Only $49.95

Toll Free 1-800-441-GIME Order Line

Technical assistance: 7pm to 9pm
Orders: 9am to 9pm Eastern time
On-line orders and up to date information: Delphi's CoCo Sig

GIMMESOFT
P.O. Box 421
Perry Hall, MD 21128
301-256-7558 or 301-256-2953

Add $3.00 for shipping and handling
Add $3.00 for COD (USA only)
MD residents add 5% sales tax
VISA/MC/Check/Money Order/COD

```
(I):LOADM F$+L$(I)+"/HR2"+D$,O(I
)+8192:POKEH,&H72:POKEH+1,&H73:L
OADM F$+M$(I)+"/HR1"+D$,O(I):LOA
DM F$+M$(I)+"/HR2"+D$,O(I)+8192
600 POKEH,&H7A:POKEH+1,&H7B:LOAD
M F$+R$(I)+"/HR1"+D$,O(I):LOADM
F$+R$(I)+"/HR2"+D$,O(I)+8192:EXE
CX(I):NEXT
610 Q$=D$:IFQ$=""THENQ$="0"ELSEQ
$=RIGHT$(D$,1)
620 CLS:PRINT@194,"INSERT DISK W
ITH SECOND SET     OF SCREEN FIL
ES IN DRIVE ";Q$:PRINT@258,"AND
PRESS SPACE."
630 K$=INKEY$:IFK$<>" "THEN630
640 FORI=3TO4:POKEH,&H70:POKEH+1
,&H71:LOADM F$+L$(I)+"/HR1"+D$,O
(I):LOADM F$+L$(I)+"/HR2"+D$,O(I
)+8192:POKEH,&H72:POKEH+1,&H73:L
OADM F$+M$(I)+"/HR1"+D$,O(I):LOA
DM F$+M$(I)+"/HR2"+D$,O(I)+8192
650 POKEH,&H7A:POKEH+1,&H7B:LOAD
M F$+R$(I)+"/HR1"+D$,O(I):LOADM
F$+R$(I)+"/HR2"+D$,O(I)+8192:EXE
CX(I):NEXT
660 PRINT#-2:CLEAR200,&H7FFF:GOT
O500
670 WIDTH40:CLS3:LOCATE10,10:PRI
NT"1 LOAD FOR DUMP":LOCATE10,11:
PRINT"2 RETURN TO DH":LOCATE10,1
2:PRINT"3 EXIT PROGRAM":RETURN
680 CLS3:LOCATE3,8:PRINT"DO YOU
NEED TO REVIEW FILE AND
 FILENAME REQUIREMENTS FOR EXECU
TING     THIS SCREEN DUMP?   (Y/
N)  ";:RETURN
690 CLS3:LOCATE6,5:PRINT"YOU SHO
ULD HAVE READY ";W$(0):LOCATE6,6
:PRINT"FILES (SCREEN IMAGES) FOR
                LOADING.  THE IMA
GES OF ONE              ";W$(1);"
 OF FILES SHOULD CORRESPOND
    TO THE TOP ";W$(2);" OF THE
PRINTOUT. ";
700 LOCATE6,10:PRINT"ANOTHER ";W
$(1);"  SHOULD CORRESPOND
  TO THE NEXT ";W$(2);" OF THE P
RINTOUT,        ETC.":LOCATE8,20
:PRINTM$;:RETURN
710 CLS3:LOCATE4,6:PRINT"THE LAS
T 2 CHARACTERS OF EACH
 FILENAME MUST INDICATE WHERE
         THE SCREEN IMAGE IS TO
BE               PRINTED.  FOR E
XAMPLE, L1";W$(3);"            AN
D R1 ENDING THE FILENAMES":RETUR
N
720 CLS3:LOCATE13,8:PRINT"GRAPHI
CS MODES":LOCATE10,11:PRINT"1: 8
00 DOTS PER LINE":LOCATE10,13:PR
INT"2: 960 DOTS PER LINE"
730 K$=INKEY$:IFK$=""THEN730ELSE
IFK$="2"THENPRINT#-2,CHR$(27);CH
R$(19);:RETURNELSEIFK$<>"1"THENS
OUND60,3:GOTO730
740 PRINT#-2,CHR$(27),CHR$(20);:
IFK=2THENPOKE&H1071,&H1F:POKE&H1
075,&H32:RETURNELSEPOKE&H1081,&H
30:POKE&H1085,&H21:POKE&H107A,&H
86:RETURN
```



Listing 2: DRIVERHE

```
0 ' COPYRIGHT 1989, FALSOFT,INC
5 'POKE150,?
10 PCLEAR2:CMP:WIDTH40:CLS3:LOCA
TE7,2:ATTR0,2:PRINT"HIGH CAPACIT
Y SCREEN DUMPS":LOCATE6,4:PRINT"
FOR EPSON COMPATIBLE PRINTERS":L
OCATE10,6:PRINT"BY H. ALLEN CURT
IS":LOCATE18,8:ATTR3,2:PRINT"FOR
";:LOCATE14,11:ATTR7,2:PRINT"FAL
SOFT, INC":
20 LOCATE13,13:PRINT"COPYRIGHT 1
989";:LOCATE13,14:ATTR0,2,U:PRIN
T"              ";:ATTR0,2
30 LOCATE3,18:PRINT"TYPE 2 OR 3
DEPENDING ON WHETHER       YOU
WANT A 2 OR 3 COLUMN PRINTOUT,
    RESPECTIVELY.";:LOCATE15,14
40 K=1:C=0:X=&H1200:W$(0)="12":W
$(1)="TRIO":W$(2)="1/4":W$(3)=",
 M1":M$="PRESS SPACE TO CONTINUE
50 S$(0)="1F314F8D3F27028A808D36
27028A408D3027028A208D2A27028A10
8D24":C(0)=2063
60 S$(1)="27028A088D1E27028A048D
1827028A028D1227028A017EA285C680
D750":C(1)=2268
70 S$(2)="8DC4045026FA39308850E6
84D45039861897528E7071BFFFA28D65
8D3C":C(2)=3550
80 S$(3)="8DDD33410A5126F88D2D8E
7273BFFFA28DCD33410A5126F88D1D33
C9FD":C(3)=3534
90 S$(4)="808E7A7BBFFFA28DB93341
0A5126F88D09860D8DAA0A5226C03933
8801":C(4)=3117
100 S$(5)="1E32C650D75139C6FED76
F8D12CE40001F328DA48D1A8E7A7BBFF
FA20F":C(5)=3481
110 S$(6)="6F393410308C208D11351
0393410308C1E20F43410308C2120EDE
68027":C(6)=2257
120 S$(7)="08A680BDA2855A26F839A
BCDEFABCDEFABCDEFABCDEFABCDEFABC
```

Color Computer I, II, III

Free Software for Drive 0 Systems

CoCo Checker...Test roms, rams, disk drives and & controller printer, keyboard cassette & more.
Tape/Disk Utility...Transfers disk to tape and tape to disk.



159.95 Drive 0

- Full Ht Drive
- Single Case
- Heavy Duty Power Supply
- 2 Drive Cable
- Gold plated contacts
- Controller & manuals

179.95 Drive 0

- Double Sided Slim Line Drive
- Case holds 2 slim line drives
- Heavy Duty Power Supply
- 2 Drive Cable
- Gold plated contacts
- Controller & Manuals

269.95 Drive 0 & 1

- 2 Double Sided Slim Line Drive
- Case holds 2 slim line drives
- Heavy Duty Power Supply
- 2 Drive Cable
- Gold plated contacts
- Controller & Manuals

Other Drive Specials

119.95
2nd Drive
for new Radio Shack
includes:

- Slim Line DS/DD Drive
- Cabling & Instructions
- Mounting Hardware

Full Ht Drive	89.95
Full Ht Drive Ps/Case	129.95
Slim Line Drive	99.95
Slim Line Drive Ps/Case	139.95
2 Slim Drives Ps/Case	239.95
Disk Controller	59.95
Single Ps & Case	44.95
Dual ½ht Ps & Case	54.95
Dual Full Ht. Ps & Case	79.95
Disk Controller	59.95
10 Diskettes with free library case	9.95

Quality Add-On's for Tandy 1000, SX, TX, SL, TL, 3000, 4000



HARD CARDS

10 meg	259.95	40 meg	399.95
20 meg	299.95	49 meg	499.95
30 meg	349.95	64 meg	599.95

HARD DRIVE KITS

10 meg kit	249.95	40 meg kit	399.95
20 meg kit	299.95	60 meg kit	539.95
30 meg kit	339.95		

1000, 1000A,
Memory Cards
Zucker Memory
- DMA & 512K — CALL

Zucker Multifunction
- Serial
- Real Time Clock
- 512K DMA
- Software — CALL

TANDY 1000
1000, SX, TX, 3000, 4000
2nd Floppy

360K	TEAC	$119.95
720K	Mitsubishi	$99.95
3½"	Mitsubishi	$119.95

1000, 1000A, SX, TX, SL, TL
Hard Drive Controller
Will run 1 or 2
Hard Drives
Supports drives up to 120 megabytes
$99.95

QUALITY
CUSTOMER SERVICE
508-278-6555

TECHNICAL ASSISTANCE
508-278-6556

TDP

TOLL FREE ORDER LINE
1-800-635-0300
TRUE DATA PRODUCTS
115 MAIN ST., P.O. BOX 347
UXBRIDGE, MA 01569
508-278-6555
HOURS: MON-FRI. 9-6, SAT. 10-4 (EST)

CORPORATE P.O.'S WELCOMED

ALL PACKAGES SHIPPED UPS
EXCEPT CANADA AND A.P.O.'s
C.O.D.'S ADD $2.30
MASTER CHARGE/VISA ADD 3%
1 YEAR WARRANTY UNLESS
OTHERWISE NOTED
PRICES TERMS CONDITIONS
SUBJECT TO CHANGE WITHOUT
NOTICE

```
DEFAB":C(7)=5080
130 K$=INKEY$:IFK$=""THEN130ELSE
IFK$="2"THEN260ELSEIFK$<>"3"THEN
SOUND60,3:GOTO130
140 LOCATE3,18:PRINTSTRING$(120,
32):LOCATE10,18:PRINT"A FEW MOME
NTS PLEASE";:LOCATE15,14
150 FORI=0TO7:FORJ=1TO29:A$=MID$
(S$(I),2*J-1,2):A=VAL("&H"+A$):C
=C+A:POKEX,A:X=X+1:NEXT:IFC<>C(I
)THENCLS3:LOCATE8,12:PRINT"TYPIN
G ERROR IN LINE";50+10*I:ENDELSE
C=0:NEXT
160 FORI=1TO26:READA:NEXT:X=X-19
:FORI=1TO26:READA:POKEX,A:X=X+1:
NEXT
170 GOSUB760:GOSUB680
180 K$=INKEY$:IFK$=""THEN180ELSE
IFK$="N"THEN470
190 GOSUB690
200 K$=INKEY$:IFK$=""THEN200
210 GOSUB710
220 LOCATE4,11:PRINT"OF A TRIO O
F FILES INDICATE              THE
 LEFT, MIDDLE, AND RIGHT
     PARTS OF THE TOP 1/4 OF THE
            PRINTOUT.  L2, M2,
AND R2                 INDICATE TH
E NEXT 1/4, ETC.               EXC
EPT FOR THE LAST 2
230 LOCATE4,17:PRINT"CHARACTERS,
 THE FILENAME OF               ALL
 FILES MUST BE THE SAME.":LOCATE
6,20:PRINTM$;
240 K$=INKEY$:IFK$=""THEN240
250 GOTO470
260 K=2:W$(0)="8":W$(1)="PAIR":W
$(3)="    ":LOCATE3,18:PRINTSTRI
NG$(120,32):LOCATE10,18:PRINT"A
FEW MOMENTS PLEASE";:LOCATE15,14
270 S$(0)="1F314F8D3F27028A808D3
627028A408D3027028A208D2A27028A1
08D242702":C(0)=2104
280 S$(1)="8A088D1E27028A048D182
7028A028D1227028A017EA285C680D75
08DC40450":C(1)=2648
290 S$(2)="26FA39308850E684D4503
9861897528E7071BFFFA28D518D288DD
D33410A51":C(2)=3658
300 S$(3)="26F88D198E7273BFFFA28
DCD33410A5126F88D09860D8DBE0A522
6D4393388":C(3)=3484
310 S$(4)="151E32C63CD75139C6FED
76F8D12CE40001F328DB88D1A8E7A7BB
FFFA20F6F":C(4)=3613
320 S$(5)="393410308C208D1135103
93410308C1E20F43410308C2120EDE68
02708A680":C(5)=2448
330 S$(6)="BDA2855A26F839ABCDEFA
BCDEFABCDEFABCDEFABCDEFABCDEFABC
DEFABCDEF":C(6)=5837
340 FORI=0TO6:FORJ=1TO31:A$=MID$
(S$(I),2*J-1,2):A=VAL("&H"+A$):C
=C+A:POKEX,A:X=X+1:NEXT:IFC<>C(I
)THENCLS3:LOCATE8,12:PRINT"TYPIN
G ERROR IN LINE";270+10*I:ENDELS
EC=0:NEXT
350 X=X-24:FORI=1TO28:READA:POKE
X,A:X=X+1:NEXT
360 GOSUB680
370 K$=INKEY$:IFK$=""THEN370ELSE
IFK$="N"THEN470
380 CLS3:LOCATE6,4:PRINT"YOU SHO
ULD HAVE READY 8 FILES
 (SCREEN IMAGES) FOR LOADING.
390 LOCATE6,6:PRINT"THE SCREEN I
MAGES OF ONE PAIR           OF F
ILES SHOULD CORRESPOND TO
    THE TOP FOURTH PART OF THE
            PRINTED PAGE.  ANOTH
ER PAIR
400 LOCATE6,10:PRINT"SHOULD CORR
ESPOND TO THE NEXT            FOU
RTH PART OF THE PAGE, ETC.":LOCA
TE8,20:PRINTM$;
410 K$=INKEY$:IFK$=""THEN410
420 CLS3:LOCATE6,4:PRINT"THE LAS
T 2 CHARACTERS OF EACH
 FILENAME MUST INDICATE WHERE
         THE SCREEN IMAGE IS TO
BE                PRINTED.  FOR I
NSTANCE, L1               AND R1
ENDING THE FILENAMES
430 LOCATE6,9:PRINT"OF A PAIR OF
 FILES INDICATE               THE
LEFT AND RIGHT PORTIONS
    OF THE TOP FOURTH OF THE
            PAGE.  L2 AND R2 IND
ICATE                THE NEXT FOU
RTH, ETC.  EXCEPT
440 LOCATE6,14:PRINT"FOR THE LAS
T 2 CHARACTERS,               THE
 FILENAMES OF ALL FILES
     MUST BE THE SAME."
450 LOCATE8,20:PRINTM$;
460 K$=INKEY$:IFK$=""THEN460
470 GOSUB640
480 K$=INKEY$:IFK$=""THEN480
490 IFK$="3"THENPCLEAR4:ENDELSEI
FK$="2"THENPCLEAR4:CLEAR200,&H7F
FF:RUN"DH"ELSEIFK$<>"1"THEN480
500 WIDTH32:CLS:PRINT@130,"ENTER
 PART OF FILENAME COMMON   TO AL
L FILES.  (IF YOU HAVE     MORE
THAN 1 DRIVE, YOU MAY      ADDRE
SS A DRIVE BY APPENDING    A COL
ON FOLLOWED BY THE DRIVE   NUMBE
R TO THE FILENAME PART.
510 IFK=1THENCLEAR200,&H3FFF:K=1
ELSECLEAR200,&H3FFF:K=2
520 L$(1)="L1":L$(2)="L2":L$(3)=
"L3":L$(4)="L4":M$(1)="M1":M$(2)
="M2":M$(3)="M3":M$(4)="M4":R$(1
)="R1":R$(2)="R2":R$(3)="R3":R$(
```

Sugar Software

☞ A New Version of The Calligrapher is Now Available ☜

The MS-DOS and OS9 Calligrapher has been greatly enhanced to **Version 2.0** adding over 15 new directives to support multiple columns, macros, page numbers, headers and footers, interactive prompting and more! You may upgrade your old OS9 Calligrapher for $12.50 (send in your original disk).

CALLIGRAPHER

CoCo Calligrapher - Turn your CoCo and dot-matrix printer into a calligrapher's quill. Make beautiful invitations, flyers, certificates, labels and more. Includes three ½ inch high fonts. Works with many printers such as Epson, Gemini and Radio Shack. Over 135 additional fonts are available (see below). Tape/Disk (RS-DOS); **$24.95**.

Calligrapher - Prints all the same fonts as the CoCo Calligrapher. It reads a standard text file which contains text and formatting codes. You may specify the font to use, change fonts at any time, centering, left, right or full justify, line fill, margin, line width, page size, page break and indentation. Includes the same 3 fonts with additional fonts available below. **NEW! Now available for MS-DOS.** Disk only; Specify OS9 or MS-DOS; **$24.95**.

Calligrapher Fonts - Requires Calligrapher above. Each set on tape or disk with 8 to 10 fonts; Specify RS-DOS, OS9 or MS-DOS format; **$14.95** each:

- **Set #1** Reduced and reversed originals;
- **Set #2** Old Style and Broadway;
- **Set #3** Antique and Business;
- **Set #4** Wild West and Checkers;
- **Set #5** Stars, Hebrew and Victorian;
- **Set #6** Block and Computer;
- **Set #7** Small: Roman, Italics, Cubes, etc;
- **Set #8** Novelty fonts;
- **Set #9** Gallant and Spartan;
- **Set #10** Several Roman fonts;
- **Set #11** Gothic and Script;
- **Set #12** More Roman and Italic;
- **Set #13** Several Courier fonts;
- **Set #14** Modern and Screen;
- **Set #15** Tektron and Prestige.

Economy Font Packages available on disk only, with 25 to 30 fonts; Specify RS-DOS, OS9 or MS-DOS format; **29.95** for any one or save by buying two or more at **$19.95** each:

- **Pkg #1** - Above font sets 1, 2 and 3;
- **Pkg #2** - Above font sets 4, 5 and 6;
- **Pkg #3** - Above font sets 7, 8 and 9;
- **Pkg #4** - Above font sets 10, 11 and 12;
- **Pkg #5** - Above font sets 13, 14 and 15.

Calligrapher Combo Package - Includes the Calligrapher and any two Economy Font Packages (your choice) for only **$59.95**. Specify RS-DOS, OS9 or MS-DOS.

Sample Calligrapher Fonts

The CoCo Calligrapher!

The Font Massager - This OS9/MS-DOS utility program allows you to do many things to Calligrapher font files. You may create new fonts, modify existing fonts, invert fonts, compress fonts, double the height and/or width, halve the height and/or width and convert between RS-DOS and OS9/MS-DOS formats. (Note: OS9 and MS-DOS font files are identical and need no conversion. Simply copy or upload the files from one OS to the other.). Specify OS9 or MS-DOS; **$19.95**.

INFORMATION MGT.

TIMS Combo Package - All three of the following programs: TIMS, TIMS Mail and TIMS Utility on one disk - **$34.95**.

TIMS (The Information Management System) - Tape or disk, fast and simple general data base program. Create *files* of *records* that can be quickly sorted, searched, deleted and updated. Powerful printer formatting. Up to 8 *user* fields, sort on up to 3 fields. Tape/Disk; **$19.95**.

TIMS Mail - Tape or Disk based mailing list program. Files are compatible with TIMS. Fast and simple to use. Supports labels 1, 2 or 3 across, 2½ to 4 inches wide. Tape/Disk; **$19.95**.

TIMS Utility - Utility companion for TIMS and TIMS Mail for multi-term search (*AND* and *OR* logic), global change and delete, split large files and more! Tape/Disk; **$14.95**.

EDUCATIONAL

Trig Attack - Ages 9 and up. An educational arcade game where players learn important math concepts as they play. Sound effects, colorful graphics. Excellent manual includes an introduction to trigonometry. Tape/Disk; **$19.95**.

The Educational Combo - The Combo includes these educational (and entertaining) games:

Silly Syntax (ages 5 and up) story creation game & 2 stories
Galactic Hangman (ages 7 and up) animated graphics, with a 700 word vocabulary
The Presidents of the USA (ages 10 and up) a presidential trivia game
The Great USA (ages 9 and up) a trivia game of the states
Trig Attack (ages 9 and up) Zap those *Trigs*

All five programs on one disk; **$49.95** (save $50!).

SPECIAL INTEREST

Rental Property Income and Expense Management Package - Maintain rental property income and expense records and print reports. 28 expense categories. *This program may be tax deductible.* Disk only; **$29.95**.

CoCo Knitter - Easy to use program to display or print instructions to knit a sweater: Cardigan or Pullover; Round or V-neck; Raglan or Set-in Sleeve; 3 weights of yarn; 8 sizes from baby to man. Tape/Disk; **$19.95**.

For a complete catalog of Sugar Software products and fonts, send a stamp and a label.

RAINBOW CERTIFICATION SEAL

MasterCard VISA

*TRS-80 is a trademark of Tandy Corp.

SUGAR SOFTWARE
P.O. Box 7446
Hollywood, Florida 33081
(305) 981-1241

All programs run on the CoCo 1, 2 and 3, 32K Extended Basic, unless otherwise noted. Add $1.50 per tape or disk for shipping and handling. Florida residents add 6% sales tax. COD orders add $5. Dealer inquiries invited. Orders generally shipped in 24-48 hours. No refunds or exchanges without prior authorization.

```
4)="R4"
530 PRINT@326,">>>  ";:LINEINPUT
F$
540 A=INSTR(1,F$,":"):IFA>0THEND
$=RIGHT$(F$,LEN(F$)-A+1):F$=LEFT
$(F$,A-1)ELSED$=""
550 IFK=2THENFORI=1TO4:POKE&HFFA
2,&H70:LOADM F$+L$(I)+"/HR1"+D$:
POKE&HFFA2,&H71:LOADM F$+L$(I)+"
/HR2"+D$:POKE&HFFA2,&H72:LOADM F
$+R$(I)+"/HR1"+D$:POKE&HFFA2,&H7
3:LOADM F$+R$(I)+"/HR2"+D$:POKE&
HFFA2,&H7A:EXEC&H1284:NEXT:GOTO6
30
560 FORI=1TO2:POKE&HFFA2,&H70:LO
ADM F$+L$(I)+"/HR1"+D$:POKE&HFFA
2,&H71:LOADM F$+L$(I)+"/HR2"+D$:
POKE&HFFA2,&H72:LOADM F$+M$(I)+"
/HR1"+D$:POKE&HFFA2,&H73:LOADM F
$+M$(I)+"/HR2"+D$
570 POKE&HFFA2,&H7A:LOADM F$+R$(
I)+"/HR1"+D$:LOADM F$+R$(I)+"/HR
2"+D$,8192:EXEC&H1298:NEXT
580 Q$=D$:IFQ$=""THENQ$="0"ELSEQ
$=RIGHT$(D$,1)
590 CLS:PRINT@194,"INSERT DISK W
ITH SECOND SET     OF SCREEN FIL
ES IN DRIVE ";Q$:PRINT@258,"AND
PRESS SPACE."
600 K$=INKEY$:IFK$<>" "THEN600
610 FORI=3TO4:POKE&HFFA2,&H70:LO
ADM F$+L$(I)+"/HR1"+D$:POKE&HFFA
2,&H71:LOADM F$+L$(I)+"/HR2"+D$:
POKE&HFFA2,&H72:LOADM F$+M$(I)+"
/HR1"+D$:POKE&HFFA2,&H73:LOADM F
$+M$(I)+"/HR2"+D$
620 POKE&HFFA2,&H7A:LOADM F$+R$(
I)+"/HR1"+D$:LOADM F$+R$(I)+"/HR
2"+D$,8192:EXEC&H1298:NEXT
630 CLEAR200,&H7FFF:GOTO470
640 WIDTH40:CLS3:LOCATE10,10:PRI
NT"1 LOAD FOR DUMP":LOCATE10,11:
PRINT"2 RETURN TO DH":LOCATE10,1
2:PRINT"3 EXIT PROGRAM":RETURN
650 DATA 2,27,49,0,0,0,0,0
660 DATA 5,27,42,1,192,3,0,0,0,0
670 DATA 2,27,50,0,0,0,0,0
680 CLS3:LOCATE3,8:PRINT"DO YOU
NEED TO REVIEW FILE AND
 FILENAME REQUIREMENTS FOR EXECU
TING     THIS SCREEN DUMP?   (Y/
N)  ";:RETURN
690 CLS3:LOCATE6,5:PRINT"YOU SHO
ULD HAVE READY ";W$(0):LOCATE6,6
:PRINT"FILES (SCREEN IMAGES) FOR
                LOADING.  THE IMA
GES OF ONE              ";W$(1);"
 OF FILES SHOULD CORRESPOND
    TO THE TOP ";W$(2);" OF THE
PRINTOUT. ";
700 LOCATE6,10:PRINT"ANOTHER ";W
$(1);"  SHOULD CORRESPOND
  TO THE NEXT ";W$(2);" OF THE P
RINTOUT,        ETC.":LOCATE8,20
:PRINTM$;:RETURN
710 CLS3:LOCATE4,6:PRINT"THE LAS
T 2 CHARACTERS OF EACH
 FILENAME MUST INDICATE WHERE
          THE SCREEN IMAGE IS TO
BE              PRINTED.  FOR E
XAMPLE, L1";W$(3);"           AN
D R1 ENDING THE FILENAMES":RETUR
N
720 DATA 2,27,49,0,0,0,0,0
730 DATA 5,27,42,3,128,7,0,0,0,0
740 DATA 2,27,50,0,0,0,0,0
750 DATA 5,27,42,1,192,3,0,0,0,0
760 CLS3:LOCATE13,8:PRINT"GRAPHI
CS MODE":LOCATE10,11:PRINT"1: 96
0 DOTS PER LINE":LOCATE10,13:PRI
NT"2: 1920 DOTS PER LINE"
770 K$=INKEY$:IFK$=""THEN770ELSE
IFK$="2"THENRETURNELSEIFK$<>"1"T
HENSOUND60,10:GOTO770
780 X=X-18:FORI=0TO9:READA:POKEX
+I,A:NEXT:POKE&H1290,&H29:POKE&H
1294,&H28:RETURN
```

Listing 3: HALTER

```
18 ON ERR GOTO7000
25 GOSUB820:POKE&HFFA2,&H70:SAVE
M"OUT1",&H4000,&H5FFF,&HAC73:POK
E&HFFA2,&H71:SAVEM"OUT2",&H4000,
&H5BFF,&HAC73:POKE&HFFA2,&H7A:RE
NAME"OUT1/BIN"TOF$+"/HR1":RENAME
"OUT2/BIN"TOF$+"/HR2":DRIVE0:RET
URN
30 GOSUB820:RENAMEF$+"/HR1"TO"IN
1/BIN":RENAMEF$+"/HR2"TO"IN2/BIN
":POKE&HFFA2,&H70:LOADM"IN1":POK
E&HFFA2,&H71:LOADM"IN2":POKE&HFF
A2,&H7A
35 RENAME"IN1/BIN"TOF$+"/HR1":RE
NAME"IN2/BIN"TOF$+"/HR2":DRIVE0:
RETURN
170 IFK=21THENHPUT(U,T)-(W-1,T+.
5*D),4:HPUT(U,T+.5*D)-(W-1,T+D),
4:L=U:GOTO65
171 IFK=95THENI=2*H+2:HPUT(L,T)-
(L+1,T+D),1:IFL>W*.5THENHGET(U,T
)-(W-I-1,T+.5*D+.5),6:HPUT(U+I,T
)-(W-1,T+.5*D+.5),6:HGET(U,T+.5*
D+1.5)-(W-I-1,T+D),6:HPUT(U+I,T+
.5*D+1.5)-(W-1,T+D),6:GOTO175
172 IFK=95THENHGET(U+I,T)-(W-1,T
+.5*D+.5),6:HPUT(U,T)-(W-1-I,T+.
5*D+.5),6:HGET(U+I,T+.5*D+1.5)-(
W-1,T+D),6:HPUT(U,T+.5*D+1.5)-(W
-1-I,T+D),6
```

Color Computer Software from Cer-Comp Ltd.

Window Master V2.2

The hottest new program available for the Color Computer III! Now you can have Windows, Icons, Buttons, Pull-Down Menus, Edit Fields and Mouse Functions built into your Basic or Machine Language Programs easily and quickly, without the need for OS9.

It supports up to 31 Windows on the display, multiple fonts in 54 possible sizes and styles, Enhanced Basic Editing and much more. It adds over 50 Commands and Functions to Basic to fully support the Point & Click Window System. In fact it has so many features it would take several pages to to describe them all.

It is completely compatible with existing Basic programs and takes absolutely no memory away from Basic. It contains a built in Ram Disk which is completely transparent to Basic (512k version) for enhanced operation.

It requires 1 Disk Drive, R.S. Hi-Res Interface & Joystick or Mouse. Includes both the 128k & 512k versions for only $69.95

Window-Ware

Window Writer - A Point & Click Word Processor, features both Mouse & Keyboard type editing, proportional printer support, powerful formatting capability, works with any printer. On screen Italic, bold etc. WYSIWYG Requires Window Master & 512k- $59.95

Window Writer/W - for non Window Master users includes all features as described above. Requires 512K & Disk $79.95

Window Basic Compiler - A Basic Compiler similar to CBASIC only it compiles all the Window Basic statements to create super fast M.L. programs & Desk Accessory programs for Window Master $99.00

Window EDT/ASM - A full featured Editor/Assembler and Debugger for the Window Master System $49.95

Font/Icon Editors - A utility disk with the Font & Icon Editors so you can edit or create your own, includes Basic & M.L. versions $19.95

Advanced Programmers Guide - A Guide for Basic & M.L. Programmers on interfacing to Window Masters complete system including System Calls, Memory Map, Interrupt handling & Extended Memory access. $24.95

The Memory Game - A Concentration like game, lots of fun for everyone. $19.95

512K RAM UPGRADE

Give your COCO 3 all the power it deserves with this easy to install (no soldering/plug in) 100% Tandy compatible 512K memory upgrade. Completely assembled and tested. Includes Ramdisk & Memory Test software described below. $159.95, **512K + Window Master $199**

512K RAMDISK & TESTER

RAMDISK is an ALL Machine Language program that will give you 2 ULTRA High Speed Ram Disks in you CoCo-3. Plus it allows your CoCo-3 to run at double speed all the time even for disk access!!! It will not disappear when you press reset like some other ramdisk programs. The MEMORY tester is a fast ML program to test the 512K ram. It performs several bit tests as well as an address test.

Requires 512K & Disk $19.95

CBASIC Editor/Compiler

The ULTIMATE Color Computer BASIC COMPILER!!!

If you want to write fast efficient machine language programs and you don't want to spend the next few years trying to learn how to write them in Assembly language or with a cheap compiler, then CBASIC is the answer!!!

CBASIC is the only fully integrated Basic Compiler and Program Editing System available for the Color Computer. It will allow you to take full advantage of all the capabilities available in your CoCo without having to spend years trying to learn assembly language programming. CBASIC allows you to create, edit and convert programs from a language you are already familiar with Enhanced Disk Color Basic, into fast efficient machine language programs easily and quickly.

CBASIC supports all the enhanced hardware available in the CoCo 2 & 3, including Hi-Res Graphics, & Screen displays, Extended Memory and Interrupts. We even added advanced commands not available in Basic to give you a level of control only available to very advanced Machine Language Programmers. Plus we made it exceptionally easy to use, not like some other compilers. CBASIC is the friendliest and easiest compiler available for the Color Computer.

CBASIC is a powerful tool for the Beginner as well as the Advanced Basic or Machine Language programmer. CBASIC features well over 150 Compiled Basic Commands and Functions that fully support Disk Sequential and Direct access files, Tape, Printer and Screen I/O. It supports ALL the High and Low Resolution Graphics, Sound, Play and String Operations available in Enhanced Color Basic, including Graphics H/GET, H/Put, H/Play and H/DRAW, all with 99.9% syntax compatibility.

CBASIC makes full use of the powerful and flexible GIMI chip in the Color Computer 3. It will fully utilize the 128K of RAM available and install 2 Ultra Fast Ramdisks if 512K is available, for program Creation, Editing and Compilation. You can easily access all 512K of memory in a Compiled program thru several extended memory commands that can access it in 32K or 8K blocks and single or double bytes.

CBASIC has its own completely integrated Basic Program Editor which allows you to load, edit or create programs for the compiler. It is a full featured editor designed specifically for writing Basic programs. It has block move and copy, program renumbering, automatic line number generation, screen editing, printer control and much more.

Coco 1,2 or 3 Disk $149.00

To order products by mail, send check or money order for the amount of purchase, plus $3.00 for shipping & handling to the address below.

To order by VISA, MASTERCARD or COD call us at (702) 452-0632

(Monday thru Saturday, 8am to 5pm PST).

CER-COMP Ltd.
5566 Ricochet Avenue
Las Vegas, Nevada 89110
702-452-0632

DataPack III Plus V1.1

SUPER SMART TERMINAL PROGRAM
AUTOPILOTand AUTO-LOG Command Processors
X-MODEM DIRECT DISK FILE TRANSFER
VT-100 & VT-52 TERMINAL EMULATION

- No lost data even at 2400 Baud on the Serial port.
- 8 Selectable Display Formats, 32/40/64/80 columns
- ASCII & BINARY disk file transfer via XMODEM.
- Directly record receive data (Data Logging).
- VT-100 emulation for VAX, UNIX and other systems.
- VT-100/52 cursor keys ,position,, PF & Alt. Kbd. keys.
- Programmable Word Length, Parity, Stop Bits .
- Complete Full and Half Duplex operation,
- Send full 128 character set from Keyboard
- Complete Editor, Insert, Delete, Change or Add.
- 9 Variable length, Programmable Macro Key buffers.
- Programmable Printer rates from 110 to 9600 Baud.
- Send Files from the Buffer, Macro Keys or Disk.
- Display or Print the contents of the 50k Buffer.
- Freeze Display & Review information On line.
- Built in Command Menu (Help) Display.
- Built in 2 Drive RAMDISK for 512K RAM.

Supports: R. S. Modem-Pak & Deluxe RS-232 Pak.

Coco 1, 2 or 3 Disk - $59.95

"The SOURCE"

DISASSEMBLER & SOURCE CODE GENERATOR

The SOURCE will allow you to easily & quickly Disassemble Color Computer machine language programs Directly from Disk and generate beautiful, Assembler Source code.

- Automatic label generation.
- Allows specifying FCB, FDB and FCC areas.
- Disassemble programs Directly from disk.
- Automatically locates address.
- Output listings to the Printer, Screen or both.
- Generates Assembler source directly to disk.
- Built in Hex/Ascii dump/display.
- 8 Selectable Display formats 32/40/64/80 .
- Selectable Foreground & Background colors.
- Built in Disk Directory an Kill file commands.
- Menu display with single key commands.
- Written in Ultra Fast Machine Language.

Coco 1, 2 or 3 Disk $49.95

EDT/ASM III

DISK EDITOR ASSEMBLER

EDT/ASM III is a Disk based co-resident Text Editor & Assembler. It is designed to take advantage of the new features available in the CoCo-3 with either 128K or 512K of memory. It has 8 display formats from 32/40/64/80 columns. There is also a free standing ML Debug Monitor.

EDT/ASM III has the most powerful, easy to use Text Editor available in any Editor/Assembler package for the Color Computer.

- Local and Global string search and/or replace.
- Full Screen line editing .
- Easy to use Single key editing commands.
- Load & Save standard ASCII formatted files.
- Block Move & Copy, Insert, Delete, Overtype.
- Create and Edit files larger than memory.

The Assembler features include:

- Supports Conditional IF/THEN/ELSE assembly.
- Supports Disk Library file up to 9 levels deep.
- Supports standard Motorola directives.
- Allows multiple values in FCB & FDB directives
- Allows assembly from the Buffer, Disk or both.

Coco 1, 2 or 3 Disk $59.95

```
275 IFK$="O" OR K$="o"THENCLS:LO
CATE8,9:PRINT"1: SAVE SCREEN ON
DISK":LOCATE8,10:PRINT"2: DIR":L
OCATE8,11:PRINT"3: HI C SCREEN D
UMP":GOTO725
370 INPUT#1,D,S:CLOSE#1:IFD>7 AN
D D<11THEND=11ELSEIFD>11 AND D<1
5THEND=15ELSEIFD>15THEND=23
720 END
725 K$=INKEY$:IFK$=""THEN725ELSE
IFK$="1"THENGOSUB25:GOTO230ELSEI
FK$="2"THENCLS:DIR:PRINT"      P
RESS SPACE TO CONTINUE"ELSEIFK$=
"3"THENDRIVE0:RUN"DRIVERHT"ELSES
OUND60,3:GOTO230
726 K$=INKEY$:IFK$=""THEN726ELSE
230
820 GOSUB485:CLS:LOCATE12,8:PRIN
T"FILENAME: ";:LINEINPUTF$:Z$=RI
GHT$(F$,2):IFASC(Z$)=58THENDRIVE
VAL(RIGHT$(Z$,1)):F$=LEFT$(F$,LE
N(F$)-2):RETURNELSERETURN
7000 IFERLIN=2330THEN2340
7001 IFERLIN=50THEN60
```

Listing 4: HALTERD

```
18 ON ERR GOTO7000
25 GOSUB820:POKE&HFFA2,&H70:SAVE
M"OUT1",&H4000,&H5FFF,&HAC73:POK
E&HFFA2,&H71:SAVEM"OUT2",&H4000,
&H5BFF,&HAC73:POKE&HFFA2,&H7A:RE
NAME"OUT1/BIN"TOF$+"/HR1":RENAME
"OUT2/BIN"TOF$+"/HR2":DRIVE0:RET
URN
30 GOSUB820:RENAMEF$+"/HR1"TO"IN
1/BIN":RENAMEF$+"/HR2"TO"IN2/BIN
":POKE&HFFA2,&H70:LOADM"IN1":POK
E&HFFA2,&H71:LOADM"IN2":POKE&HFF
A2,&H7A
35 RENAME"IN1/BIN"TOF$+"/HR1":RE
NAME"IN2/BIN"TOF$+"/HR2":DRIVE0:
RETURN
170 IFK=21THENHPUT(U,T)-(W-1,T+.
5*D),4:HPUT(U,T+.5*D)-(W-1,T+D),
4:L=U:GOTO65
171 IFK=95THENI=2*H+2:HPUT(L,T)-
(L+1,T+D),1:IFL>W*.5THENHGET(U,T
)-(W-I-1,T+.5*D+.5),6:HPUT(U+I,T
)-(W-1,T+.5*D+.5),6:HGET(U,T+.5*
D+1.5)-(W-I-1,T+D),6:HPUT(U+I,T+
.5*D+1.5)-(W-1,T+D),6:GOTO175
172 IFK=95THENHGET(U+I,T)-(W-1,T
+.5*D+.5),6:HPUT(U,T)-(W-1-I,T+.
5*D+.5),6:HGET(U+I,T+.5*D+1.5)-(
W-1,T+D),6:HPUT(U,T+.5*D+1.5)-(W
-1-I,T+D),6
275 IFK$="O" OR K$="o"THENCLS:LO
CATE8,9:PRINT"1: SCREEN DUMP":LO
CATE8,10:PRINT"2: SAVE SCREEN ON
 DISK":LOCATE8,11:PRINT"3: DIR":
LOCATE8,12:PRINT"4: HI C SCREEN
DUMP":GOTO725
370 INPUT#1,D,S:CLOSE#1:IFD>7 AN
D D<11THEND=11ELSEIFD>11 AND D<1
5THEND=15ELSEIFD>15THEND=23
720 END
725 K$=INKEY$:IFK$=""THEN725ELSE
IFK$="1"THENCLS:EXEC&H1249:GOTO2
30ELSEIFK$="2"THENGOSUB25:GOTO23
0ELSEIFK$="3"THENCLS:DIR:PRINT"
     PRESS SPACE TO CONTINUE"ELS
EIFK$="4"THENDRIVE0:RUN"DRIVERHT
"ELSESOUND60,3:GOTO230
726 K$=INKEY$:IFK$=""THEN726ELSE
230
820 GOSUB485:CLS:LOCATE12,8:PRIN
T"FILENAME: ";:LINEINPUTF$:Z$=RI
GHT$(F$,2):IFASC(Z$)=58THENDRIVE
VAL(RIGHT$(Z$,1)):F$=LEFT$(F$,LE
N(F$)-2):RETURNELSERETURN
7000 IFERLIN=2330THEN2340
7001 IFERLIN=50THEN60
```

Listing 5: HALTERE

```
18 ON ERR GOTO7000
25 GOSUB820:POKE&HFFA2,&H70:SAVE
M"OUT1",&H4000,&H5FFF,&HAC73:POK
E&HFFA2,&H71:SAVEM"OUT2",&H4000,
&H5BFF,&HAC73:POKE&HFFA2,&H7A:RE
NAME"OUT1/BIN"TOF$+"/HR1":RENAME
"OUT2/BIN"TOF$+"/HR2":DRIVE0:RET
URN
30 GOSUB820:RENAMEF$+"/HR1"TO"IN
1/BIN":RENAMEF$+"/HR2"TO"IN2/BIN
":POKE&HFFA2,&H70:LOADM"IN1":POK
E&HFFA2,&H71:LOADM"IN2":POKE&HFF
A2,&H7A
35 RENAME"IN1/BIN"TOF$+"/HR1":RE
NAME"IN2/BIN"TOF$+"/HR2":DRIVE0:
RETURN
170 IFK=21THENHPUT(U,T)-(W-1,T+.
5*D),4:HPUT(U,T+.5*D)-(W-1,T+D),
4:L=U:GOTO65
171 IFK=95THENI=2*H+2:HPUT(L,T)-
(L+1,T+D),1:IFL>W*.5THENHGET(U,T
)-(W-I-1,T+.5*D+.5),6:HPUT(U+I,T
)-(W-1,T+.5*D+.5),6:HGET(U,T+.5*
D+1.5)-(W-I-1,T+D),6:HPUT(U+I,T+
.5*D+1.5)-(W-1,T+D),6:GOTO175
172 IFK=95THENHGET(U+I,T)-(W-1,T
+.5*D+.5),6:HPUT(U,T)-(W-1-I,T+.
5*D+.5),6:HGET(U+I,T+.5*D+1.5)-(
W-1,T+D),6:HPUT(U,T+.5*D+1.5)-(W
-1-I,T+D),6
```

```
275 IFK$="O" OR K$="o"THENCLS:LO
CATE8,9:PRINT"1: SAVE SCREEN ON
DISK":LOCATE8,10:PRINT"2: DIR":L
OCATE8,11:PRINT"3: HI C SCREEN D
UMP":GOTO725
370 INPUT#1,D,S:CLOSE#1:D=SF*D:S
=SF*S:M(0)=SF*(D(CD)+2)-2:IFD>7
AND D<11THEND=11ELSEIFD>11 AND D
<15THEND=15ELSEIFD>15THEND=23
720 END
725 K$=INKEY$:IFK$=""THEN725ELSE
IFK$="1"THENGOSUB25:GOTO230ELSEI
FK$="2"THENCLS:DIR:PRINT"      P
RESS SPACE TO CONTINUE"ELSEIFK$=
"3"THENDRIVE0:RUN"DRIVERHT"ELSES
OUND60,3:GOTO230
726 K$=INKEY$:IFK$=""THEN726ELSE
230
820 GOSUB485:CLS:LOCATE12,8:PRIN
T"FILENAME: ";:LINEINPUTF$:Z$=RI
GHT$(F$,2):IFASC(Z$)=58THENDRIVE
VAL(RIGHT$(Z$,1)):F$=LEFT$(F$,LE
N(F$)-2):RETURNELSERETURN
7000 IFERLIN=2330THEN2340
7001 IFERLIN=50THEN60
```

Listing 6: HALTERDE

```
18 ON ERR GOTO7000
25 GOSUB820:POKE&HFFA2,&H70:SAVE
M"OUT1",&H4000,&H5FFF,&HAC73:POK
E&HFFA2,&H71:SAVEM"OUT2",&H4000,
&H5BFF,&HAC73:POKE&HFFA2,&H7A:RE
NAME"OUT1/BIN"TOF$+"/HR1":RENAME
"OUT2/BIN"TOF$+"/HR2":DRIVE0:RET
URN
30 GOSUB820:RENAMEF$+"/HR1"TO"IN
1/BIN":RENAMEF$+"/HR2"TO"IN2/BIN
":POKE&HFFA2,&H70:LOADM"IN1":POK
E&HFFA2,&H71:LOADM"IN2":POKE&HFF
A2,&H7A
35 RENAME"IN1/BIN"TOF$+"/HR1":RE
NAME"IN2/BIN"TOF$+"/HR2":DRIVE0:
RETURN
170 IFK=21THENHPUT(U,T)-(W-1,T+.
5*D),4:HPUT(U,T+.5*D)-(W-1,T+D),
4:L=U:GOTO65
171 IFK=95THENI=2*H+2:HPUT(L,T)-
(L+1,T+D),1:IFL>W*.5THENHGET(U,T
)-(W-I-1,T+.5*D+.5),6:HPUT(U+I,T
)-(W-1,T+.5*D+.5),6:HGET(U,T+.5*
D+1.5)-(W-I-1,T+D),6:HPUT(U+I,T+
.5*D+1.5)-(W-1,T+D),6:GOTO175
172 IFK=95THENHGET(U+I,T)-(W-1,T
+.5*D+.5),6:HPUT(U,T)-(W-1-I,T+.
5*D+.5),6:HGET(U+I,T+.5*D+1.5)-(
W-1,T+D),6:HPUT(U,T+.5*D+1.5)-(W
-1-I,T+D),6
275 IFK$="O" OR K$="o"THENCLS:LO
CATE8,9:PRINT"1: SCREEN DUMP":LO
CATE8,10:PRINT"2: SAVE SCREEN ON
 DISK":LOCATE8,11:PRINT"3: DIR":
LOCATE8,12:PRINT"4: HI C SCREEN
DUMP":GOTO725
370 INPUT#1,D,S:CLOSE#1:D=SF*D:S
=SF*S:M(0)=SF*(D(CD)+2)-2:IFD>7
AND D<11THEND=11ELSEIFD>11 AND D
<15THEND=15ELSEIFD>15THEND=23
720 END
725 K$=INKEY$:IFK$=""THEN725ELSE
IFK$="1"THENCLS:EXEC&H1249:GOTO2
30ELSEIFK$="2"THENGOSUB25:GOTO23
0ELSEIFK$="3"THENCLS:DIR:PRINT"
      PRESS SPACE TO CONTINUE"ELS
EIFK$="4"THENDRIVE0:RUN"DRIVERHT
"ELSESOUND60,3:GOTO230
726 K$=INKEY$:IFK$=""THEN726ELSE
230
820 GOSUB485:CLS:LOCATE12,8:PRIN
T"FILENAME: ";:LINEINPUTF$:Z$=RI
GHT$(F$,2):IFASC(Z$)=58THENDRIVE
VAL(RIGHT$(Z$,1)):F$=LEFT$(F$,LE
N(F$)-2):RETURNELSERETURN
7000 IFERLIN=2330THEN2340
7001 IFERLIN=50THEN60
```


"Simply Better" Word Processor

*RUN 2 INTERACTING WORD PROCESSORS SIMULTANEOUSLY * PERFORM MAIL-MERGES * CREATE INDEXES * CREATE TABLE OF CONTENTS * PRINT-FILL FORMS * DISPLAYS FONTS IN SELECTED COLORS * DISPLAYS UNDERLINING * PRINT SPOOLING * AUTO SAVES FILES * SERIAL/PARALLEL OUTPUT * PRINT/SAVE BLOCKS OF TEXT * HEARING IMPAIRED MODE * UP TO 480K OF TEXT STORAGE * SORT SECTIONS OF TEXT * MANY MORE FEATURES *

". . . An excellent choice at an unbelievable price."
— Rainbow Magazine

RAINBOW CERTIFICATION SEAL

New Simply Better Version 2.0 . . . $34.95

SEE REVIEW AND ARTICLE IN APRIL '89 RAINBOW, SEE WHY . . .

When It Comes To Word Processing, we're..."Simply Better"

Call for a Free Brochure
All Orders, Call... 1-800-248-8420
For Color Computer 3 only. Please add $3 S/H

MasterCard VISA

Simply Better Software
P.O. Box 20726
Portland, OR 97220
In Australia (07) 3419061

TECHNICAL ASSISTANCE
9 AM - 5 PM
(503) 254-7225

A program for timed drills in both multiplication and division



Time Test

By Mary C. Crooks

Time Test is a new approach to computer-aided drill on multiplication and division tables: It is the way I give my third-grade son two-minute timed tests on the multiplication or division table he is trying to master. It duplicates the handwritten test strip that his teacher gives him in school. After setting a timer for two minutes, I give him the strip and a pencil. This test-taking practice, closely approximating the actual test, gives him more confidence than just working on the computer using a drill program.

The program is short and can be further shortened by removing the REM statements (lines 10 through 29), which contain credits and explanation. This saves 548 bytes of memory. As those REMs state, *Time Test* creates and sends to the printer randomly generated problems testing on the multiplication or division tables or on a mixture of both (review test).

All you need is a 16K Extended Color BASIC disk or cassette system and printer. In lines 660 through 670 I use an Epson MX-80 to print out the test strips, utilizing its TAB command to

Line	Function
30 through 100	Reserve memory, dimension array, show title screen
110 through 300	Get keyboard input on chose of test type (Variables X, A, Y)
340 through 350	Determine type of problem if review (Variable Y)
390	Specifies multiplication table to test if review (Variable AA)
400 through 430	Create multiplication problem (Array E$)
470	Specifies division table to test if review (Variable AA)
480 through 510	Create multiplication problem (Array E$)
550 through 570	Loop counts problems created
610 through 680	Print out problems created (Array E$)
690 through 750	Get keyboard input to end or start again

Table 1

Mary Crooks, a busy housewife and mother of two, has been programming for about a year and helped to organize and run the computer center at her son's elementary school. She holds a degree in art and enjoys all things creative.

space my vertical columns. Run time is about a minute and a half from start to printout. All decisions required are menu-driven, so it's hard to make a mistake.

Seventy-five problems are sent to the printer, aligned so that there are three vertical columns of 25 problems. In a printer using paper 8½ inches-by-11 inches, this creates three test strips 2 4/5 inches-by-11 inches when cut.

You specify the type of test you want — multiplication, division or review. If you choose multiplication or division, you then specify the table to test (i.e., 7x). If you choose review, the computer randomly generates the tables and type of problems.

Liberally used REMs denote the purpose of each program module, and very little needs explaining. The meat of the program is in the use of Array E$ to store the 75 problems generated. The array is made by adding together the string variables that represent the component parts of the algorithms for multiplication and division. This requires using STR$ to convert the numeric expressions AA, RND(12) and AA*RND(12) to strings needed in the array. Using commas to print screen menus (see lines 60 and 90) is a neat way to double-space text with minimal typing. I thank Richard White for this tip in his column "Bits and Bytes of BASIC" (April '84, Page 64)!

Major program areas are shown in Table 1.

Now, I wonder if my son's teacher could use an easier way to make up those timed tests?

(Questions or comments concerning this program may be directed to the author at 7955 Hillsboro Court, Pleasanton, CA 94566. Please enclose an SASE when requesting a reply.) □



The listing: TIMETEST

```
 Ø ' COPYRIGHT 1989  FALSOFT,INC
 1Ø '**********TIME TEST*******
 11 '******M.CROOKS-4/3Ø/84*****:
 12 '********PLEASANTON,CA******:
 13 '
 14 'THIS PROGRAM CREATES AND
 15 'SENDS TO THE PRINTER
 16 'RANDOMLY GENERATED PROBLEMS
 17 'TESTING ON THE MULTIPLICA-
 18 'TION OR DIVISION TABLES OR
 19 'ON A MIXTURE OF BOTH.
 2Ø '
 21 'SEVENTY-FIVE PROBLEMS ARE
```


Our acclaimed ADOS-3 has given birth!

* EXTENDED * ADOS-3

* Built-in RAMdisk * Point-and-pick file select menu *

Not a new version of ADOS-3, but a new product that shares space with ADOS-3 in a 16K EPROM. Arrow-key selection of files to execute, COPY, KILL or SCAN. The BACKUP command is doubled in speed for full disks, proportionately faster for partly full disks. (BACKUPs to or from the RAMdisk typically take 5 to 20 sec.) • BACKUP-with-format • Wild-card COPY and KILL, with optional prompting for individual files • Date (or date/time with hardware clock) displayed for files in the directory, printed on LLISTings • DATE$ function • Key repeat • Block move/copy of BASIC program lines • Text screen printer dump • Auto-reboot of a BASIC program or the DOS command • Parallel printing • Read/write/format 35/40 tracks on 80-track drives • Supports 3 double-sided drives plus 2 RAMdrives • Allows different numbers of tracks on different drives • Shares the original's excellent compatibility with commercial software. For 128K CoCo 3 with ADOS-3 (RAMdisk use requires 512K). Includes information on having an EPROM burned (cost is $15) after configuring Extended ADOS-3. Disk, **$39.95.** Extended ADOS-3 plus ADOS-3, **$64.95.** Driver for Disto real-time clock, **$5.** Adapter for controllers lacking 28-pin socket, **$10.**

ADOS-3 (reviewed July 1987)
Customize default startup message, colors, screen width, baud rate, step rates, processor speed, number of tracks (35, 40, or 80). Disk I/O and printing are reliable at double CPU speed. Extra commands such as FAST, SLOW, AUTO, RUNM, SCAN, CAT, PRT ON/OFF. Keystroke macros; arrow-key scroll through BASIC programs, edit/repeat of last command; auto-edit of error line, ML monitor, lots more. Usable as a disk utility or in EPROM. 128K Coco 3. EPROM-burning (cost is $15-20) information provided. Disk, **$34.95.**

ADOS for Coco 1 and 2 (reviewed June 1987) Disk, **$27.95.** ADOS plus ADOS-3, **$50.**

SPECTROSYSTEMS

11111 N. Kendall Drive
Suite A108
Miami, FL 33176
(305) 274-3899

PLEASE ADD $2 SHIPPING • NO DELAY ON PERSONAL CHECKS • WE CANNOT ACCEPT CREDIT CARDS

```
22 'SENT TO THE PRINTER,
23 'ALIGNED SO THAT THERE ARE
24 'THREE VERTICAL COLUMNS OF
25 'TWENTY-FIVE PROBLEMS.
27 '****************************
28 '          START
29 '****************************
3Ø CLEAR 8ØØ:DIM E$(75)
4Ø K=Ø:A=Ø:X=Ø:N=Ø:Y=Ø
5Ø CLS:FORI=1TO3:PRINT:NEXT
6Ø PRINTTAB(11)"TIME TEST",,,
7Ø PRINT"  THIS PROGRAM TESTS ON
LY THE"
8Ø PRINT"  MULTIPLICATION AND DI
VISION"
9Ø PRINT"  TABLES ONE THROUGH TW
ELVE.",,,
1ØØ PRINT:INPUT"  PRESS<ENTER>TO
 CONTINUE";W$
11Ø CLS:PRINT:PRINTTAB(6)"WHAT K
IND OF TEST?","   >>>SELECT DIGI
T 1 OR 2<<<"
12Ø PRINT@32*5+3," 1-MULT. OR DI
V.
13Ø PRINT@32*6+3," 2-REVIEW TEST
 (MIXTURE OF":PRINT@32*7+7," MUL
T. & DIV. PROBLEMS)"
14Ø PRINT:INPUT"   WHICH ONE<TYP
E 1 OR 2>";X
15Ø IFX<1 OR X>2THENGOTO14Ø
16Ø GOTO55Ø
17Ø IF X=2THENGOTO34Ø
18Ø IF A<>Ø THEN GO TO 3ØØ
19Ø '****************************
2ØØ '          TEST
21Ø '****************************
22Ø CLS:PRINT:PRINT:PRINT"  ON W
HAT TABLE DO YOU WISH","  TO TES
T?"
23Ø INPUT"      >>>TYPE 1-12<<<"
;A
24Ø IF A<1OR A>12THENGOTO22Ø
25Ø CLS:PRINT:PRINT TAB(4)"WHAT
ARE PROBLEMS TO BE?","   >>>SELE
CT DIGIT 1 OR 2<<<"
26Ø PRINT@32*4+5," 1-MULTIPLICAT
ION"
27Ø PRINT@32*5+5," 2-DIVISION"
28Ø PRINT:INPUT"   WHICH ONE<TYP
E 1 OR 2>";Y
29Ø IF Y<1 OR  Y>2 THEN GO TO 28
Ø
3ØØ IF Y=1 THEN 39Ø ELSE 47Ø
31Ø '****************************
32Ø '          REVIEW
33Ø '****************************
34Ø Y=RND(2)
35Ø IF Y=1 THEN GO TO 39Ø ELSE 4
7Ø
36Ø '****************************
37Ø '       MULTIPLICATION
38Ø '****************************
39Ø IF A=Ø THEN AA=RND(12)
4ØØ IF A<>Ø THEN AA=A
41Ø A$=STR$(AA):B$=" X":C$=STR$(
RND(12)):D$="="
42Ø E$(K)=A$+B$+C$+D$
43Ø GOTO57Ø
44Ø '****************************
45Ø '         DIVISION
46Ø '****************************
47Ø IF A=Ø THEN AA=RND(12)
48Ø IF A<>ØTHEN AA=A
49Ø A$=STR$(AA*RND(12)):B$=" /":
C$=STR$(AA):D$="="
5ØØ E$(K)=A$+B$+C$+D$
51Ø GO TO 57Ø
52Ø '****************************
53Ø '       END OF DATA
54Ø '****************************
55Ø FOR K=1 TO 75:IF K=2 THEN CL
S:PRINT@1Ø3,"CREATING PROBLEMS":
PRINT@23Ø,"1Ø SECONDS, PLEASE!"
56Ø GOTO17Ø
57Ø NEXT
58Ø '****************************
59Ø '       PRINT OUT
6ØØ '****************************
61Ø CLS:PRINT:PRINT" PLEASE POSI
TION PAPER AT START"
62Ø PRINT" OF SHEET & TURN ON PR
INTER.",,," WHEN YOU ARE READY T
O PRINT"," OUT THE COPIES OF TES
TS-"
63Ø PRINT:INPUT"    PRESS<ENTER>
TO BEGIN";W$
64Ø CLS:PRINT@2Ø3,"PRINTING"
65Ø FOR N=1 TO 75 STEP 3
66Ø PRINT#-2,E$(N);TAB(3Ø),E$(N+
1);TAB(6Ø);E$(N+2)
67Ø PRINT#-2:NEXT N
68Ø CLS:PRINT@1Ø3,"PRINTING COMP
LETE",,,,,"   DO YOU WANT TO-"
69Ø PRINT@32*8+6," 1-CREATE MORE
 TESTS"
7ØØ PRINT@32*9+6," 2-END"
71Ø PRINT:INPUT"   WHICH ONE<TYP
E 1 OR 2>";X
72Ø IF X<1 OR X>2 THEN GO TO 71Ø
73Ø IF X=1 GO TO 4Ø
74Ø CLS:PRINT@2Ø3,"THE END";:
75Ø GOTO75Ø
```

XTEAM & OS-9

XTERM

OS-9 Communications program

- Menu oriented
- Upload/download Ascii or XMODEM protocol
- Execute OS-9 commands from within XTERM
- Definable macro keys
- Works with standard serial port, RS232 Pak, or PBJ 2SP Pack, Includes all drivers
- Works with standard screen, Xscreen WORDPAK or DISTO 80 column board

$49.95 with source **$89.95**

ECONOMIST

Perform economic analysis to compare different cost and income alternatives! Compute present and future Life Cycle Worths for various combinations of single, series and gradient dollar amounts. Quickly edit and recompute for sensitivity analysis! Display line graphs. Printout data and results. Pull-down menus, windows and prompts. Requires os-9 level II and Basic09.

$39.95 WITH SOURCE **$79.95**

HARDWARE

512k memory upgrade $119.95

Ram Software
- Ram Disk
- Print Spooler
- Quick Backup

All three for only $19.95

*Software by ColorVenture

XWORD
OS-9 word processing system

- Works with standard text screen, XSCREEN, WORDPAK, or DISTO
- True character oriented full screen editing
- Full block commands
- Find and Replace commands
- Proportional spacing supported
- Full printer control, character size, emphasized, italics, overstrike, underline, super/sub-scripts
- 10 header/footers
- Margins and headers can be set different for even and odd pages

$69.95 with source **$124.95**

XMERGE Mail merge capabilities for XWORD
$24.95 with source **$49.95**

XSPELL OS-9 spelling checker, with 40000 word dictionaries
$39.95

XTRIO XWORD/XMERGE/XSPELL
$114.95 with source **$199.95**

XED OS-9 full screen editor
$39.95 with source **$79.95**

XDIS OS-9 disassembler
$34.95 with source **$54.95**

XDIR & XCAL Hierarchial directory, OS-9 calculator
$24.95 with source **$49.95**

THE DIRECTOR

Produces hires picture sound and color animation shows. Completely menu driven with full editing. Great for presentations and vcr's. Requires COCO III only. **$39.95**

Call for package price

AND FOR RS DOS ...

SMALL BUSINESS ACCOUTING

This sales-based accounting package is designed for the non-accountant oriented businessman. It also contains the flexibility for the accounting oriented user to set up a double entry journal with an almost unlimited chart of accounts. Includes Sales Entry, transaction driven Accounts Receivable and Accounts Payable, Journal Entry, Payroll Disbursement, and Record Maintenance programs. System outputs include Balance Sheet, Income Statement, Customer and Vender status Reports, Accounts Receivable and Payable Aging Reports, Check Register, Sales Reports, Account Status Lists, and a Journal Posting List.

$79.95

INVENTORY CONTROL/SALES ANALYSIS

This module is designed to handle inventory control, with user defined product codes, and produce a detailed analysis of the business' sales and the sales force. One may enter/update inventory data, enter sales, run five sales analysis reports, run five inventory reports, set up product codes, enter/update salesman records, and update the SBAP inventory.

$59.95

PAYROLL

Designed for maintaining personnel and payroll data for up to 200 hourly and salaried employees with 8 deductions each. Calculates payroll and tax amounts, prints checks and maintains year-to-date totals which can be automatically transferred to the SBA package. Computes each pay period's totals for straight time, overtime and bonus pay and determines taxes to be withheld. Aditional outputs include mailing list, listing of employees, year-to-date federal and/or state tax listing, and a listing of current misc. deductions. Suited for use in all states except Oklahoma and Delaware

$59.95

PERSONAL BOOKKEEPING 2000

Handles 45 accounts. Enters cash expenses as easily as checks. Handles 26 expense categoriesK. Menu driven and user friendly.

$39.95

ACCOUNTS RECEIVABLE

Includes detailed audit trails and history reports for each customer, perpares invoices and monthly statements, mailing labels, aging lists, and an alphabetized customer listing. The user can define net terms for commercial accounts or finance charges for revolving accounts. This package functions as a standalone A/R system or integrates with the Small Business Accting package.

$59.95

ACCOUNTS PAYABLE

Designed for the maintenance of vendor and A/P invoice files. The system prints checks, voids checks, cancels checks, deletes cancelled checks, and deletes paid A/P invoices. The user can run a Vendor List, Vendor Status report, Vendor Aged report, and an A/P Check Register. This package can be used either as a standalone A/P system or can be integrated with the Small Business Accounting Package.

$59.95

MICROTECH CONSULTANTS INC.
1906 Jerrold Avenue
St. Paul, MN 55112

Dealer Inquiries Invited
Author Submissions accepted
OS-9 is a trademark of Microware

Ordering Information
Add $3.00 shipping & handling, MN residents add 6% sales tax.
Visa, Mastercard, COD (add $3.50), personal checks.

(612) 633-6161

Dear Larry:

Your reply to Dwayne Fitzgerald (May '89, Page 98) frightens me a little.

There is indeed software available to allow a CoCo to read and print out morse code—several different programs, in fact. I'm not even sure that such a program has not appeared in THE RAINBOW some time ago. I know a RTTY program did. Unfortunately it doesn't provide for changing to different transmission rates, and it used the least common one.

One of THE RAINBOW's advertisers, T&D software, sells a tape (issue #15, Sept '83) for eight dollars, which includes a morse code program that I believe will do what Dwayne wants. The only hardware required is an audio patch cord to connect the audio of the receiver to the microphone jack on the CoCo.

I have a program for the TS1000 from Thomas Woods. If I recall correctly, it costs about ten dollars.

If these sources do not supply Dwayne's needs, he should look at Computer Shopper's classified ads for suppliers of CoCo public domain software.

Billy R. Pogue
Lake Havaser City, Arizona

Thank you for the valuable information. I have very little knowledge of HAM radio, and therefore do not pay close attention to articles and reviews in THE RAINBOW involving this subject. To be perfectly honest with you, I saw the article on RTTY, but had no idea what it was. Thanks again for helping me with Dwayne's question

Dear Larry:

I've developed a fairly attractive (but cumbersome) game of 21. I would like to know how to make the computer deal its own hand. I would also like to keep a running total of the card values.

G.F. Watson
Phoenix, Arizona

Larry Boeldt has programmed on the Color Computer for five years. He has experience with BASIC, Pascal and FORTRAN IV. He runs a software customizing business for the CoCo market.



By Larry Boeldt

Listed below is a program that simulates a hand of 21 being played. The user simply chooses whether they want to have another card dealt to them. It keeps a total of the card values, as well as determines if they win or lose. Keep in mind that this is a very bare bones program. It does illustrate a few unique techniques for simulating a deck of cards being played.

Note that in lines 1 through 3 variables are described and accounted. This is a good programming practice. When you need to change the program, you will know the meaning of each variable.

To simulate a deck of cards, each individual card must have its own number to make it distinct. For this I started with the Ace of Hearts, represented by the number one. The King of Hearts is represented by the number 13, the Ace of Diamonds is 14, etc. The order of suits is Hearts, Diamonds, Clubs and Spades. In other words, the King of Spades is 52.

The values must be broken down by suits and face cards given the value of 10. This is done in lines 1012 through 1018. The suit is put into A$ and T is converted to the card type index value (1=ONE, 2=TWO. . .13=KING).

The rest of the program is easy to understand. If you have any questions about this program, write to me in care of THE RAINBOW. I will be glad to answer them in a future column.

Listing 2: GAMEOF21

```
0 ' THE GAME OF "21"
1 ' A()=DECK OF CARDS  A$()=CARD
NAMES   C=COUNTER FOR CARDS
2 ' R,N=RANDOMIZERS AND MISCELLA
NEOUS COUNTERS   RT=RUNNING TOTA
L OF CARDS
3 ' NC=NUMBER OF CARDS DEALT IN
A GIVEN HAND   T=CARD NUMBER (IN
CARD SUIT)
4 '
5 ' Cards By Larry Boeldt
6 ' Copyright(C), Larry Boeldt
7 ' For RAINBOW MAGAZINE'S
8 ' BASICally SPEAKING COLUMN
9 CLEAR 8000,24578
10 DIM A(52) ' ARRAY OF CARDS, S
TARTS OUT AS A NEW DECK OF CARDS
11 DIM A$(13) ' THE NAMES OF EAC
H CARD (KING,QUEEN,NINE,TEN,ECT.
..
19 FOR C=1 TO 13:READ A$(C):NEXT
C
20 FOR C=1 TO 52 ' BEGIN WITH A
FRESH DECK OF CARDS IN ORDER
22 A(C)=C
24 NEXT C
30 GOSUB 1100 ' SCRAMBLE THE DEC
K
40 C=1
80 CLS:RT=0:NC=0:FORCO=1TO2:GOSU
B1000:C=C+1:NC=NC+1:RT=RT+T:NEXT
CO ' DEAL TWO
90 PRINT"YOUR TOTAL IS :";RT:IF
RT=21 THEN PRINT"YOU HAVE 21 YOU
WIN":GOTO 200 ELSE IF RT>21 THEN
PRINT"YOU BUSTED":GOTO 200
92 IF NC=5 AND RT<22 THEN PRINT"
YOU HAVE STAYED UNDER 21":PRINT"
AND HAVE FIVE CARDS, YOU WIN":GO
TO200
100 PRINT"ANOTHER CARD ?":EXEC 4
4537:D$=INKEY$
102 IF D$="Y" THEN GOSUB 1000:C=
C+1:RT=RT+T:NC=NC+1
104 GOTO 90
200 PRINT"ANOTHER HAND ?":EXEC 4
4537:D$=INKEY$::IF D$="N" THEN 8
99
202 IF C>45 THEN GOSUB 1100:GOTO
40 ELSE GOTO 80
899 END
900 REM*** CARD NAME DATA ***
910 DATA ACE,TWO,THREE,FOUR,FIVE
920 DATA SIX,SEVEN,EIGHT,NINE,TE
N
930 DATA JACK,QUEEN,KING
1000 REM*** PRINT CARD TYPE ***
1010 T=A(C)
1012 IF T<=13 THEN A$="OF HEARTS
"
1014 IF T>13 AND T<27 THEN T=T-1
3:A$="OF DIAMONDS"
1016 IF T>26 AND T<40 THEN T=T-2
6:A$="OF CLUBS"
```

```
1018 IF T>39 THEN T=T-39:A$="OF
SPADES"
1020 LOCATE 0,NC:A$=A$(T)+" "+A$
:PRINT A$
1030 IF T>10 THEN T=10
1099 RETURN
1100 REM*** SCRAMBLE DECK ***
1105 ATTR 0,0,B:PRINT"WAIT SHUFF
LING DECK":ATTR 0,0
1107 FOR C=1 TO 208
1110 R=RND(52):H=A(R):N=RND(52):
A(R)=A(N)
1120 A(N)=H:R=RND(-TIMER)
1130 NEXT C
1135 CLS
1140 RETURN
```

Dear Larry:

My handle on DELPHI is PERCH *and I have uploaded several crude programs on statistics. Since statistics rely on the ability to maneuver numbers, my question is: What is the most efficient way to maneuver numbers? I managed to do calculations on lists of numbers in programs I have uploaded, but am positive that there is a better way!*

I am still learning BASIC*, so bear with me. For example:*

```
10 INPUT"DATA NUMBER 1>";AA
20 INPUT"DATA NUMBER 2>";AB
```

My list of INPUT *statements might be as long as 20 or 30 lines, and I change accordingly* (AA,AB,AC)*. Then some type of processing must take place on each variable for instance:*

```
100 IF AA=20THEN AA=60-(XX*ZZ) ELSE
IF AA=21 THEN AA=70-(XX*ZZ) ELSE IF
AA=22 THEN AA=83-(XX*ZZ) ELSE IF
AA=23 THEN AA=101-(XX*ZZ)...
```

I have been doing this with each of 20 or 30 values. What a hassle. Then, after I have maneuvered the numbers to this point, I usually have to do more processing.

Also, how do I stop input? I may want to enter 10 values instead of 20. I can't use zero because zero has meaning in statistics.

In your May '89 column you stated, "Keep those questions coming!." I hear and I obey.

Roger I. Carlson
Tinley Park, Illinois

I begin by referring you to *The Super Extended BASIC Manual*, Chapter 33 (Page 183). Arrays are among the most useful "little ditties" computers have to offer. You can arrange your information in a logical set and sequence. The manual explains arrays quite well. I use arrays in the answer to the game of 21 question from G.F. Watson.

Chapters 34 and 35 are extremely helpful in dealing with strings and organizing data into sets (multi-dimensional arrays). I think you will find this information most helpful.

Dear Larry:

In the book supplied with my CoCo 3 by Radio Shack, it gives ROM routines which can be called by a machine language program. I have seen, for instance, in the February issue of THE RAINBOW*, a game called* Toader*. It is a* BASIC *program that calls on the ROM routine* JOYIN*. My question is: How does one call on these routines and what are the entry and exit conditions?*

Donald Kempton
Athens, Ohio

I have been working with such ROM routines for quite a while. I do very little assembly language programming, but I use the routines in BASIC quite often. Let me give you an example of how to use the ROM routines:

In order to call a ROM routine from BASIC you must find the address where it is located. The addresses given in the Color Computer manuals store the memory locations where these addresses can be found. For example, the JOYIN routines can be found at $HA00A. To find the address use this formula:

```
A=PEEK(&HA00A)*256+PEEK(&HA00B)
```

If you plan on using many ROM routines, use the following DEF FN statement:

```
DEF FNP(L)=PEEK(L)*256+PEEK(L+1)
```

This statement simulates a double peek command using DEF FN. Now, JOYIN requires that a PEEK be made to locations 15A to 15B for the joystick values. DEF FN comes in handy here, too.

```
DEF FNJOY(N)=PEEK(&H15A+N)
```

Now you have created a command that is the same as the ECB JOYSTK command. Type in the following program and see how this works:

```
10 DEF FNPEEK(L)=PEEK(L)*256+PEE
K (L+1)
20 DEF FNJOY(N)=PEEK(&H15A+N)
30 CLS:A=FNPEEK(&HA00A)
40 EXEC A:PRINT@0,FNJOY(0),FNJOY
(1),FNJOY(2),FNJOY(3)
50 GOTO 40
```

Notice how this might be to your benefit. One sure thing is that you can read just the JOYSTK(1) values without reading the JOYSTK(0) values as BASIC requires. The entry and exit conditions are listed in the manual that comes with your CoCo.

Dear Larry:

I have recently tried to convert an old program for mailing labels from tape to disk to run on my CoCo 3. The tape program I originally purchased runs fine. The changes I made to allow it to run on disk, however, do not allow me to retrieve data from the disk, and I cannot figure out how to correct it.

Kenneth A. Goldman

Start by changing all CLOAD(M) and CSAVE(M) type commands to LOAD(M) and SAVE(M) commands. All references to #-1 should be changed to 1. Make sure that when loading data you change EOF(-1) to EOF(1). This should give you all of the necessary changes in the program to allow it to operate it on disk. One problem you might have is related to memory. Disk BASIC requires more memory to operate. You might run out of memory if you have a larger database.

Questions about specific BASIC programming problems can be addressed to BASICally Speaking, THE RAINBOW, P. O. Box 385, Prospect, KY 40059.

We reserve the right to publish only questions of general interest and to edit for brevity and clarity. Due to the large volume of mail we recieve, we are unable to answer letters individually.

Questions can also be sent to Larry through the DELPHI CoCo SIG. From the CoCo SIG> prompt, pick Rainbow magazine Services, then , at the RAINBOW> prompt , type ASK (for Ask the Experts) to arrive at the EXPERTS> prompt , where you can select the "BASICally Speaking" online form, which has complete instructions.

C o C o

Q&A

CONSULTATIONS

By Marty Goodman
Rainbow Contributing Editor

Eight Levels of Gray

Marty, a long time ago you wrote an article about how to obtain eight gray levels on a CoCo 1. Can you send me a copy?

Norm Hackman
Newton, Maine

I'm afraid I've lost those circuits over the years. However, CRC now sells a gizmo allowing for 16 or more gray levels on a composite monochrome monitor when used with a CoCo 3. It's a very simple circuit that hooks to the RGB output of the CoCo 3, combines the three color signals, combines the Sync signals, then mashes together the combined sync at TTL level and the analog level video into a single NTSC type signal that can be fed into a monochrome monitor.

In theory, you can get 64 gray levels this way; in actuality, I suspect you get more like 16 or 32 levels.

A Mysterious Character

When I power up my CoCo 3, the display is offset to the left by half of a character. During a cold start, pressing CONTROL-ALT-Reset *will fix this. You wrote about a fix for this, but I've forgotton what issue. Also, my RGB monitor (a CM8) has what appears to be RFI interference more strongly after I upgraded to 512K. Can this be fixed?*

Verne Winter
Des Moines, Iowa

See the August '87 issue of "CoCo Consultations", Page 64, regarding the fix for the shifted character. RFI is often hard to fix. I suggest wrapping the cable from your CM8 around a ferrite core of the Radio Shack Cat No. 273-104 snap-together ferrite torus. Do this near where the cable plugs into the CoCo and use another torus near where the cable goes in to the monitor. Try doing the same for all other cables that hook to your CoCo (joysticks, serial cable, cassette, etc.). This may help considerably. If all else fails, consider getting the Tandy Brand of 512K upgrade board (Computer-Plus may still sell them with the DRAMs removed) since it has the best RFI shielding of all the 512K upgrade boards on the market. In other ways, however, it may not be quite as good as some of the third-party brands.

Connecting Modems

Can I connect a modem to the 4-pin serial port on the CoCo 3? Or do I need a Multi-Pak and an RS-232 pak?

Kelly Jones
West Salem, Ohio

The CoCo 3, with its faster clock-speed and timer interrupt, has allowed programmers to write terminal programs for it that use the 4-pin serial bit banger port and still support two-way (full duplex) communication at 1200 and even 2400 baud. *GregETerm*, *DELPHITerm*, *Ultimaterm*, and *Vterm* (the first three are shareware, the last is an inexpensive commercial product sold by Gimmesoft) are examples of CoCo 3 terminal programs that allow this.

So all you really need is the terminal program and a modem. Almost any modem will do, though at current prices it is not worth it to buy a 300-baud modem.

Then all you need is a cable that connects the 4-pin DIN connector of the CoCo serial port to the DB-25 connector on the modem as follows: CoCo Pin 1 to DB-25 Pin 8; CoCo Pin 3 to DB-25 Pin 7; CoCo Pin 2 to DB-25 Pin 3; CoCo Pin 4 to DB-25 Pin 2.

Trivia Fever Fix

I could not get the Trivia Fever *fix, which you published in the January '89 issue, to work. Can you help me?*

Ronald Hagel
Jackson Heights, New York

There was a typographical error in the printing of that fix, which many readers caught and corrected. Unfortunately, those unfamiliar with BASIC were baffled by it.

The first line of that fix was printed as:

```
10 DKSI$0,34,1,UH$,LH$
```

It should have read:

```
10 DSKI$0,34,1,UH$,LH$
```

Note that DSKI$ is misspelled as DKSI$ in the flawed version. Sorry about any inconvenience this may have caused you.

Archaic System

My CoCo 3 still prints out 22824 as its memory size, even though I upgraded it to 512K, and OS-9 recognizes the 512K. Why is this?

Suk-in Ahn
Logan Lake, British Columbia

Disk BASIC still runs in a 32K environment. This aspect of it was never changed from the original CoCo 1. In a sense, it is an archaic system. Only the LPEEK and LPOKE commands directly address memory outside of the 32K. The Hi-Res graphics screens also address memory outside of the 32K set aside for old BASIC, but those who patched Disk BASIC for the CoCo 3 did not include commands for saving such screens to disk.

Your technical questions are welcomed. Please address them to CoCo Consultations, THE RAINBOW, P. O. Box 385, Prospect, KY 40059.

We reserve the right to publish only questions of general interest and to edit for brevity and clarity. Due to the large volume of mail we recieve, we are unable to answer letters individually.

Questions can also be sent to Marty through the DELPHI CoCo SIG. From the CoCo SIG> prompt, pick Rainbow Magazine Services, then , at the RAINBOW> prompt , type ASK (for Ask the Experts) to arrive at the EXPERTS> prompt , where you can select the "CoCo Consultations"on line form which has complete instructions.

Martin H. Goodman, M.D., a physician trained in anesthesiology, is a longtime electronics tinkerer and outspoken commentator — sort of the Howard Cosell of the CoCo world. On DELPHI, Marty is the SIGop of RAINBOW*'s CoCo SIG and database manager of OS-9 Online.*

BEST PUBLIC DOMAIN PROGRAMS !

NEW NEW

FROM T&D SUBSCRIPTION SOFTWARE

T&D SUBSCRIPTION SOFTWARE HAS ACCUMULATED OVER 1.000 PUBLIC DOMAIN PROGRAMS FOR THE COLOR COMPUTER.

WE ARE SELLING 630 OF THE BEST. JUST THE GOOD STUFF !

Music 1-7

M1 - 8 Utilities & 8 Songs
M2 - 17 Musica Files
M3 - 16 Musica Files
M4 - 16 Musica Files
M5 - 25 Orchestra Files
M6 - 23 .Bin Files Ready To Run
M7 - 23 .Bin Files Ready To Run

ADVENTURES 1,2

Each Disk/Tape Contains
9 Great Adventures
Ready To Run

Order A1 Or A2

TELECOMMUNICATIONS 1-3

T1 - Haysae, Kermit, Mterm
T2 - Cobster Terminal Package
T3 - Mikeyter Terminal Package

RAINBOW CERTIFICATION SEAL

GRAPHICS 1-4

G1 - 12 Basic Graphic Programs
G2 - 12 Basic Graphic Programs
G3 - 9 Coco 3 Graphic Programs
G4 - 22 Coco Max Pictures
G5 - 22 Coco Max Pictures
G6 - 22 Coco Max Pictures
G7 - 15 Coco Max Pictures
G8 - 22 .Bin Pictures
G9 - 22 .Bin Pictures
G10 - 14 Large .Bin Pictures
G11 - 8 Mge Pictures
G12 - Coco Max 3 Pictures
G13 - Macpaint Graphic Editor
G14 - 5 Macintosh Pictures

EDUCATION 1-4

E1 - 12 Programs For Young Kids
E2 - 12 Programs For High School Kids
E3 - 11 Programs Teaching The Coco'S Commands
E4 - 5 Graphics Programs About Australia

HOME MANAGEMENT 1-4

• 12 Programs Each Disk/Tape •

H1 - Checkbook, Database, Word Processor, +
H2 - Cash Journal, Investments, Mail List, +
H3 - Finance, Int. Rates, Stocks, +
H4 - Spelling Fix, Spelling Checker, +

GAMES 1-11

• Each Disk/Tape Contains 12 Programs •

GA1 - 3Dtictac, Missle, Poker, Tycoon, +
GA2 - Chess, Motojump, Rider, Slots, +
GA3 - Battship, Golf, Lander, Robots, +
GA4 - Abm, Cartel, Subchase, Trek, +
GA5 - Blackjack, Laser, Raceway, Utopian, +
GA6 - Kings, Navyguns, Poolgame, Subship, +
GA7 - Connect4, F-16, Life, Mazeland, +
GA8 - Chute, Football, Othello, Slither, +
GA9 - Civilwar, Flight, Prix, Stock, +
GA10 - Cave, Fly, Pedro, Scramble, +
GA11 - Bunkers, Craps, Gunner, Nukeattk, +

UTILITIES 1-8

• 12 Programs Each, 1-4 Require Disk •

U1 - Backup35, Diskzapr, Romcopy, Timer, +
U2 - Customize, Diskfix, Disktest, Multback, +
U3 - Diskaid, Dsklibry, Mldata, Playmac, +
U4 - Macpix, Stat-Log, Unarc, Unmaster, +
U5 - Assemblr, Mcbase, Squeezw, Writer, +
U6 - Chr-Ed3, Hgrcolor, Minidos, Updnlist, +
U7 - Head Print With 30 Mini Pictures
U8 - Fig Forth Language With Tutiorial

BUY ALL 53 DISKS/TAPES FOR ONLY $145.00 !

MAIL TO:

T&D Subscription Software
2490 Miles Standish Drive
Holland, Michigan 49424
(616) 399-9648

Call or write for a FREE catalog !

PRICES:
1 disk/tape.....$5.00 each
6 or more.....$4.00 each
All 53 disks/tapes $145.00

MasterCard VISA

• WE SEND 1ST CLASS - NO CHARGE •

• PERSONAL CHECKS WELCOME •

Name_____

Address_____

City_____ State____ Zip_____

Credit Card #_____

Expires_____

TOTAL AMOUNT $_____

CIRCLE ISSUES DESIRED

M1	G1	E1	U1	GA1
M2	G2	E2	U2	GA2
M3	G3	E3	U3	GA3
M4	G4	E4	U4	GA4
M5	G5		U5	GA5
M6	G6	H1	U6	GA6
M7	G7	H2	U7	GA7
	G8	H3	U8	GA8
A1	G9	H4		GA9
A2	G10			GA10
	G11			GA11
T1	G12			
T2	G13			
T3	G14			

PLEASE CIRCLE

TAPE DISK

Please turn to pages 29 and 115 for our Subscription Software!

Helping your child prepare for standardized testing

Building Reading Skills

By Steve Blyn
Rainbow Contributing Editor

There comes a time when each student must take a standardized reading test. Depending on the local school system, preparation for that day may be thorough or nill. The school system employing me takes these tests seriously and teachers are encouraged to prepare the students extensively.

There are several sets of reading skill builders used as preparation aids for these tests. I often use the Barnell Loft series of softcover *Skillbuilder* books. Each book, on a specific grade level, covers one of the following areas: working with sound, following directions, using context, locating answers, getting facts, identifying the main idea, drawing conclusions or detecting the sequence of events. The skill books are relatively inexpensive and your computer is free.

Material similar to that contained in these books can be placed within a computer program. This has two main benefits. The computer, although it contains essentially the same material, is a different means of attracting a student's interest. It also offers immediate feedback to the student as he progresses through the program.

This month's article presents a program for practicing the skill of following directions in a story. I chose to include questions for three stories on the fourth grade level. Your version will, no doubt, include many more stories and be on whatever level you decide to cover.

Our stories and questions are contained in a series of DATA statements, which are usually placed at the end of the program. The first portion of the data is the story, with a limit of 255 characters. While typing in the story, be careful to keep in mind the screen. The standard width is 32 characters. If you are using a screen enhancer program, keep its width in mind. Do not present material containing words that break up at the end of a line. To understand this point better, examine the data. Line 360, for example, has no space between the words "to" and "rust" because the word "to" ends a line and the word "rust" should not have a space before it to begin the next line.

The next portion gives the four questions, each containing the three answers in the same DATA portion. This is a shortcut method of entering the information. After each question comes the letter of the correct answer. The pattern is then repeated after the four questions and answers are keyed in.

Variable J indicates to the computer the number of stories entered. Be careful to change this number if you key in additional stories. Variable A keeps track of the number of correct answers in each round or story. The score is given at the conclusion of each round. The program ends after going through each of the stories.

This presents a short outline-type program for reviewing reading skill questions. Modifications and elaborations are possible for the program, so feel free to alter it to suit your students' needs. ❑

Steve Blyn teaches both exceptional and gifted children, holds two master's degrees, and has won awards for the design of programs to aid the handicapped. He owns Computer Island and lives in Staten Island, New York.



The listing: FOLLOW

```
10 REM"STORIES TESTING FOLLOWING
 DIRECTIONS"
20 REM"STEVE BLYN,COMPUTER ISLAN
D,STATEN ISLAND,NY,1989"
30 CLEAR 1000:J=3:REM* 3 STORIES
40 R$=STRING$(32,191)
50 DIM A$(J),B$(J),B1$(J),C$(J),
C1$(J),D$(J),D1$(J),E$(J),E1$(J)
60 FOR T=1 TO J:READ A$(T),B$(T)
,B1$(T),C$(T),C1$(T),D$(T),D1$(T
),E$(T),E1$(T):NEXT T
70 CLS:PLAY"CEG":A=0:R=R+1:K=K+1
:IF K>J THEN CLS:END
80 PRINT@0,A$(R):PRINTR$;
90 PRINT@288,B$(R)
100 PRINT@416,"";:INPUT X$
110 IF X$=B1$(R) THEN PRINT@425,
"CORRECT":A=A+1
120 IF X$<>B1$(R) THEN PRINT@420
,"SORRY, "B1$(R)" IS CORRECT"
130 EN$=INKEY$
140 IF EN$=CHR$(13) THEN 150 ELS
E 130
150 PRINT@416,"":PRINT@288,C$(R)
160 PRINT@416,"";:INPUT X$
170 IF X$=C1$(R) THEN PRINT@425,
"CORRECT":A=A+1
180 IF X$<>C1$(R) THEN PRINT@420
,"SORRY, "C1$(R)" IS CORRECT"
190 EN$=INKEY$
200 IF EN$=CHR$(13) THEN 210 ELS
E 190
210 PRINT@416,"":PRINT@288,D$(R)
220 PRINT@416,"";:INPUT X$
230 IF X$=D1$(R) THEN PRINT@425,
"CORRECT":A=A+1
240 IF X$<>D1$(R) THEN PRINT@420
,"SORRY, "D1$(R)" IS CORRECT"
```

```
250 EN$=INKEY$
260 IF EN$=CHR$(13) THEN 270 ELS
E 250
270 PRINT@416,"":PRINT@288,E$(R)
280 PRINT@416,"";:INPUT X$
290 IF X$=E1$(R) THEN PRINT@425,
"CORRECT":A=A+1
300 IF X$<>E1$(R) THEN PRINT@420
,"SORRY, "E1$(R)" IS CORRECT"
310 PRINT"YOU RECEIVED";A;"OUT O
F 4 RIGHT."
320 EN$=INKEY$
330 IF EN$=CHR$(13) THEN 340 ELS
E 320
340 GOTO 70
350 GOTO 350
360 DATA MANY GARAGES HAVE LIGHT
 BULBS   THAT MAY STICK IN THEIR
 SOCKETS.WEATHER CAN CAUSE THE T
HREADS TORUST.THIS CAN BE PREVEN
TED WITH A COAT OF VASELINE PUT
ONTO THE THREADS.THE BULBS WILL
THEN BE  EASY TO UNSCREW WHEN TH
EY NEED  TO BE REPLACED.
370 DATA THIS HELPS US TO ...
         A. TURN ON LIGHT BULBS
         B. TAKE OUT LIGHT BULBS
         C. FIND LIGHT BULBS,B
380 DATA A BULB MAY STICK BECAUS
E OF ... A. VASELINE
         B. THE GARAGE
         C. THE WEATHER,C
390 DATA THE TRICK IS TO COAT TH
E ...    A. THREADS
         B. GARAGE
         C. LIGHT BULBS,A
400 DATA WEATHER CAN CAUSE THE T
HREADS TOA. BREAK OFF
         B. WEAR OUT
         C. RUST,C
410 DATA HERE IS WHAT TO DO IF Y
OUR WATCHCRYSTAL EVER FALLS OUT.
 PUT THE CRYSTAL INTO YOUR REFRI
GERATOR. THE COLD WILL MAKE IT S
HRINK IN ABOUT ONE HOUR. NOW PUT
 IT BACK ONTO THE WATCH.IT WILL
FIT WELL AGAIN AS IT BEGINS TO W
ARM UP.
420 DATA THE STORY TELLS YOU TO
...      A. FREEZE THE WATCH
         B. PUT CRYSTAL IN REFRI
GERATOR  C. PUT  WATCH IN REFRIG
ERATOR,B
430 DATA THE REFRIGERATOR IS USE
D UNTIL..A. IT FREEZES
         B. ONE HOUR PASSES
         C. THE CRYSTAL FITS,B
440 DATA THE COLD MAKES THE CRYS
TAL ...  A. SHRINK
         B. LARGER
         C. FLATTEN,A
450 DATA THE REFRIGERATOR HELPS
TO ...   A. FIX BROKEN WATCH PAR
TS       B. FIX WATCH CRYSTALS T
HAT CRACKC. GET CRYSTALS BACK ON
 WATCHES,C
460 DATA TWO WORDS CAN OFTEN BE
JOINED TOFORM ONE LARGER WORD.DR
AW A LINEFROM ONE WORD ON THE LE
FT TO ONEON THE RIGHT TO MAKE A
NEW WORD.SMALL           NIGHT
         HIGH            STOP
         PLAY            GROUND
470 DATA YOU ARE ASKED TO MAKE A
 ...     A. SHORTER WORD
         B. LONGER WORD
         C. SENTENCE,B
480 DATA CONNECT THE TWO WORDS W
ITH A ...A. SPACE
         B. LINE
         C. COMPOUND WORD,B
490 DATA WHICH IS RIGHT?
         A. SMALL ----- NIGHT
         B. HIGH ------ STOP
         C. PLAY ------ GROUND,C
500 DATA THE EXAMPLE REALLY SHOW
S US     A. THREE WORDS
         B. SIX WORDS
         C. SEVEN WORDS,C
501 REM"PLAYGROUND IS THE SEVENT
H WORD"
```


The Summer Sizzler Sale from Orion Technologies

We now accept VISA and MasterCard!

Telepak II, Modem & Software... Only---- $199 includes: 2400 bd Modem Telepak II with cable your choice of telecommunications software (listed below)

Modem, Software & Cable	Telepak II & Software ONLY	Modem & Telepak II ONLY
$169.95	$77.95	$174.95

2400 baud modem w/cable $139.95

Telepak II incl. 3' DB25 cable ...$49.95

V-term - Premium Terminal Package from Gimmesoft. Baud rates to 19,200. VT-100 emulation. Superb! $39.95

Supercomm Terminal software For the OS-9 Power user From StG Computers. $ 29.95

From Alpha Software Technologies.....

Warp One $34.95

OS-9 Level II BBS... Excellent OS-9 BBS ! Automatically senses caller baud rate and locks in! Ansi Graphics! $29.95

cables for your COCO needs

4-pin - DB25 .....$12.95
DB25 Male -Male....$9.95
Magnavox RGB $14.95

All orders add 3.00 shpg/hdlg.
C.O.D. additional 3.00
No delay for personal checks.

MasterCard VISA

Orion TECHNOLOGIES

P.O. Box 63196
Wichita, Ks. 67203
(316) 946-0440

The big scoop on OS-9

OS-9 SURVIVAL TRAINING

BY JEFFREY S. PARKER

Face it. You have been afraid of it for years. You've heard so much about all the power (and complexity), you are afraid to even touch the dusty old Level I books. But who can you tell? Afraid of OS-9? How many times have you ducked OS-9 questions at CoCo Club meetings, or mumbled vague replies to excited, shining-faced OS-9ers? Isn't it about time you took your rightful place and stopped running? Aren't you the least bit intrigued by all that power?

Relax. I can help you. It isn't impossible to learn about OS-9. Imagine, a fabulously powerful and versatile operating system that rivals those on giant mainframe computers — running on one of the world's most inexpensive and easiest-to-use computers. So, get comfortable as you read this article. We're going to take a look at what OS-9 is all about.

For a scenario: It all started harmlessly enough. You went into a Radio Shack store and bought a Color Computer with 64K, but the salesman said you can't use all 64K unless you have OS-9. Okay. You came back and paid your $80 for an excitingly gray and multicolored-striped box.

You opened the package, found the books and disks, opened the purple *Getting Started With OS-9* manual, and if you were very determined (because you had been told repeatedly how powerful OS-9 is), you managed to get it up and running... sort of.

But you weren't a programmer, and there weren't many programs for this powerful system, and you were not interested in complicated operating systems (weak or powerful), so up on the shelf it went, proudly displayed, but never used.

For some, possibly as few as 10 percent of the total community, this was not the case. Digging into the red *OS-9 Commands* manual and staying up far too late at night, a few adventurous souls studied and learned the editor and assembler. The real power and flexibility of OS-9 became apparent to those who were even the tiniest bit familiar with UNIX, and other multiuser operating systems.

The ideas started to come together then, and what had previously been frustration became production and versatility.

What CoCo users didn't realize was that OS-9 had already been around for quite a while. It was newly introduced to CoCo because Radio Shack felt, at the time, that a powerful and flexible operating system

Jeffrey S. Parker has been involved with computers since 1976 and CoCos since 1981. He is the Director of Computer Education at the Parker Academy in Sudbury, Massachusetts. He is also a lecturer at Northeastern University in technical communications. A noted freelance writer and editor, Mr. Parker is a Certified Computer Professional and is a graduate of The University of Massachusetts at Amherst.



was needed for their TRS-80 Color Computer. OS-9 was already established and running in 6809 business computers around the world when it came to CoCo.

In a way, because Microware released OS-9 for a world of professional programmers, engineers and developers, it is not particularly surprising that a dichotomy resulted — that of the OS-9 users and the non-OS-9 users.

Over the years, OS-9 and the Color Computer have both changed substantially. Many would say that it is about time some *real* applications for OS-9 showed up. (Actually, as we will discover, the applications have been there all along; it is more a problem of who knew about them than a lack of software). Many say at last we have some programs running under OS-9 that make sense and are relatively easy to use. But there are those who disagree, maintaining that OS-9 is still too rigorous and complicated, and that it is designed for the programmer, not the average user.

Are they right? What makes OS-9 the most talked-about operating system in the Color Computer Community? What do you need to run OS-9? In addition to answering those questions, I'll provide you an extensive look at applications.

Down to Basics

OS-9 stands for Operating System 9. It is an operating system, not a language. The best way to conceptualize this is that an operating system gives the computer its personality — and its arms, legs, eyes, ears and brain, if you will. It literally tells the computer what it is, and then connects it to the outside world, which means you, the user, and any peripheral equipment, like printers and disk drives. If you could break open an operating system to see what makes it tick, you would see hundreds of short little programs, all designed to make the computer store and retrieve information, organize and sort files, even manage the system memory.

Without some kind of operating system under which the applications run, the computer is nothing but bits of electronic circuits, metal and plastic. This is where words you might have come across, like Kernel, `IOMAN`, `RBFMAN`, `Pipeman`, tees and daughter processes, come into play. These are just a few of the different elements that make up an operating system like OS-9. Someone out there is undoubtably saying, "But you can program in OS-9. Doesn't that mean it's a language?"

The answer to that question is no. OS-9 contains certain commands and utilities that basically serve to let the user communicate information within different areas of the operating system (through a program called the *shell*). Programming also refers to the operating system's command language. You can program or instruct the operating system to perform tasks for you by "talking" to it in its command language.

The Art of Mastering OS-9

Mastering any new language, operating system, sport or musical instrument all have something in common. They require study, research, an investment of time for learning, practice, patience and, above all, the drive to succeed. OS-9 is no exception.

One reason why OS-9 is so powerful is its ability to do several tasks simultaneously. This is called *multitasking*. In the world of computers as a whole, this is not so fantastic, but for all the CoCo users, this is quite amazing. OS-9 picks up where the computer itself leaves off, and not only gives him or her an ability to do several tasks simultaneously or concurrently, it also gives the user the ability to run several different computers (or terminals) simultaneously. To some people this may not seem so important, but for someone who needs to do several tasks in rapid succession or at the same time it is extremely important. The user who needs to print a document while editing another or working on a spreadsheet is a good example. On the CoCo 3, pressing the SHIFT and BREAK or CTRL-C keys simultaneously moves a task or procedure into the background, allowing the user to continue with another program or job.

Another reason why the operating system is called powerful is its ability to direct, redirect and accept files and keyboard input and output data generated by the computer to any device the operating system recognizes (actually, several at once), to derive

computer-generated data, and use it for input in another program. This is called a *Unified I/O Theory*. It's a mouthful, but try and imagine a CoCo as an octopus, with each arm being a printer, modem, keyboard or screen, hard drive, RAM disk, etc. The CoCo interacts with these devices simultaneously.

Now consider the CoCo running RS-DOS and its own BASIC language. How many things can you do at once? Can RS-DOS filter a file to have it completely changed before being printed or stored on disk? Can it open eight windows at once? Not likely. If it can, it cannot perform the myriad of multiprogramming tasks OS-9 can. (Few MS-DOS users have reason to be programming in DOS. MS-DOS, by the way, is just another Disk Operating System, with a slightly different orientation than OS-9, but is remarkably similar in some respects.)

Actually, you need to know very little about OS-9 to use it extensively. Let's take a look at some of the differences in OS-9 and what they mean to you, the user.

Years ago, when Radio Shack introduced OS-9 for the CoCo, there was only Level I OS-9, because most of the software development computers and business computers had only 64K of memory (RAM) available. New releases of OS-9 were created by Microware as computer technology progressed. Not long after OS-9 Level I was in its heyday for the CoCo, Level II was introduced, but not for the CoCo. That would come later. Along these lines, Microware was busy developing OS-9 and, in a joint venture with Motorola Corporation, BASIC09. Soon to come would be OS-9/68K (OSK) for the Motorola 68000-based computer systems then being developed. Also, Professional OS-9 for software developers and Industrial OS-9 for industry were being introduced. Industrial OS-9 was being used especially for industrial robotics control.

There are a lot of OS-9 computers out there! Many manufacturers make custom machines with 6809 CPUs like the CoCo has, or even 68008, 68020 or 68010 chips, for more power and speed. Hitachi Corporation even makes a chip called the 6309, which works like the 6809, only about five times as fast. Along with these powerful computers are hundreds of hardware products, from memory expansion to controllers for robots, to Input/Output ports, and more.

To complicate matters, there are single-board computers, like the CoCo, with one main board, or "motherboard," as it is called. There are also computers like the MS-DOS machines, which are "bus" type, and operate in part with the attachment of cards (circuit boards with specific functions) onto this bus. *Bus* stands for information flow into and out of the CPU and main memory (RAM). This means that you can attach an OS-9 card to a bus-type computer and have a machine fully capable of running OS-9.

OS-9 is now running on many well-known computer brands, in addition to the Color Computer. It is running on the Atari ST series, Apple, Amiga and IBM-compatible (such as the Tandy 1000 series) computers. Digital Equipment Corporation even manufactures OS-9 boards for their huge VAX computers in Japan.

The Microware *OS-9 Sourcebook*

Microware Systems Corporation, the developer and licenser of OS-9, publishes a book each year called *The OS-9 Sourcebook* (available free from Microware Systems Corporation, 1900 N.W. 114th Street, Des Moines, Iowa 50322).

While the book should be a complete source of information on all OS-9 products, there is a shocking lack of information about some very major suppliers of OS-9 products. Among the absentees is Tandy Corporation. Not a single piece of hardware or software from Tandy for OS-9 is listed, nor is Apple, Atari or other computer manufacturers. It does list a huge volume of hardware and software suppliers, by company name, by category of product, and by type of software. There are even cross-referenced indexes to help you easily find the product and merchant you want.

Readers can find out about most Color

THE CAST OF CHARACTERS FOUND IN OS-9:

The Kernel: The law when it comes to how things are done in OS-9. It handles input, output, memory management — all the basic decisions needed to keep an operating system operating.

`IOMAN`: The Input/Output manager. It is responsible for traffic control, handling all the requests for input and output from devices like disk drives.

`Clock`: Gives you the time of day, and handles all interupts from the 60-cycle powerline to make it seem like many things are happening at once.

`RBF`**(man)**: Manages all random files and directory information on any device that stores information in blocks of data.

`SCF`**(man)**: Managing information sent, one character at a time.

`Pipeman` and `the Piper`: Handles another type of traffic control: that which runs between processes running under OS-9. Uses the piper to transfer information and handle all communications up and down the pipeline.

`Shell`: Listens to all the commands given at the keyboard, then "tells" them to the Kernel in its own language.

`Printer`: You guessed it, all it ever does is type.

`/p`: Describes the printer.

`/d0`,`/d1`: Two disk drives, the first and second in that order.

`/h0`: A hard drive, very fast and retentive when it comes to lots of information.

`/r0`: The only one faster than the hard drive, though not as capacious, is RAM Drive 0. Of course, it has trouble retaining information. Every time you turn the computer on, it's forgotten what it "knew" the last time you were there.

ACIA: This is the semaphore manager to the outside world, Asynchronous Communications Interface Adapter is the full name, but is most often called ACIA or RS-232.

PIA: Stands for Parallel Interface Adapter. This manager is responsible for running the two-way streets in and out of the computer at the same time, like a parallel printer.

`CCDISK`, `CC3DISK`: These make sure that the disk drives are orderly.

`CCIO`, `CC3IO`, : These mind the hardware store inside the computer, making sure the keyboard and screen are working cooperatively with the SCF Manager.

`/m1`, `/m2`: Modems.

`/term`: You, the user at the console.

`/t1` **to**`/t3`: Three other termninals (not you) connected through a CIA.

RS-232: If this is not there to speak to the SCF Manager on behalf of the terminals, nobody gets their MOTDs.

MOTD: Message Of The Day: What you see when you log onto an OS-9 Computer system from a remote terminal. Also, a newsletter published by the OS-9 Users Group.

Window Writer

We believe this is the best word processor available for OS/9, and possibly the most advanced Color Computer word processor ever. A fully modern word processor in every way!

WINDOW WRITER NOW AVAILABLE WITH SPELLING CHECKER!

More Versatile and Powerful. OS/9 Allows you Freedom and Power. The mouse and pull-down menus give you speed and ease of use.

Multi-Tasks

Window Writer is the first Color Computer word processor which takes full advantage of OS/9. The result is a word processor which is fully as modern and professional in action as those previously available only for the IBM and Mac. The operating system allows true multi-tasking with other programs or itself. Not limited to just printing one file and editing another. You can print one file in one window while you edit files in other windows. At the same time you can be running a small program in another window. You can cut and paste between sections of files in different windows.


Quit Box
Pull-Down Menus
Up and Down Arrows
[] File Edit Format Search+ Style Help
OWL's Window Writer, a new OS/9 word processor.
Text Cursor
Mouse Cursor
Pg 1 Line 1 Col 1 Insert On WWrap On File: name
Text Cursor Position
Insert Toggle
Word Wrap Toggle
Current File Name

Pull Down Menus and Help Screens

A full selection of pull down menus and detailed help screens make learning easy and are only a key stroke (or mouse click) away. All menus and help screens can be user configured for everything including menu colors and contents. You don't like the color of a menu? You think one menu item should be listed differently? Change them!

The menus and help screens can be reached by cursor keys or the mouse (or joystick) or can be accessed by control keys.

Hi-Res Display

Window Writer uses an **80-column monitor display** screen for clarity. As shown in the above screen drawing, you can quickly see how to access the menus and help screens. You can determine the current position by page, line number, and column. The mouse can use this section to quickly change to a specific page or line in the file. The text insert and word wrap toggles also are indicated and changeable with the mouse button.

Ram Disk

A RAM disk is set up in **Window Writer** to make full use of all or a user specified portion of the memory on the 512K CoCo 3. On the 128K CoCo a smaller RAM disk is set up to still allow use of all available memory for file editing. For use of all features, a 512K machine is required.

The RAM disk is used for storage of the file(s) being edited, for the clipboard for cut and paste, and as a print spooler for the file being printed. **Window Writer's** clipboard can be saved to disk or pasted into any file being edited because files use the same clipboard memory. The RAM disk also can be used with other OS/9 programs.

Mail-Merge

With **Window Writer** you can create form letters and send them out to a list of addresses in an address file. First names or other information can be added to "personalize" these letters.



OWL's Efficient Mouse Useage (Makes editing a snap!)

Editing

Like most modern word processors, with **Window Writer** there is always more than one way to access any editing feature. You can access editing by menus using mouse, "keyboard mouse", or through control keys. Full help screens are quickly available for all editing features. A help screen can be left visible while needed and then quickly removed to get back to full screen editing.



One nice feature is the price:

only $59.

For the DynaSpell Spelling Checker by Dale Puckett:

only $20. additional!

OWL-WARE

P.O. Box 116-A
Mertztown, PA 19539
— ORDER LINES (only) —
(800) 245-6228
(215) 682-6855 (PA)



OWL-WARE

Proven

On the Razor's Edge of

Basic and OS-9 Hard Drive Systems

Proven Performance for Demanding Home or Business Users

Every hard drive which has been produced by OWL-WARE during the last 3 years is **complete**. A system consists of software, hard drive, controller, heavy-duty power supply, and LR Tech Interface. There are no hidden costs for assembly or testing. When a drive system is ordered, we fully **assemble**, **test**, and **burn-in** the system for 3 full days. This ensures dependability and optimum performance.

We have now been supplying CoCo hard drive systems and parts for more than 3 years. This is the longest history in the CoCo market of any system. Some other advertisers are stating that they have one of the most reliable systems for the CoCo *with all of 4 months history in the CoCo hard drive market*! We have reached our position in the hard drive market by providing our customers with a quality product that they (and we) can be proud to own and use.

Because of many requests for a lower price system in kit form, we are now selling a kit of all parts at a significant discount compared to our regular prices. We recommend this kit (or any kits offered by any other supplier) only to those who have experience in electronic assembly and OS-9.

We have **LR Tech** and **Burke & Burke**

For OS-9 Levels 1 and 2



10 Meg.	20 Meg.	40 Meg.	80 Meg. (2 X 40 Meg.)
System Prices: (Includes Hard Drive, Controller, LR Tech Interface, Software. Fully assembled and tested.)			
$469.	**$599.**	**$725.**	**$1,069.**
Kit Prices: (LR Tech System as above but not assembled or tested.)			
$419.	**$549.**	**$659.**	**$ 999.**
Kit Prices: (As above but using Burke & Burke bus adapter)			
(na)	**$489.**	**$609.** (lower prices)	
30 Meg Kit:	**$539.** (Lowest prices anywhere)		

OWL Hard Drive BASIC 3

There have been several ads in this magazine about BASIC for Color Computer hard drive systems. These ads sometimes only tell a part of the story. Our BASIC system price includes **assembly**, **testing**, and **3-day burn-in** period. We do not require a Multi-pak to operate.

Our hard drive systems are fast, reliable, and reasonable in price. This has been proven by hundreds of users over the past 3 years. We do not have to turn off error checking for speed. We achieve high speed BASIC from a unique indexing method.

The table below will summarize some of the key points about our BASIC hard drive system and the B&B system. We believe that we have the best BASIC interface for CoCo hard drives available.

BASIC Hard Drive Systems*

Feature	OWL	B&B
Drive Portion Available at One Time	Entire	Partial (4 sections)
User Sets BASIC/OS-9 Partitions	YES	Yes
Add to Existing OS-9 Drive Without Reformat	YES	No(?)
Drives 0-3 Hard/Floppy	YES	No
Built in Park	YES	No
Speed*	FAST	Fast

*All feature details are believed to be true at time of writing and are subject to change. We believe that our BASIC hard drives are the fastest due to our indexing method, but both systems are fast and we sell both. On ours all BASIC commands work including DSKINI, DSKI$, and DSKO$.

Prices: With/Without Hard Drive

$35./$79.

Technology

the Color Computer Frontier

DISK DRIVES

Floppy Drive Systems

The Highest Quality for Years of Service

(We have located a number of unused, surplus single sided drives for those who wish a quality, inexpensive system.)

Drive 0 Systems (Half Height, Double Sided, Direct Drives) **$199.** (Same but Single sided) **$185**

Drive 0 systems complete with drive, controller, legal DOS, cable, case, power supply, and manual

Drive 1 Systems (Half Height, Double Sided, Direct Drives) **$129.** (Same but Single sided) **$115.**

New 3.5", 720K Drives for OS-9 with case & Power Supply **$179.**

Drive 1 Systems have drive, case, power supply. (You may require optional cable and/or DOS chip to use)

Special for 0/1 Combos (Drives 0,1,2,3) $295.

HALF- HEIGHT DRIVE UPGRADES FOR RS HORIZONTAL CASES

Why only double the capacity of your system when you can triple in the same case? Kit includes: double-sided to fit your case, chip to run both sides of new drive, hardware, and detailed instructions. Easy! Takes only 5 minutes!

Model 500 $119. **Model 501 or 502 $129.**

All drives are new and fully assembled. We ship only FULLY TESTED and CERTIFIED at these low prices. We use Fuji, YE Data, and other fine brands. No drives are used or surplus unless otherwise stated to you when you order. We appear to be the one of the few advertisers in Rainbow who can truly make this claim. We have 5 years experience in the CoCo disk drive market! We are able to provide support when you have a problem.

Drives 1 Year Warranty

OWL Phones

Order Numbers (only)
1-800-245-6228
1-215-682-6855

Technical Help
1-215-837-1917

OWL WARE Software Bundle

Disk Tutorial/Utilities/Games

DISK TUTOR Ver 1.1

Learn how to use your disk drive from this multi-lesson, machine language program. This tutor takes you through your lessons and corrects your mistakes for a quick, painless disk drive introduction. (This professionally written tutor is easily worth the bundle's total price.)

OWL DOS

An operating system that gives faster disk access and allows the use of double-sided drives. Corrects a floating point number error on early CoCo systems.

COPY-IT

Quickly copies selected programs between disks. A wild card option selects groups of programs to copy.

VERIFY

Verifies reading of each sector. Bad sectors are listed on the screen.

2 GAMES

We will select 2 games from our stock. These sold for more than $20 each.

If sold separately this is more than $125 worth of software!!

Do not mistake this software with cheap, non-professional "Public Domain" software which is being offered by others. All of this software is copyrighted and professional in quality. The tutor is unique with us and has helped thousands of new users learn their disk drive.

only $27.95
(or even better)
only $6.95 with
any Disk Drive Purchase!!

Our prices include a discount for cash but do not include shipping.

OWL-WARE has a liberal warranty policy. During the warranty period, all defective items will be repaired or replaced at our option at no cost to the buyer except for shipping costs. Call our tech number for return. Return of non-defective or unauthorized returns are subject to a service charge.

OWL-WARE
P.O. BOX 116
Mertztown, PA 19539

Computer OS-9 products by reading THE RAINBOW each month. *The OS-9 Sourcebook* is an excellent reference for those looking for computer boards, equipment and software not found in THE RAINBOW.

Table 1 shows a listing of a small sampling of hardware and software vendors from the Microware *OS-9 Sourcebook*. These vendors have something in common in that they all provide hardware or software for OS-9 that runs on a 6809 chip, which means it can likely be made to run on or work with a CoCo, if it is not actually being manufactured for the CoCo.

The CoCo 3 and OS-9

Why all this fuss about OS-9 Level II? Isn't Level I good enough? Sad to say, for all those users who invested in OS-9 Level I, this is not the case! OS-9 Level II is like a Jaguar compared to a Volkswagen when it comes to operating systems. And why not? The CoCo 3 far surpasses its tried-and-true predecessors in memory, graphics, speed and functionality. While it is true that the newer machine is downwardly compatible, meaning that it can still run most software that was made for the original old battleship-gray CoCos, shouldn't we be asking why we would want to run software that is seven or eight years old?

This is also the case with OS-9 Level II. Why use Level I when Level II is so much more advanced, and so inexpensive to obtain? Of course there are always exceptions to the rule. If you are interested in OS-9 only on an occasional basis, if you have no serious need for Level II, if you are content and familiar with Level I, and it is running your applications fine, then why upgrade? As with all things, the difference depends on the needs of the individual user in each and every case. OS-9 Level II requires the capabilities of a CoCo 3. If you do not need or want a CoCo 3, then you may not need Level II. OS-9 Level II requires 64K just to hold the operating system.

Imagine, one window with a high-resolution screen requires 32K. You are fast running out of memory on a 128K CoCo 3 already. If you are a serious user, you will need 512K RAM. Some of the beauty and magic (and power) of OS-9 Level II on the CoCo is that with *Multi-Vue*, or just running several different windows, you can be using the equivalent of seven different computers, simultaneously, with the press of the CLEAR key. Each window is active or interactive with the others as you choose, and the effect can be like seven different computers — or like one ultra-sophisticated computer, if you choose. This is far beyond the capabilities of the CoCo 1 or 2. Multiple disk drives, hard drives, RAM disks, terminals and modems with double the horsepower from the CPU, can all run off a single CoCo. And when you have finished upgrading to 512K, if you are a serious user, a hard drive *is* in your future.

Naturally, if you get used to an analog RGB or CM-8 monitor — even for a short period of time — it is almost impossible to go back to a TV or a composite monitor. I do not recommend even trying one unless you want to get very serious about buying one. Of course, with the CoCo 3 you can use them both at once, with no adapter required. And if you miss your trusty TV set, plug that in too.

What You Need to Know to Run OS-9

Everyday in America, millions of people go to work, turn on their computers, and begin their productive days. Some are more productive than others, that's true, but the point here is that all those millions of secretaries, receptionists, switchboard operators, keypunch operators, dentists, clergymen and steel workers are not engineers or programmers either, and neither do you have to be.

Whether it is MS-DOS, OS-9, UNIX, XENIX or OS/400, it is an operating system, it has to be loaded into a computer's main memory, and then an application has to run under it. Most people turn on the computer, are greeted by a menu, or go straight into word processing, electronic mail, or accounts receivable, which they have learned how to activate and operate. Mostly, they know the names of their disk drives, and how to format a floppy disk, and some basic commands in DOS or in their applications.

You who have struggled with dirty connectors and Multi-Paks suddenly parting from the computer while it's running; You who have browsed RAINBOWfests, stood up for CoCo at Commodore 64 meetings, tackled desktop publishing, spreadsheets and DELPHI; can't you spend a few hours learning that Drive 0 is now called `/d0`? Of course you can!

Now, at last, in the past year, we see examples and samples, tutorials, the *Start OS-9* program and tutorial, *The OS-9 Solution*, and the excellent *Complete Rainbow Guide to OS-9 Level I* and *Complete Rainbow Guide to OS-9 Level II Volume 1: A Beginners Guide to Windows*. RAINBOW Magazine is a resource as well, and an important one.

Don't be Intimidated by OS-9

The basics to run nearly any program under OS-9 can be learned in as little as a few hours. If you want to know more, you can spend from then until you retire. But if you just want to run programs, and have some competency at more than typing in `DOS`, then a few hours should do the trick for learning about user drives and pathnames, command syntax, basic commands like `Copy` and `Format`, and the like. You couldn't learn the whole nine yards, but enough to really get rolling and be successful.

The best way to pursue this course is probably *The OS-9 Level II* manual from Tandy. The "Getting Started" section is really not bad for beginners. A little rigorous, but manageable. Failing that, *The Complete Rainbow Guide to OS-9 Level II, Volume 1: A Beginners Guide to Windows* or *Start OS-9* by Paul K. Ward (Kenneth-Leigh Enterprises) would be the next best bets. *Start OS-9* is the kind of tutorial system that has been needed in the OS-9 community for years. While this excellent system of tutorials is geared specifically for the CoCo, it should be regarded as a necessary volume in any beginning OS-9 user's text and software library. It should be parked right next to the two *Complete Rainbow Guides to OS-9*, for Level I and Level II, by Dale Puckett and Peter Dibble. Anyone who wants to, armed with these resources and *The Tandy OS-9 Level II* manual, can now be up and running, guaranteed.

There is a unique phenomenon that takes place when you start working with OS-9. After a while, once you have begun to take control of OS-9, you begin to want to know more and more. Excitement and fascination set in, and you want to get back to the CoCo to boot up OS-9 and try something new.

Tandy and OS-9

Tandy made the choice to bring OS-9 Level II to the Color Computer 3 when it announced the new CoCo in July of 1986. For those of us at the Waldorf in New York City, it was a day of excitement and stunning surprises from Tandy. One of the more exciting moments was watching a Color Computer 3 beat out a new Tandy 1000 SX for speed.

In some ways, when Microware Systems Corporation approached Tandy Corporation about OS-9 for the original CoCo and then for the CoCo 3, it was history in the making. It changed the course of OS-9 in the world forever, and OS-9, in some ways, is still shaping our world today.

Since announcing OS-9 for the CoCo, Tandy has been its staunch supporter and developer. Tandy has published many titles under OS-9, some even contracted from independent developers in the CoCo Community. Even before the CoCo 3 was announced, Tandy was throwing its considerable corporate weight into the major product releases and revisions. Among them was the announcement of *DeskMate* for the

CoCo. Remember, today's standards are quite different from those of 1986.

In December of 1986 came the long-awaited *DeskMate 3*, and with it, OS-9 Level II, *The OS-9 Level II Development System*, and *Multi-Vue*, the windowing environment with icons *et al* close behind. These were exciting times for the Color Computer — Tandy began to contract with major software manufacturers like Epyx, who published fabulous Lucasfilm games like *Koronis Rift*, *Rescue on Fractalus* and *Rogue*. Ah, the good old days, trying to get `gfx` linked in memory for high-resolution *Rogue* games!

It was clear, even this early on, that OS-9 Level II would fly high. Programs like *DynaStar* for the CoCo 3, *The Wiz*, *Koronis Rift* and *DeskMate 3* all made their debuts, some as quickly as the May 1987 Chicago RAINBOWfest, just a few short months after Level II's official entry into the CoCo market.

By 1988, Tandy had decided that wherever and whenever possible, new releases for the Color Computer, like *Phantomgraph*, would be released under OS-9. They see OS-9 as the future of the CoCo, and have adhered most strictly to this policy. With many manufacturers fast producing software for OS-9 Level II, it seems as though

The publications available to help the OS-9 user and programmer.

New For The CoCo 3



The Seventh Link

This enormous epic will challenge even the most seasoned adventurer. It's a three disc monster with spectacular 3D dungeons filled with creatures, ladders, flooded rooms, chests and pits. You must create a brave character, be he fighter, thief or magician, and adventure through the wilds of Elira, battling monsters and pirates, searching towns and castles, sailing uncharted waters, and braving the dim depths of the underground.

The Seventh Link requires: CoCo 3, 1-40 track drive. (Your RS drive is 40 tracks if it's not an old grey one)

Price: $38 US / $48 CDN

Studio Works

A digital sampler that delivers what other systems promise. Full point and click operation; 56* samples in memory at once; edit TWO samples at once with either of TWO audio clipboards. Functions include: reverse, delete, copy, volume control, play block; sequencer; envelope shape, key-play, play-through, looping, file compression, 5.19-17.05 kHz record rate, BASIC driver program and more! Comes with or without required cable. (works with the Maxsound cable)
With cable:$54 US/$64 CDN
Without :$39 US/$49 CDN
Requires: 128k CoCo 3, 1 drive and a mouse or joystick.
(*512k CoCo's only)

Oblique Triad
32 Chruch St,
Georgetown,Ontario,
L7G 2A7,CANADA
(416) 877-8149

We accept: Amex, MasterCard, Cheques and MO's COD Canada only

FINALLY ARCADE STYLE JOYSTICK FOR YOUR COCO

NOW GET THE RESPONSE YOU WANT WHILE PLAYING YOUR FAVORITE COCO GAME. MOVE THE CONTOURED GRIP A FRACTION OF AN INCH ANY DIRECTION AND INSTANTLY YOUR COCO PERFORMS YOUR COMMAND.

RAINBOW CERTIFICATION SEAL

FEATURES:

* *auto fire lockdown releases continuous stream of bullets*
* *dual fire buttons use either thumb or trigger finger*
* *suction cup base for one hand play*
* *6 micro-switches for super sensitivity*

To get your own Questron Joystick, send $29.95 to

QUESTRON
P.O. Box 1013
Rochester, IN 46975-1013
or call
219-223-5584
C.O.D.s add $3.00

THE MANY FACES OF OS-9

For the CoCo user, there are really only a few choices when it comes to OS-9, and some of these choices depend on your hardware setup; that is, the type of CoCo and peripheral equipment you have. In fact, if you have a CoCo 1 or 2, and have 64K of memory, you are limited to OS-9 Level I.

There are several versions of OS-9 Level I. The most widely-known and -used by CoCoists are releases 1.00.01 and 2.00.01. (See Figure 1 below for minimum system requirements.) The differences between these versions include upgraded graphics capability, hard drive support, and some "bells and whistles" that make OS-9 Level I a little easier and more convenient to live with. In early OS-9 days, Level I was the only version available anywhere for any computer.

Level II users must have 128K of RAM to run OS-9, and as you may surmise, this is where the CoCo 3 comes in. The CoCo 3 comes with 128K RAM standard, just enough to support important elements like windows, extended graphics and the *Multi-Vue* operating environment. OS-9 Level II is really "shoe-horned" into the 128K machines, and if you are at all considering becoming a serious user, it is strongly suggested that you upgrade to 512K. While it is possible to operate OS-9 from a single disk drive, at least one more drive is strongly suggested for any real use of OS-9 — the bigger the drive the better. If you are making a hobby of OS-9, you will probably need a hard drive before you know it. See Figure 1.

	Level I	Level II
Requires 64K RAM	YES	NO[1]
Requires 128K RAM	NO	YES
Requires CoCo 3	NO	YES
Supports 7 Windows	NO	YES
Utilizes 512K	NO[2]	YES
Advanced Graphics	NO[3]	YES
Runs *Multi-Vue*	NO	YES
One Disk Drive Required	YES[8]	YES[8]
Supports Hard Disk	NO[4]	YES
Supports Double-Sided Disk	NO[4]	YES
Supports 40-Track Disks	NO[4]	YES
Supports 80-Track Drives	NO[4]	YES

	Level I	Level II
Configuration Menu	NO[4]	YES
Enhanced Command Set	NO	YES
Self-Booting With DOS Command	YES	YES
Higher Processing Speed	NO	YES
Supports 2 Modem Ports	NO[4]	YES
Prints at 9600 Baud	NO[9]	YES
Supports Multiple Hi-Res Displays	NO	YES
Easy-to-understand Manuals	NO[5]	YES[6]
Supports Analog RGB Monitors	NO	YES[7]
Supports Composite Monitors	NO[7]	YES

Footnotes:

1. OS-9 Level II requires 128K minimum to operate.

2. Hardware is available to upgrade to 512K, which might then be utilized by OS-9 in 64K blocks.

3. There is some support for advanced graphics in later versions of OS-9 Level I such as Level I version 2.00.01. This is limited by the hardware of the CoCo itself, not specifically by OS-9.

4. Software is available such as *SDisk* by D.P. Johnson and other utilities from third party vendors to support device drivers to use other than single-sided double-density 35-track drives, and other devices such as hard drives, modem packs, speech synthesizers, etc. There is some limited support for more than standard support in OS-9 Level I Version 2.00.01.

5. Most users would argue that these manuals are understandable only to a software engineer with a degree in programming. Some might disagree that the manuals are user-hostile.

6. Most users agree that the OS-9 Level II manuals, while still quite rigorous, particularly to the novice, are usable and understandable to the user, making the manuals to Level II user-understandable, not quite user-friendly.

7. Hardware limitation of CoCo 1 and 2.

8. You can run OS-9 on one disk drive, but a minimum of two is strongly suggested. More serious users will likely need a hard drive as well.

9. OS-9 Level I Version 1.00.01 prints at a maximum rate of 2400 baud. ❑

Figure 1: OS-9 Level I vs. OS-9 Level II

Tandy has ensured this place for the Color Computer. They are throwing in all their support to it, and we know the CoCo will be around for a long time to come. Of course, OS-9 users can relax and breathe easier, because long after the CoCos are gone (if they ever go), OS-9 will still be there.

A Rainbow of Colorful Applications

OS-9 is exciting, new, and on the forefront of what is to come. But what good is any of that if you can't get the computer to work for you? What is needed is the right tool for the right job, and with OS-9 you can be assured of finding exactly what you need. Word processors, spreadsheets, communications, databases and high-level languages are all there for the asking.

One of the things that makes OS-9 so powerful is its ability to use available tools. That is to say, if someone has already written a program that plays "The Star Spangled Banner," you do not have to reinvent the wheel by writing it again for incorporation into your own patriotic program. You may be able to utilize the program like taking a book out of a library.

Another powerful feature of OS-9 is that within a relatively short period of time, a user can learn how to make his or her own ideas work with a minimum of programming effort. For new users, this is not as important as finding software to get the job done for you now, not when you have learned enough to do it yourself.

The following is an extensive list of software applications available to the CoCo user. The list is comprised entirely of products and companies advertised in THE RAINBOW. (Products highly recommended for new users are preceded by an asterisk.)

Tandy Corporation

OS-9 Level I and OS-9 Level II operating systems: Tandy has licensed OS-9 from the original manufacturer, Microware Systems Corporation. OS-9 runs on 6809 computers like the CoCo 1, 2 and 3, and a globe-spanning array of other computers, including the 68000 series computers.

Multi-Vue: This is an excellent windowing system designed to take advantage of the capabilities of OS-9 Level II windows and the CoCo 3. It has a major shortfall when used on a 128K system, in that you can keep only one Lo-Res window open at a time. If you are serious about *Multi-Vue* and OS-9, you must have 512K to get good use of the program. With a combination of 512K RAM and multiple drives or a hard disk, this is a great way to use the CoCo to its full potential, by running a number of different programs simultaneously in separate windows (see photo below).



OS-9 Development System: This is a series of software tools, bundled together and sold as a package called development tools from Tandy. They are neither the best, fastest, strongest, nor fullest-featured, but they can get the job done. The system includes an interactive debugger for testing programs and accessing the CoCo's memory; a screen editor (SCRED) for editing text, but this has too few formatting commands for use as a serious word processor; and a Relocating Macro Assembler (RMA), which functions as a macro assembler and linkage editor. RMA lets you write, test and then assemble separate parts of the program. Utilities include Make, which helps keep track of programs and files that need to be updated because of system changes; Touch, which updates the modification date of files; and a virtual disk or RAM disk driver for high-speed storage in RAM — just don't forget to save the information on the RAM disk before shutting off the system. Lastly, there is a set of 12 commands for OS-9 that make life a little easier when programming.

OS-9 Pascal Version 2.0: This high-level, structured computer language was originally written to provide simple solutions to complex problems, and to actually teach programming. The OS-9 version is very faithful to industry standard, and has a native source code translator that can run programs at four to five times the speed of the compiler using P-code methods. This version cannot teach you Pascal, but does include references for learning it. Pascal is not as popular as C, or some of the other languages that now make code (programs) easier to transfer and translate between computer systems of different types.

OS-9 C Compiler: This is a programmer's language. It is one of the most popular and powerful programming languages available today. It produces programs that are very easy to move to computer systems of different types. C works in terrific combination with the 6809 (CoCo) and OS-9 (like UNIX), since all three were essentially made for each other. It is not an instruction manual, but a reference manual (not for beginners).

T/S Word, *T/S Edit*, *T/S Spell*: This versatile set of three programs makes a good, solid word processing trio for everyday use. The heart of these three separately sold programs is *T/S Edit* (also available under RS-DOS), which is a screen-editor type program. Don't expect miracles from this package, but it can handle the basics well. *T/S Word* is a formatting system that works on any OS-9 text file, although it is specifically geared for *T/S Edit* files. It is a graphically-oriented program, which shows you what your printed pages will look like, and then allows you to print or edit them. It is interesting, very easy to use, and sophisticated enough for general purpose everyday use. *T/S Spell* also works with any OS-9 text file, and spell-checks it for you. *T/S Spell* has a full-featured correction capability against a 100,000-word master dictionary and a quick dictionary of more commonly used words. The combination makes for a relatively fast, effective spell checker. This program requires a little knowledge about OS-9 pathnames and command formats.

* *DeskMate*: This integrated set of programs for the CoCo 1, 2 or 3 was what all the rage was about four years ago, when it was introduced for the CoCo. It was an instant hit running under OS-9, and turned the attentions of many users towards OS-9 for the first time. *DeskMate* is versatile and easy to learn and use with a mouse and icons. It has calculator, filer, telecom, text, paint and spreadsheet programs to work with. They are all bare bones as far as programs are concerned, but can make a good introduction to OS-9, or if your needs are very simple and straightforward make for a very easy-to-use little package. Don't count on any serious text or number crunching or graphics masterpieces. It does include an excellent manual, one of the best for OS-9 applications.

* *DeskMate 3*: This is a rewrite of *DeskMate* to take advantage of the CoCo 3's upgraded capabilities.

* *Phantomgraph*: This package allows the graphing of data, either input from the keyboard or from a spreadsheet file (like *DynaCalc*). It provides good graphing capabilities for the CoCo 3, and a good demonstration of OS-9.

DynaCalc: This is the be all, do all and end all of OS-9 spreadsheets. Watch out, *Lotus*

1-2-3! A comprehensive manual focuses on program use, not OS-9. Once the system is configured and set up correctly, users (familiar with spreadsheets) will have no trouble. Novices, be patient, you can learn this more rigorous program with some diligence. It is a powerful spreadsheet implementation and well worth obtaining.

OS-9 Profile: This database management system is easy to learn and use, partial thanks to a well-written manual. It is a powerful and flexible database management system for OS-9, likely to be all the database most users will ever need. Nine different types of screen design and numerous report formats make this a versatile package.

* *Biosphere*: A simulation of an ecological system in a future setting. This is actually a quite realistic, well-designed and elegant simulation, with good graphics — an excellent value.



* *Koronis Rift*, and *Rescue on Fractalus*: If you like high-powered graphics, a good challenge and fast action, these two games are for you. In *Koronis Rift* (see photo above), you are looting hulks full of futuristic weapons and tools for survival, while being shot at by nasty guardian saucers. In *Fractalus*, you are trying to rescue a downed space pilot in similar perilous situations. Both are fun arcade-style strategy games, and are excellent demonstrations of OS-9 Level II (CoCo 3) graphics. Great for beginners, who want to have fun with OS-9.

* *Rogue*: This is an implementation of an old favorite game. With OS-9 Level II graphics it is challenging and enjoyable as a combination maze/dungeon style game.

* *Tandy Home Publisher*: This low-end desktop publishing system from Tandy would actually be very good for an introduction to OS-9 and productivity. This is a fairly simple-to-learn and -use program for creating integrated text and graphics (newsletters) on a page. *THP* has a number of different graphics, fonts and styles to work with. It does, however, expect text to be generated by another editor under OS-9, although you can enter text directly into *THP*.

Note: This is a good sampling of programs available from Tandy, not a complete list of OS-9 titles available.

Frank Hogg Laboratory

Sculptor: The most powerful software system made for OS-9. It is a 4GL (Fourth Generation Language), SQL (System Query Language) and an application generator, database system and programming language, all rolled into one. Once you know it, it is extremely easy to use as a programming language, and you will be able to write programs in about one-tenth of the time you could write the same thing in C. This is a very serious development system. It is not for novices. *Sculptor* runs on a 512K CoCo 3 with floppy drives, but a hard drive is strongly recommended. On sale for $199.95 ($60 for upgrade to Version 1.16). If you want to pick a language to learn, *Sculptor* is it. Programs that run on the CoCo are directly transportable to PC or other computers (modified at runtime).

DynaStar/DynaSpell: In my opinion, *DynaStar* is the best, most serious word processor under OS-9. It is very similar to *WordStar* in command format, has pull-down menus and Help screen. A good 80-column screen (in `/w7` or whichever screen you want) is easy to install, and you can format text and use many diverse printers. Bold, double-strike and underline are all supported with *WordStar* work-alike commands. *DynaStar* ($99.95) has a mail-merge feature, 29 configurable macros, and edits files larger than memory. Now that is word processing! *DynaSpell* ($75 or $25 with *DynaStar* purchase) is a spellchecker for *DynaStar* or any text under OS-9. It has a 20,000-word dictionary, which is surprisingly small, but is generally considered the best spelling checker for the CoCo 3 running OS-9. Written by Dale Puckett.

The Wiz: Unquestionably one of the finest OS-9 terminal programs available. Bill Brady, the program's author (and editor of *MOTD*), is a programming ace when it comes to OS-9. This program, although difficult to install for the novice, is most rewarding in its operation. Windows for dialog, system messages, conference mode, up/downloads, shell commands — *The Wiz* has it all. For the CoCo 3 only. $59.95, including free *WizPro* disk.

Inside OS-9 Level II: This authoritative and comprehensive look inside OS-9 Level II for the CoCo, by Kevin Darling, is not for the novice. This 200 plus-page book ($19.95), published by FHL, is only for those interested in the bits and bytes and memory registers that actually comprise OS-9 Level II, and how they work to make the operating system function.

Second City Software

* *Check-09 MV Version 2.0*: This handy, easy-to-use, versatile program runs under *Multi-Vue* to balance your checkbook. It works well, is easy to install, and even includes an editor now to enable adjustments to be made after the fact when needed. It even includes ATM transactions for your records. This is the first program I have seen under OS-9 that actually makes doing financial work fun ($25.95).

* *The OS-9 Solution*: This easy-to-install and -run program replaces 20 of the most commonly used commands under OS-9 Level I or II. A menu format allows you to type only the first letter of a command, and a file stack pointer on the screen points to the file that the command will act upon. Other commands check free disk space, format disks, etc. This is a great program for novices because it allows them to interact directly with the shell by providing Help screens and good documentation. *The Solution* works under both OS-9 Level I and Level II, however, in its current release, some aspects of *The Solution* do not work under Level II ($24.95).



* *Ultimuse III* (see photo above): This program is one of the best examples I've seen of what OS-9 Level II can really do. The program is designed to edit and play music scores through a MIDI keyboard synthesizer. It is the *only* example of a program of this type running under OS-9 that I have seen. *Ultimuse III* uses windows and a mouse for control. There is careful, thorough documentation, and even a tutorial for the novice user to install the program quickly and easily. The documentation carefully explains all terms, and shows

how they might be used. The tutorial is excellent, because it takes you from the "in the package" stage to the "up and running" stage, quickly and easily . If you follow the directions, you can't miss. The music quality is exceptional, and the editing feature provides a means to access all the elements from vocal to violin, and tells the user how to use them to make wonderful music. This is a must for music lovers!

Alpha Software Technologies

* *Presto Partner*: This new release is a RAM-resident alarm, calendar, phone dialer and notepad. It operates in the background until you call it, and is relatively well-mannered with other OS-9 programs. When the alarm sounds, the screen on the CoCo turns red and starts flashing, and a low but aggravating beeping sound occurs, until you invoke *Presto Partner* with the CLEAR and ALT keys. A quicker way to shut off the alarm would be nice. ($29.95) Requires 512K and Level II. Can be installed to *Multi-Vue*, but no instructions are included.

* *The Zapper*: This program is easy to install and run, but unfortunately, is better at displaying files a sector at a time than recovering lost files. Its recovery system is a sector-by-sector viewing of a file, and recovering if possible, that depends on the user's eyesight, more than anything else. A file can also be saved by viewing a piece of it with the Find option, and then backing up to the file header to begin saving it. This can get rather tedious, as you can imagine. Still, a good package, and worth the money. For Level I or II ($19.95).

* *Warp One*: An easy-to-install and -use terminal system for OS-9 Level II and the 512K CoCo, this neat little communications program gives you some sophisticated features like X- and Y-modem file transfer, as well as capture, autodial, chat mode, online timer and macros that you can edit and send just by pressing the F2 key. Good for all your telecommunications needs. Not as sophisticated as *The Wiz*, but still quite good.

* *Multi-Menu*: A menuing system for OS-9 Level II that lets you design and edit your own menus. There are submenus, and this is a pull-down type menu system, which will run any command put into it. A must for the beginner. Easily installed in *Multi-Vue*, *Multi-Menu* is accessed by clicking on the menu icon from the *Multi-Vue* screen ($19.95).

* *Disk Manager Tree*: Another excellent tool for the beginning OS-9er. It simplifies creating, deleting and changing directories and files, and presents them with a graphical display (like a tree). The program is easy to install, and there are installation instructions for *Multi-Vue*. One thing I did notice is that if you get ahead of yourself using "Type Ahead," it could be possible to start deleting a directory in its entirety by pressing the D and Y key combination. Another failsafe should be put in to prevent this ($29.95).

OS-9 Level II BBS: This software, now in its third release as Version 3.0, is becoming a very sophisticated BBS system. The software is actually groups of OS-9 commands put together in such a way as to create a powerful BBS system with conferencing modes, up and download utilities, support for ASCII capture and for X- and Y-modem transfer, and more. It has clearly been modeled in some ways after DELPHI and the authors have done a good job simulating a DELPHI-like environment under OS-9. This is a real high-performance board

SolidDrive™ More than a Ramdisk!

SolidDrive™ doesn't forget! Built in battery power kicks in when you turn off your CoCo to keep all your files safe and ready for use instantly the next time you power-up. Unlike dynamic ramdisks that require lots of power and constant refreshing, our CMos static rams consume so little power that SolidDrive™ will retain it's information for years. No more floppy to ramdisk file copying just to get ready to work. If power failures are your problem SolidDrive™ is for you! The instant power loss occurs your valuable work is protected. SolidDrive™ works with OS9®, RSDos or can be accessed from machine language programs. You can even use part of SolidDrive™ from OS9 and part from RSDos. No matter how you use SolidDrive™ we think you'll be amazed at how fast it works. There simply isn't any faster long term storage device available for the CoCo. SolidDrive™ is compatible with Multi-Pak®, or may be used with a "Y" cable and comes complete with OS9® Level I/II device driver and formatter software. Available in 512K and 1 Megabyte versions. Factory upgrades available for 512K version. Also available RSDos Driver treats SolidDrive™ as 3 or 6 SSSD RS devices, 27C64 EProm $19.00 Includes software to partition SolidDrive for use by OS9® and RSDos, and SolidBoot© software to allow auto boot direct to OS9®



SolidDrive™ by Vidicom Corp
512K (524,288 bytes) $395.00
1 Meg (1,048,576 bytes) $695.00
Please add $4.00 shipping
Arizona Residents add 5.5% Sales tax
Visa MasterCard orders welcome

SolidDrive™ is the fastest, most reliable long-term storage available to the small computer user!

2 Year Limited Guarantee

Vidicom Corp 20 E. Main St. ¤ Suite 710
Mesa, AZ 85201 (602) 827-0107
Hours M-F 9:00 am - 5:00 pm MST

OS9 is the trademark of Microware Systems Inc and Motorola Inc. Multi-pak is the trademark of Tandy Corp.

Nine-Times

The first magazine devoted exclusively to OS-9!!!

Every other month, you will receive a disk *jam-packed* with programs and articles *all* for **OS-9**.

In each issue:

RAINBOW CERTIFICATION SEAL

- ✓ 10 helpful and useful programs to help build your OS-9 library.
- ✓ Instructions, examples, and samples of Basic09 procedures and subroutines to help with your own programs and your understanding of Basic09.
- ✓ Program reviews, Hints, Help columns, and informative articles to advance your knowledge of OS-9.
- ✓ Supplied totally on 5.25" disk
- ✓ Bound manual sent to each new subscriber for help in getting Nine-Times up and running, as well as tips on using it with a ram disk or hard disk.
- ✓ All graphic/joystick interface for ease of use!!

And all this for only $34.95 a year! Most other packages offer only 4-8 programs for the same amount, while you get 60 programs plus more!

Prices:
1-Year Subs. $34.95
Back issues $7.00

Technical Assistance & Inquiries
Best time to call: 7-9pm EST Sundays
(216) 758-7694

To order, please send U.S. check or money order to:
JWT Enterprises
5755 Lockwood Blvd.
Youngstown, OH 44512

Sorry, no C.O.D.'s; foreign orders, *please* use **U.S. money orders**.
Checks, allow 3 weeks for receipt of first issue/back issue.

Copyright (C) 1989 OS-9 is a trademark of Microware Systems Corp. and Motorola, Inc.

Table 1: Vendors from Microware's *OS-9 Sourcebook*

Did you think OS-9 was only for the CoCo, and only available here at home? Well, think again.

It is also not just the software of which we speak, OS-9 runs on myriads of computer systems, and has numerous versions. There is OS-9 Level I, II, OS-9/68000, OS-9 Professional, and OS-9 Industrial.

All of the manufacturers listed under "Hardware" build OS-9 systems that run exclusively OS-9! Apple computers, the Atari ST series, even Tandy MS-DOS computers, and any other compatibles can run OS-9 as well, with the installation of a 6809 or 68000 processor board. Some computers are designed to run OS-9 and MS-DOS plugs into them, not vice-versa. (For information on the difference between OS-9 Level II and OS-9 Level I see Figure 1.)

Software vendors:

Clearbrook Software Group, Inc.
Box 8000, Suite 499
Sumas, Washington 98295
604-853-9118
Erina, Serina, for system mode debugging, *MSF* (MS-DOS File Transfer) and many other titles for productivity and software development.

Computer Systems Center
36 Four Seasons Center #332
Chesterfield, MI 63017
314-576-5020
DynaCalc for OS-9, an excellent, powerful and versatile spreadsheet program.

Computer Systems Consultants
1454 Latta Lane N.W.
Conyers, GA 30207
404-483-4570
Super Sleuth, Cmodem, cross assemblers and debugging simulators for applications, development and productivity.

Trend Computer Systems
828-A Dodsworth
Covina, CA 91724
818-331-4114
CNC: machine shop estimating software.

Specialty Electronics
909 North Cleveland
Enid, OK 73703
405-233-1632
Accounts Payable, Accounts Receivable, books.

Southeast Media Div C. P. I.
5900 Cassandra Smith Rd.
Hixson, TN 37343
615-842-4600
Stylograph/Merge/Spell, Sculptor 4GL, Solve, Virtual Terminal, high-level programming languages and more for OS-9.

Plus Five Computer Services
765 Westwood Drive
St. Louis, MO 63105
314-725-9492
MUMPS, a character string manipulation language.

Windrush Micro Systems, Ltd.
Worstead Labs
North Walsham, Norfolk NR28 9SA
England
0692-404086
Screen Editor III (screen/text editor) and many other applications.

LLoyd I/O
P.O. Box 30945
Portland, OR 97230
800-227-3719
CRASMB, CRASMB 16.32 (mnemonic addressing and mode handling) for software development.

Gimpel Software
3207 Hogarth Lane
Collegeville, PA 19426
215-584-4261
Generic *Lint* (diagnostic facility for the C language) and other programming tools.

H. C. Anderson Computer, A/S
Englandsvej 380
DK-2770 Kastrup
Denmark
451-524-404
Cad Finance One (G/L, budgeting, P&L's, etc.).

Hardware Vendors:

AAA Chicago Computer Center
120 Chestnut lane
Wheeling, IL 60090
312-459-0450
Elektra-series computers.

Compcontrol B.V.
Stratumsedijk 31
Postbus /P.O. Box 193
5600 AD Eindhoven, Holland
31-40-124955
CCS systems and CC board level CPU, storage, comm hardware.

Data Comp Division C.P.I.
5900 Cassandra Smith Rd.
Hixson, TN 37343
615-842-4600
Mustang 68K computers.

DEC
8-2-52 Nankohigashi
Suminoe-KU, Osaka 559
Japan
0723-37-1101
SP-series computer for software development and VME (Versa Module European) CPU boards.

EKF Elektronik GmbH
Weidekamp Str. 1A
D-4700 Hamm 1
West Germany
02381-12630
68K computers and board level programming-oriented products.

Fairlight Instruments
15-19 Boundary Street
Rushcutters Bay, N.S.W 2011
Australia
(02) 331 6333
Fairlight Series II CMI for audio and music production.

GESPAC SA
3, Chemin des Aulx
1228 Plan-Les-Ouates, Geneva
Switzerland
(22) 713 400
Gescomp software development system and board level CPUs, I/O boards, communications ports, and more.

H. C. Andersen Computer A/S
Englandsvej 380
DK-2770 Kastrup
Denmark
45 1 52 44 04
Dragon 200 OS-9 Level I system.

Matrix
1203 New Hope Road
Raleigh, N C 27610
(919) 833-2000
6809 and 68000 software development systems and numerous board level products.

M.I.I.
Les 3 Fontaines
B. P. 110
95110 Cergy Pontoise, France
30 735225
MS-series systems and GMI-series board level products.

PEP Modular Computers GmbH
Am Klosterwald 4, 8950 Kaufbeuren
West Germany
08341-81001
68K systems and board level products.

Robcon OY
P.O. Box 46
SF-02771 Espoo
Finland
(3580) 85911
Board level 68K CPU and I/O products.

Syntel Microsystems
Queens Mill Road
Huddersfield HD1 3PG
England
0484 535101
HS6000 Computers, board level systems and controllers.

Windrush Micro Systems
Worstead Labs
North Walsham, Norfolk NR28 9SA
England
0692-404086
Omega computer systems and numerous board level products.

XYZ Electronics Inc.
RR 12 Box 322
Indianapolis, Indiana 46236
(317) 335-2128
System 7 Computer for software development, numerous board levels. ❑

with security levels and enough utilities to make anyone serious about a BBS take notice. Some of its elegance comes from the ability to split users into different levels of access. It stays true to OS-9 formats. Requires 512K and OS-9 Level II. Includes comprehensive installation instructions. Not for the novice user ($29.95).

Microtech Consultants, Inc.

XWord ($69.95), *XMerge* ($24.95), *XSpell* ($39.95): Three programs for a formidable word processing trio. They are designed to work with and complement one another, and they accomplish this reasonably well. *XWord* is the core of the text-editing system. This full screen editor is not set up like *DynaStar*, but does have its own online help. Combined with *XMerge* and *XSpell*, it makes a fairly complete package. The spellchecker, at 40,000 words, is twice the size of the *DynaSpell* checker. However, it does not automatically replace a misspelled word. It is up to the user to correct the misspelling with his own attempt at the correct word. This series of programs highlights the capability of OS-9 to filter files. Not recommended for the novice.

D. P. Johnson

D. P. Johnson Company has long been a supporter of OS-9 on the CoCo. Johnson was first bringing out OS-9 to MS-DOS file transfer utilities five years ago, before anyone else. Now the company has grown some, but D.P. Johnson keeps producing the same kind of reasonably priced, high-quality software.

SDisk3 : Designed to replace the CC3DISK module in the OS-9 Boot file. This utility package is designed basically to let you set up your drives for your system the way you want them set up. Several utility programs on the market from other companies require that *SDisk3* drivers be present in memory to operate. An automated procedure also helps create a bootable disk with the new device descriptors, and several other utilities are included on the disk. A must for even the casual user. Can be used by a novice, but rigorous. For Level II only.

SDisk and *Bootfix*: Same basic idea, but for making bootable 40- and 80-track disks under Level I OS-9 (*SDisk* $29.95, *SDisk* and *Bootfix* $35.95, *SDisk3* $29.95).

* *MSF* (MS-DOS file transfer): This program requires *SDisk3* to operate. Central commands are for copying, renaming, directory, remove directory and attributes. This is a complete, easy-to-install and -run MS-DOS file transfer manager ($45).

* *PC-XFER* (MS-DOS file transfer): This program requires *SDisk3* to operate. Central commands are for copying, renaming, directory, remove directory and attributes. This is a complete, easy-to-install and -run MS-DOS file transfer manager ($45).

FORTH09: This is a powerful implementation of FORTH for OS-9. One of the most powerful features of this high-level language is that any programs or modules written in FORTH do not have to be compiled. They can be saved as executable machine language modules. This version, by D.P. Johnson, tries to stay as close as possible to the FORTH-83 standard, and pretty much does, although there are some differences in words (object names). This is largely due to the split functionality of OS-9, where data and mapping is done separately. Nevertheless, Dan Johnson has stuck very close to the standard without limiting and restricting OS-9, and this makes an excellent implementation of FORTH under OS-9 ($150).

Magus Systems Engineering

4Most: This is a package of four utility programs for OS-9. They are powerful invocations of OS-9 to be sure, and will run both on Level I and Level II machines. With Level II, the `Shell` command that replaces the standard shell will not load in all its supplemental programs to memory. It also takes up a little more space, so with 128K machines, getting everything you want in there will be tight. 512K users, relax. The new shell gives use of wildcard characters (*'s and ?'s), and has parameter passing. `CP` is a utility that makes it easier to copy multiple files, sort them and will copy by time. `MV` makes it easy to move files around, and `Print` gives paginated, formatted print to the printer ($24.95). Could be used by an advanced beginner.

Sugar Software

* *OS-9 Calligrapher* for Level I or II: This program serves as a filter to generate the most fantastic and varied fonts you can imagine. Either from keyboard input, or with a file generated by any OS-9 word processor or text editor, *OS-9 Calligrapher* makes beautiful calligraphy out of your words. It will even do labels, and most anything else you can throw at it. It costs only $24.95, and has dozens of fonts that can be bought for it inexpensively (25 to 30 fonts at $29.95 per disk; specials available). This is easy to load on any OS-9 machine, and easy to run as well. *The OS-9 Font Massager* ($19.95) is about as easy to run. It allows you to modify your fonts in

THE BEST COCO ASSEMBLY LANGUAGE PROGRAMMING BOOKS IN PRINT

"Assembly Language Programming for the CoCo" (The Book) and the CoCo 3 (The Addendum). Professionally produced (not just skimpy technical specifications). THE CoCo reference books.

THE BOOK - 289 pages of teaching assembly language for the CoCo 1 & 2. It's used as a school text and is an intro to Computer Science. It describes the 6809E instructions, subroutines, interrupts, stacks, programming philosophy, and many examples. Also covered are PIAs, VDG, SAM, kybd, jystk, sound, serial port, and using cassette and disk. $18.00 + $1.50 s/h.

THE ADDENDUM - Picks up where the BOOK left off. Describes ALL the CoCo 3 enhancements & how to use them with assembly language. The most complete GIME spec. WOW - Super-Res Graphics, Virtual Memory, New Interrupts, and more information not available elsewhere. Find out what the CoCo 3 can really do. $12.00 + $1.00 s/h.

COCO 3 SPECIAL Start your CoCo library right. See what the CoCo can really do and save money - buy the BOOK and ADDENDUM for only $27.00 + $2.00 s/h.

US check or money order. RI orders add 6% sales tax

TEPCO
68 James Court
Portsmouth, RI 02871

See Us On DELPHI

any way you choose, and can even completely generate new fonts. It will do graphics as well, since the graphics are bit mapped, and that means you can draw an icon, font, or virtually anything you want. These two offerings from Sugar Software make working with OS-9 enjoyble and rewarding.

Granite Computer Systems

* *GCS File Transfer Utilities*: These utilities require the D. P. Johnson *SDisk3* driver to operate. You can get the *FTU* package under *Multi-Vue* ($54.95) or standard for ($44.95). Novices should get the *Multi-Vue* version. It is relatively easy to load and run. This is a comprehensive file-transfer system for transfers between Flex, OS-9, MS-DOS and RS-DOS. This is the only package available that will handle all those formats and transfers and handle them in *Multi-Vue*. If you are just starting out in MS-DOS or in OS-9 and have files to transfer between operating systems, or if you are an experienced user with file transfer requirements, *GCS FTU* is without a doubt the way to go.

Burke & Burke

* *R.S.B.*: This could be the ultimate bridge to get all you RS-DOS potatoes into OS-9 without hurting you unduly. This is an amazing implementation of Radio Shack BASIC under the auspices of the power of OS-9 Level II. If you know BASIC, you have very little to do besides boot up and run programs. You will learn more about OS-9 as you go, somewhat serendipitously, due to the change some commands go through to make allowances for the operating system. Transferring back and forth is easy and straightforward as you "OS-9ify" your disks for the transfer. You are guided step-by-step through the installation and setup process, so there is little chance of failure. One caution: This will not teach you BASIC. You must learn through the books that come with the computer, or from THE RAINBOW. *R.S.B.* comes with an instructional manual for the software, not the language.

* *PertASCII*: This scrabble-like game under OS-9 would make a terrific ice-breaker for those wishing to get into OS-9 relatively painlessly and still have fun. This multi-user word game can be played with others on your system, users calling you on a modem, or solitaire against the computer (very difficult to beat). You are given a three-minute round to make words from random letters. There is a 15,000-word dictionary that the computer uses to score with as well. Players may join or leave at the beginning of a round. Warning: If you thought *Boggle* was bad, this one is more addictive! Requires 512K and OS-9 Level II ($19.95).

We are lucky to have such a technically advanced world where we can access and control so much information. We can reach new heights in art and entertainment, and we can do it at a cost most everyone can afford. Our Color Computers have come a long way in eight years.

Kenneth-Leigh Enterprises

*** *Start OS-9*: This is the book and disk tutorial we have all been waiting for. Paul K. Ward, OS-9 consultant and programmer, has written a tremendous tutorial and disk companion that not only helps people learn about OS-9, but also gives them some real applications and windows to work with. In a step by step, plain English style, Paul Ward leads people into the operating system they have feared most. Jargon, slang and needed vocabulary are provided throughout the 14-day, 10-tutorial book and companion disk package, and if you follow the tutorials and keep your head on straight, in two weeks you will know OS-9. Also included with this package is "Start Basic09" by Dale Puckett as an appendix to *Start OS-9*, and a number of other informative and eductional articles on hard disks, telecomputing and more. Paul Ward might just get voted CoCo Man of the Year for his contribution to the world of OS-9 and the CoCo Community ($32.95).

Falsoft, Inc.

*** *The Complete Rainbow Guide to OS-9* and *The Complete Rainbow Guide to OS-9 Level II, Volume I: A Beginners Guide to Windows*: With their companion disks, these RAINBOW-produced books are the last word in tutorial and reference for OS-9 on the CoCo. Written by Dale Puckett and Peter Dibble, these books complement and enhance any other work, and are sure to get you on the road to success with OS-9. Do not think of these books as an either/or to Paul Ward's *Start OS-9*; but a companion guide. (These books cost $19.95 each. The two-disk set for OS-9 is $31, the single disk for Level II is $19.95.)

Now What?

Now we have looked at OS-9, and I certainly hope you will take the plunge to learn more about it, because OS-9 is an important part of the future. It is being used around the world.

In Japan, especially, there is a tremendous amount of robotics controlled by OS-9. In England, they control synthesizers, and in Australia they bring OS-9 to the Amiga computer.

Here in America, OS-9 is used by Hughes, Boeing Aircraft, NASA, Honeywell and North American Rockwell. It is used in the Space Shuttle missions, and is probably in your GM car or truck somewhere, or had something to do with its manufacturing.

This may not be as far-fetched as it sounds (Hughes is a division of General Motors). Right now, Sony and North American Phillips Corporation are working on a joint venture involving a CD-I (Compact Disc-Interactive) machine with a computer bus adapter on the back of it. The heart of the system is OS-9/68K, in ROM, and you can bet when it comes out this Christmas (rumored at less than a $1,000 a piece), OS-9 will leap ahead again. And wherever OS-9 goes, CoCo goes too.

CD-I, from all predictions, will be the next great development for home entertainment, the arts and computer technology. What will Tandy do about that? They have always been innovative forerunners; might we dare guess at a 68000-based machine? All we can do is wait and see.

We are lucky to have such a technically advanced world where we can access and control so much information. We can reach new heights in art and entertainment, and we can do it at a cost most everyone can afford. Our Color Computers have come a long way in eight years.

User friendly service, support, & help . . .

Since 1976

Continuing the tradition... our newsletter-catalog-



A newsletter and catalog with timely information and products of interest for our customers and Rainbow readers. See below to order your free subscription.

SCULPTOR 4TH GENERATION LANGUAGE ❑ QT K-SYSTEM ❑ QT 20X ❑ DYNASTAR ❑ DYNASPELL ❑ THE ELIMINATOR DISK SYSTEM ❑ FBU FAST DISK BACKUP ❑ QCOM COMMUNICATIONS ❑ QT 00X ❑ INSIDE OS9 LEVEL II BOOK ❑ QT 9 TRACK TAPE ❑ QT 20XR ❑ QT TAPE BACKUP ❑ QT ❑ SLEUTH ❑ QT 20XCR ❑ WIZ ❑ DYNAFORM ❑ HI SPEED HARD DISK SYSTEM ❑ QT PLUS ❑ PRINT SPOOLER ❑ UNICHARGER ❑ UTILIX ❑ CRASMB ❑ CROSS ASSEMBLERS ❑ O-PAK ❑ DYNA C ❑ DYNA PASCAL ❑ EFORTH ❑ CC FORTH ❑ XFORTH ❑ JCP ❑ O-FLEX ❑ MINT ❑ ABASIC ❑ SAGE ❑ CC FLEX ❑ C&B ❑ EDITDISK ❑ BILLPAYER ❑ DATAMAN ❑ DBASIC ❑ ED/ASM ❑ ESTHER ❑ FLEX ❑ NOMAD ❑ READTEST ❑ REMOTE ❑ QT ❑ SCULPTOR 4TH GENERATION LANGUAGE ❑ QT K-SYSTEM ❑ QT 20X ❑ DYNASTAR ❑ DYNASPELL ❑ THE ELIMINATOR DISK SYSTEM ❑ FBU FAST DISK BACKUP ❑ QCOM COMMUNICATIONS ❑ QT 00X ❑ INSIDE OS9 LEVEL II BOOK ❑ QT 9 TRACK TAPE ❑ QT 20XR ❑ QT TAPE BACKUP ❑ QT ❑ SLEUTH ❑ QT 20XCR ❑ WIZ ❑ DYNAFORM ❑ HI SPEED HARD DISK SYSTEM ❑ QT PLUS ❑ PRINT SPOOLER ❑ UNICHARGER ❑ UTILIX ❑ CRASMB ❑ CROSS ASSEMBLERS ❑ O-PAK ❑ DYNA C ❑ DYNA PASCAL ❑ EFORTH ❑ CC FORTH ❑ XFORTH ❑ JCP ❑ O-FLEX ❑ MINT ❑ ABASIC ❑ SAGE ❑ CC FLEX ❑ C&B ❑ EDITDISK ❑ BILLPAYER ❑ DATAMAN ❑ DBASIC ❑ ED/ASM ❑ ESTHER ❑ FLEX ❑ NOMAD ❑ READTEST ❑

Frank Hogg LABORATORY INC

Since 1976

To order your free subscription--
Write: Frank Hogg Laboratory, Inc.,
770 James Street, Syracuse, NY 13203
Or Call 1-315/474-7856

FAX 1-315/474-8225

RAINBOWfest is the only computer show dedicated exclusively to your Tandy Color Computer.

Nowhere else will you see as many CoCo-related products or be able to attend free seminars conducted by the top Color Computer experts. It's like receiving the latest issue of THE RAINBOW in your mailbox!

RAINBOWfest is a **great opportunity** for commercial programmers **to show off new and innovative products** for **the first time. Somerset, New Jersey is the show** to get information on capabilities for the CoCo, along with a terrific selection of the latest CoCo software. In exhibit after exhibit, there will be demonstrations, opportunities to experiment with software and hardware, and special RAINBOWfest prices.



Set your own pace between visiting exhibits and attending the valuable, free seminars on all aspects of your CoCo—from improving BASIC skills to working with the sophisticated OS-9 operating system.

Many people who write for THE RAINBOW—as well as those who are written about—are there to meet you and answer questions. You'll also meet lots of other people who share your interest in the Color Computer. It's a person-to-person event and a tremendous learning experience in a fun and relaxed atmosphere.

As an additional treat for CoCo Kids of all ages, we've invited frisky feline CoCo Cat to join us for the show. RAINBOWfest has something for everyone in the family!



If you missed the fun at our last RAINBOWfest in Chicago, why don't you make plans now to join us in Somerset? For members of the family who don't share your affinity for CoCo, there are many other attractions in the Somerset area.

The Somerset Hilton — Somerset, New Jersey, offers special rates for RAINBOWfest. **The show opens Friday evening** with a session from 7 p.m. to 10 p.m. It's a daytime show Saturday — The CoCo Community Breakfast (separate ticket required) is at 8 a.m., then the exhibit hall opens promptly at 10 a.m. and runs until 6 p.m. On Sunday, the exhibit hall opens at 11 a.m. and closes at 3 p.m.

Tickets for RAINBOWfest may be obtained directly from THE RAINBOW. We'll also send you a reservation form so you can get a special room rate.

The POSH way to go. You can have your travel arrangements and hotel reservations handled through RAINBOW affiliate, POSH Travel Assistance, Inc., of Louisville. For the same POSH treatment many of our exhibitors enjoy, call POSH at (502) 893-3311. All POSH services are available at no charge to RAINBOWfest attendees.

FREE SEMINARS

Cray Augsburg
RAINBOW Technical Editor
OS-9 for Absolute Beginners

Steve Bjork
SRB Software
Game Programming and Insider Hints

Kevin Darling
Independent Programmer
Advanced OS-9

Peter Ellison
Game Point Software
Imaging Through the CoCo

Marty Goodman
RAINBOW Contributing Editor
2 CoCo Consultations Live

Don Hutchison
RAINBOW CoCo SIG Staff Engineer
Inside Delphi

Jutta Kapfhammer
RAINBOW Managing Editor
Writing for Publication

Mike Knudson
UltiMusE
Music and Other OS-9 Applications

Jeffrey Parker
Independent Programmer & Author
Desktop Publishing



COCO COMMUNITY BREAKFAST

Dale Puckett - RAINBOW Contributing Editor

Dale L. Puckett, a freelance writer and programmer, serves as director-at-large of the OS-9 Users Group and is a member of the Computer Press Association. His username on Delphi is DALEP.

Mr. Puckett will talk about the people involved in the ongoing development of OS-9 and milestones in OS-9: Crazy things which happened in its development, mistakes, highlights and its future.

Don't forget ...

If yours is one of the first 500 ticket orders, a coupon for a complimentary issue of The RAINBOW Third Book of Adventures will be enclosed with your tickets — if yours is one of the first five orders received from your state, a coupon for a complimentary RAINBOWfest T-shirt will be enclosed with your tickets. So hurry up and place your order to take advantage of this offer.

RAINBOWfest - Somerset, New Jersey
Dates - October 20-22, 1989
Hotel - The Somerset Hilton
Rooms - Single, $65 per night
Double, $75 per night

Advanced Ticket Deadline: October 6, 1989

Join us at a future RAINBOWfest!

RAINBOWfest - Chicago, Illinois
Dates - April 6-8, 1990
Hotel - Hyatt Regency Woodfield
Rooms - $69 per night, Single or Double

FREE T-Shirt to first five ticket orders received from each state!

YES, I'm coming to **Somerset!** I want to save by buying tickets now at the special advance sale price. Breakfast tickets require advance reservations.

_____ Three-day ticket(s) at $9 each total_____
_____One-day ticket(s) at $7 each total _____
Circle one: Friday-Saturday-Sunday
_____ Saturday CoCo Breakfast
at $12 each total _____
_____ RAINBOWfest T-shirt(s)
at $6 each total _____
Specify size:
_____S _____M _____L _____XL
(T-shirts must be picked up at the door)
Handling Charge $1 $1.00
TOTAL ENCLOSED _____
(U.S. Currency Only, Please)
❑ Also send me a hotel reservation card for The Somerset Hilton ($65, single or $75 double room).

Name _____
(please print)
Address _____
City _____ State _____
Telephone _____ ZIP _____
Company _____
❑ Payment Enclosed
❑ VISA ❑ MasterCard ❑ American Express
Account Number _____
Exp. Date _____
Signature _____

Advance ticket deadline: October 6, 1989. Orders received less than two weeks prior to show opening will be held for you at the door. Tickets will also be available at the door at a slightly higher price. Tickets will be mailed six weeks prior to show. Children 4 and under, free; over 4, full price.

Make checks payable to: THE RAINBOW. Mail to: RAINBOWfest, The Falsoft Building, 9509 U.S. Highway 42, P.O. Box 385, Prospect, KY 40059. To make reservations by phone, in Kentucky call (502) 228-4492, or outside Kentucky call (800) 847-0309.

Put another nickel in . . .

The Nickelodeon

By William G. Budenholzer



Sing along? That's what they wanted to do. So, after typing a few hundred DATA statements, the CoCo was playing some familiar tunes. A touch of CoCo's colorful low-resolution graphics offered some visual interest, but it needed more, a lot more.

It was difficult to manually compile the long lists of numbers needed for the SOUND command. It also needed words. I tried saving notes on tape and the words were put on screen to coincide with the notes, but it wasn't user-friendly. Extended Color BASIC's PLAY command was the inspiration for a song editor.

The graphics develop into a piano resembling an old upright, with space for the words, as in a player piano. A one-line routine centers the words in this space. The editor has two modes of operation, the first mode allows direct entry of the words and notes using Extended BASIC's PLAY elements. The second mode allows you to use the computer's keyboard as a one octave musical keyboard. Both modes support various editor functions such as Insert and Delete.

Overture

To more easily explain how to use the editor, first key in the program, then save and run it. When the main menu appears, press BREAK and type `N=30:GOTO600`. Then press ENTER. This should return you to the main menu.



This menu offers various options, most of which are self-explanatory in operation. Select Editor by pressing 1. Editor has two modes of operation, the first of which is the absolute editor. Press 1 to access this mode. The screen prompts you with the current line number. Enter CHK, (The comma causes the editor to play and display each line of the song used during the introduction.). The characters on the left are the same as those used for Extended BASIC's PLAY function. Those on the right are the words displayed on the piano. This shows the way a song is entered into the absolute editor. At the prompt you may use any of PLAY's valid characters, followed by a comma, and then the word or syllable corresponding to that note.

There are a few minor restrictions. You must use a space to separate the letters L and O and the value associated with them. This is necessary for the editor to keep track of their values. Do not use L+, L-, O+, or O-, because the editor cannot track these. Words should be in lower-case for appearance sake. The program initially sets the values for V at 31, L at 2, O at 2, and T at 2.

If you should miss a note/word combination, enter INS,. This allows you to insert the missing note; the editor will request a line number and after entering the line number will ask for the note/word combination to be inserted.

To delete a line, type DEL, and press ENTER. Then enter the line number to be deleted, when requested. The Insert and Delete can be aborted by responding with 0 at the line request.

To check a song's progress type CHK, and press ENTER. This displays the song and plays the music. Entering the command END, returns you to the edit menu.

All commands must be followed by a comma to satisfy the input.

Glissando

The keyboard editor should be easier to use for those familiar with a musical instrument keyboard. Selecting Option 2 on the edit menu starts the keyboard editor. Both editor modes are compatible, and you can switch between them at any time. Going from one menu or function to the next doesn't alter your song in any way.

Figure 1 is a set of labels for the keyboard editor. These can be photocopied, cut out and attached to the front of the keys on your keyboard as shown. The letters above the labels indicate to which keys these labels should be attached. Use one of the stick-type glues since these won't drip and damage your keyboard.

Figure 1 illustrates how the keyboard is set up. The two middle rows are used as a piano keyboard. Row A has the natural notes, starting with C on the A key, extending to B on the J key. Row Q has the black or sharp notes. Some of these and other keys are used to access various functions in the editor. The functions have been printed above the keys to indicate that the SHIFT key must be pressed while selecting a function. The function keys make it much easier to compose a song.

To insert a note, simply press SHIFT and I, then the program requests a line number. Respond with the number of the new line and enter the note as usual. To delete a line, press SHIFT and D, then the program asks for the number of the line to be deleted. The program does a search of the song to keep the values of L and O correct when inserting and deleting.

To change a note's length, simply press SHIFT and L. Then press SHIFT and + to increase the length, or SHIFT and - to decrease the length. Changing the octave works the same way. Press SHIFT and O, then + or - as above, to increase or decrease the octave value.

Pressing SHIFT and T allows the program to request a new value for the tempo.

Rests are an important part of music, and they have been accommodated by pressing SHIFT and P. A pause equal to the current value of L is inserted in the song after the last note. This position was selected to avoid a blank screen while playing a pause.

SHIFT-C allows the user to check a song's progress. SHIFT-N resets the note counter to start a new song. The last command, SHIFT-E, ends the editing session and returns the user to the edit menu.

Crescendo

The program was built up using a modular approach. Most of the functions are in subroutines. There really isn't much structure, but some control of the program during development was necessary. Using subroutines also allowed movement of the routines to improve smooth operation and reduce delay times between notes when a song is actually being played.

After the copyright information, the program does the necessary clears of string and graphics space, then jumps to the Initialization routine at Line 890. Arrays N$ and K are used to convert keyboard input into the notes while in the keyboard editor. Array S$ contains the notes in the song and Array W$ has the words.

Once the program is initialized, it branches to the PLAY subroutine at Line 70. Subroutine 660 draws the piano on the screen. The PRINT@ statement in Line 70 centers the words in the piano. Line 80 resets the PLAY statement and branches to the main menu at Line 610. Variable X is a switch used to automatically reset the note counter, Variable N is used after the greeting is played.

From the main menu the program can branch to the editor at Line 90 to the Save routine at Line 530; to Line 560 to load a song from disk; or to Line 930, where BASIC is reinitialized (string space is reset to 200 bytes) and the program ends.

The edit menu at Line 90 has branches to Line 110 for the absolute editor, Line 320 for the keyboard editor, and Line 740 for the abridged directions.

Line 120 contains the INPUT statement for the absolute editor. This line also has most of the tests for the various functions available in this mode. Line 130 plays the input, places the notes and words into their appropriate arrays, and increments the note counter. Variable F is used to steer the program to the needed function. Line 160 starts the Delete routine. The subroutine at 180 through 200 searches through the song when deleting or inserting, to keep the values associated with O and L in line with the song. Line 210 actually does the moving of data in the array during a delete.

When inserting, Line 240 takes over, and asks for the number of the new line, then it opens the appropriate space and accepts the note/word combination to be inserted.

When checking a song, a branch to the subroutine at Line 280 occurs. The New command has its subroutine at Line 300.

The keyboard editor starts at Line 320. Line 320 sets the computer to the upper-/lower-case mode. This is necessary to allow the keys to take on two separate functions and to make it easier to enter the words in reverse video. Line 330 steers the program to the Input subroutine at Line 340. Line 340 does all the housekeeping to accept an input, and Line 350 does all of the work required to calculate the correct note and insert it into the S$ array. Line 360 accepts the word and increments the note counter.

Line 220 provides the subroutine calls according to the selected function. This line also provides some of the controls when inserting.

In the keyboard mode, the Insert function works differently in that there is no separate input route. The subroutine at Line 260 first opens the necessary space for the

insert, and then goes to the normal Input subroutine for the note and word to be inserted. This is a refinement over previous versions of the program; originally, the user had to enter data for the note and word as in Absolute mode. I decided that this required too much concentration of the user to be considered easy-to-use. Once the note and word are entered, the program checks the values of L and O to make sure that it is reporting the correct value for these variables.

The Delete function uses the same subroutine as in the Absolute mode, and operates in exactly the same way. The Check and New subroutines are also the same.

Pressing the SHIFT key and the L key takes the program to the Length subroutine at Line 380. This subroutine places the letter L on the screen to indicate the mode and then waits for the + or - keys to be pressed. It then calculates the correct value for L, converts the value into string form, and saves it in L$ to be inserted into S$ at the appropriate time. The Octave function starts at Line 420 and works similarly. Line 470 sets the tempo. This simple subroutine requests the new value for the tempo and puts it into a string to be inserted into S$.



Figure 1

Line 490 resets the computer to the upper-case mode and exits the keyboard editor to the edit menu.

CODA

The individual subroutines are not really that complicated, and make the development of this program easier. I use long lines to conserve memory, and try to keep the subroutines all in the same line to isolate them.

(Questions or comments concerning this article may be addressed to the author at 7115 Lanham, St. Louis, MO 63143. Please enclose an SASE when requesting a reply.)

Editors Note: Listing 2 is replaced on this month's RAINBOW ON TAPE with the Nickelodeon program already modified for cassette. The filename is NICKEL-C.



Listing 1: NICKEL-D

```
0 ' COPYRIGHT 1989  FALSOFT,INC
10 REM NICKOLODEON 4.0
20 REM COPYRIGHT (C) 1983,1988
30 REM BILL BUDENHOLZER
40 REM****SET UP-1
50 PCLEAR1:CLS0:CLEAR1000:GOTO89
0
60 REM*****PLAY SONG
70 GOSUB660:FORI=1 TON-1:PRINT@1
36,B$;:PRINT@(144-INT(LEN(W$(I))
)/2),W$(I);:PLAYS$(I):NEXT
80 PLAY"V31L202":FORI=1TO1000:NE
XT:IFX=1 THENN=1:X=0:GOTO610ELSE
GOTO610
90 CLS:PRINT@9,P$:PRINT@74,"EDIT
 MENU":PRINT@135,"1) EDIT ABSOLU
TE MODE":PRINT@167,"2) EDIT KEYB
OARD MODE":PRINT@199,"3) INSTRUC
TIONS":GOSUB630:IFS$="M" THEN610
ELSES=VAL(S$):IFS<1 ORS>3 THEN90
ELSE ONS GOTO110,320,740
100 REM*****ABSOLUTE EDITOR
110 CLS:PRINT@9,P$:PRINT
120 F=0:PRINTN;:INPUTS$,W$:IFS$=
"DEL" THENF=1ELSEIFS$="INS" THEN
F=2ELSEIFS$="CHK" THENF=3ELSEIFS
$="END" THENS$(N)="":W$(N)="end"
:GOTO90
130 IFS$="NEW" THENF=4ELSEIFF TH
EN140ELSEPLAYS$:S$(N)=S$:W$(N)=W
$:N=N+1:GOTO120
140 ONF GOSUB160,240,280,300:GOT
O120
150 REM*****DELETE
160 PRINT:INPUT"ENTER LINE #";LN
:IFLN=0 THENRETURNELSEGOSUB210:G
OSUB180:RETURN
170 REM*****SEARCH 'L' & 'O'
180 L=2:O=2:FORI=1 TON-1:E=INSTR
(S$(I),"L"):IFE THENIFINSTR(S$(I
),"1") THENL=VAL(MID$(S$(I),E+2,
2))ELSEL=VAL(MID$(S$(I),E+2,1))
190 E=INSTR(S$(I),"O"):IFE THENO
=VAL(MID$(S$(I),E+2,1))
200 NEXTI:RETURN
210 FORI=LN TON:S$(I)=S$(I+1):W$
(I)=W$(I+1):NEXTI:N=N-1:RETURN
220 ONF GOSUB250,160,280,300,420
```

```
,380,490,460,470:IFIN THEN340ELS
E330
230 REM*****INSERT
240 PRINT:INPUT"ENTER LINE #";LN
:IFLN=0 THENRETURNELSEFORI=N+1 T
OLN STEP-1:S$(I)=S$(I-1):W$(I)=W
$(I-1):NEXT:N=N+1:INPUT"NOTE, WO
RD";S$(LN),W$(LN):RETURN
250 IN=1:PRINT:INPUT"ENTER LINE
#";LN:IFLN=0 THENRETURN
260 FORI=N+1 TOLN STEP-1:S$(I)=S
$(I-1):W$(I)=W$(I-1):NEXT:N=N+1:
TN=N:N=LN:GOSUB340:GOSUB180:IN=0
:N=TN:RETURN
270 REM*****CHECK
280 PRINT:PLAY"V31L2O2T2":FORI=1
 TON-1:PRINTI;:PRINTS$(I),W$(I):
PLAYS$(I):NEXT:RETURN
290 REM*****NEW SONG
300 PRINT:PLAY"L2O2T2":N=1:O=2:L
=2:S$(1)="":W$(1)="":RETURN
310 REM*****KEYBOARD EDITOR
320 CLS:POKE282,0
330 GOSUB340:GOTO330
340 F=0:PRINTN;"L"L;"O"O;"?";:GO
SUB510:IFA$="L" THENF=6ELSEIFA$=
"O" THENF=5ELSEIFA$="I" THENF=1E
LSEIFA$="D" THENF=2ELSEIFA$="C"
THENF=3ELSEIFA$="N" THENF=4ELSEI
FA$="E" THENF=7ELSEIFA$="P" THEN
F=8ELSEIFA$="T" THENF=9
350 IFF THEN220ELSEIFA$<"a" THEN
PRINT:RETURNELSES$=N$(K(ASC(A$)-
96)):IFS$="" THENPRINT:RETURNELS
ES$(N)=T$+L$+O$+S$:PRINTCHR$(8);
S$(N);:PLAYS$(N):L$="":O$="":T$=
""
360 INPUT" WORD";W$(N):N=N+1:RET
URN
370 REM***** 'L'
380 PRINTCHR$(8);"L";:GOSUB510:I
FA$="+" THENIFL=1 THENL=2ELSEL=L
*2
390 IFA$="=" THENIFL>1 THENL=L/2
ELSEL=1
400 IFL>16 THENL=16
410 L$="L"+STR$(L):PRINTL:RETURN
420 PRINTCHR$(8);"O";:GOSUB510:I
FA$="+" THENO=O+1:IFO>5 THENO=5
430 IFA$="=" THENO=O-1:IFO<1 THE
NO=1
440 O$="O"+STR$(O):PRINTO:RETURN
450 REM*****PAUSE
460 PRINTCHR$(8);"P";L:E$="P"+ST
R$(L):PLAYE$:S$(N-1)=S$(N-1)+E$:
E$="":RETURN
470 PRINT:INPUT"INPUT NEW TEMPO"
;T$:IFT$="" THENRETURNELSET$="T"
+T$:RETURN
480 REM*****END
490 POKE282,255:S$(N)="":W$(N)="
end":GOTO90
500 REM*****INKEY$
510 A$=INKEY$:IFA$="" THEN510ELS
ERETURN
520 REM*****SAVE SONG
530 CLS:PRINT@9,P$:PRINT:PRINT"
 ENTER SONG NAME";:INPUTSN$:CLS:
PRINT@9,P$:PRINT:PRINT"  SAVING
SONG":OPEN"O",#1,SN$:FORI=1 TON:
WRITE#1,S$(I),W$(I):NEXT
540 CLOSE#1:GOTO610
550 REM*****LOAD SONG
560 N=1:CLS:PRINT@9,P$:PRINT:PRI
NT"  ENTER SONG NAME";:INPUTSN$:
CLS:PRINT@9,P$:PRINT:PRINT"  LOA
DING SONG"
570 OPEN"I",#1,SN$
580 IFEOF(1) THEN590ELSEINPUT#1,
S$(N),W$(N):PRINTW$(N);:N=N+1:GO
TO580
590 CLOSE#1:GOTO610
600 REM*****MAIN MENU
610 CLS:PRINT@9,P$:PRINT@74,"MAI
N MENU":PRINT@135,"1) EDIT SONG"
:PRINT@167,"2) SAVE SONG":PRINT@
199,"3) LOAD SONG":PRINT@231,"4)
 PLAY SONG":PRINT@263,"5) RETURN
 TO BASIC":GOSUB640:S=VAL(S$):IF
S<1 ORS>5 THEN610ELSE ONS GOTO90
,530,560,70,930
620 REM*****SELECT
630 PRINT@418,"PRESS <M> TO RETU
RN TO MAIN     MENU"
640 PRINT@482,"SELECTION?";:GOSU
B510:S$=A$:RETURN
650 REM*****DRAW PIANO
660 CLS0:FORI=7TO56:SET(I,4,1):N
EXTI:FORI=8TO55:SET(I,14,1):NEXT
I:FORI=8TO55:SET(I,15,1):NEXTI:F
ORI=8TO55:SET(I,24,1):SET(I,25,1
):NEXTI:FORI=4TO26:SET(8,I,1):NE
XTI:FORI=4TO26:SET(55,I,1):NEXTI
:FORI=16TO26:SET(9,I,1):NEXTI
665 FOR I=18TO25:SET(10,I,1):NEX
TI
670 FORI=18TO25:SET(53,I,1):NEXT
I:FORI=16TO26:SET(54,I,1):NEXTI:
FORI=14TO49:SET(I,6,1):NEXTI:FOR
I=6TO11:SET(49,I,1):NEXTI:FORI=4
9TO14STEP-1:SET(I,11,1):NEXTI:FO
RI=11TO6STEP-1:SET(14,I,1):NEXTI
:FORI=10TO53:SET(I,16,5):NEXTI:J
=10:K=14:GOSUB690
680 J=22:K=J+4:GOSUB690:J=34:K=J
+4:GOSUB690:J=46:K=J+4:GOSUB690:
SET(55,15,1):FORI=29TO33STEP2:SE
T(I,26,2):NEXTI:PRINT@138,"nicke
lodeon";:FORI=1TO1000:NEXTI:PLAY
"V31L2O2T2":RETURN
690 FORI=J TOK STEP2:RESET(I,15)
:NEXTI
```

```
700 J=J+7:K=K+5
710 FORI=J TOK STEP2:RESET(I,15)
:NEXTI
720 RETURN
730 REM*****INSTRUCTIONS
740 CLS:PRINT@9,P$:PRINT:PRINTTA
B(9)"ABSOLUTE MODE":PRINT:PRINT"
ABSOLUTE MODE ALLOWS YOU TO
ENTER A SONG USING EXTENDED
BASIC'S PLAY STRING COMMANDS.
THE EDITOR PROMPTS WITH THE CUR-
RENT NOTE NUMBER, THEN ASKS FOR"
750 PRINT"THE PLAY STRING AND TH
E WORD TO BE DISPLAYED ON THE PI
ANO. ENTERTHE INFORMATION USING
THE FOL-  LOWING  FORMAT:":PRINT
"  string,word<ENTER>":GOSUB870:
PRINT"FOR APPEARENCE SAKE ENTER
THE  WORD IN LOWER CASE MODE (R
EVERSEVIDEO)."
760 PRINT"SEE EXAMPLE BELOW.":PR
INT:PRINT"1 ? L 8A,word<ENTER>":
PRINT"2 ? O 3BP8,word<ENTER>":PR
INT:PRINT"** NOTE THE SPACE FOLL
OWING THE 'L' AND 'O' IS NECESSA
RY FOR THEEDITOR TO WORK PROPERL
Y. **"
770 GOSUB870:PRINT"THE EDITOR AL
SO ACCEPTS THE FOL-LOWING COMMAN
DS:":PRINT
780 PRINT"  INS  ALLOWS INSERTIO
N OF NOTE":PRINT"  DEL  DELETES
NOTE":PRINT"  CHK  CHECKS SONG":
PRINT"  NEW  RESETS NOTE COUNTER
":PRINT"  END  RETURNS TO MENU":
GOSUB870
790 BL$=CHR$(133)+STRING$(15," "
)+CHR$(138):PRINT:PRINTTAB(9)"KE
YBOARD MODE":PRINTTAB(6);STRING$
(17,140):PRINTTAB(6);BL$:PRINTTA
B(6)CHR$(133)"  w e  t y u  "CH
R$(138):PRINTTAB(6)CHR$(133)" a
s d f g h j "CHR$(138):PRINTTAB(
6)BL$
800 PRINTTAB(6)STRING$(17,131):P
RINT:PRINT"KEYBOARD MODE ALLOWS
YOU TO USE THE KEYBOARD AS PIANO
 KEYBOARD. THE KEYS INDICATED AB
OVE CORRES-POND TO THE KEYS ON A
 PIANO.":GOSUB870
810 PRINT:PRINT"PRESSING <A> GIV
ES A 'C' NOTE  PRESSING <W> GIV
ES A 'C#' NOTE.":PRINT"EDIT FUNC
TIONS INCLUDE:":PRINT:PRINT"  <O
>  CHANGES OCTAVE":PRINT"  <L>
CHANGES LENGTH":PRINT"  <I>  ALL
OWS INSERT":PRINT"  <D>  ALLOWS
DELETE"
820 PRINT"  <C>  CHECKS SONG":PR
INT"  <N>  RESETS NOTE COUNTER":
PRINT"  <P>  INSERTS A REST(PAUS
E)":PRINT"  <E>  RETURNS TO MENU
":PRINT"  <T>  ALLOWS TEMPO CHAN
GE":GOSUB870
830 PRINT:PRINT"USE <+> AND <->
AFTER <L> AND  <O> TO INCREASE
OR DECREASE  LENGTH AND OCTAV
E.":PRINT
840 PRINT" **  YOU MUST PRESS <S
HIFT> AND THE KEY CODE, TO ACCES
S ANY COM-MAND. **":PRINT:PRINT"
INSERT AND DELETE ASK FOR A LINE
NUMBER. ENTER THE NUMBER OF THE
LINE TO BE INSERTED OR DELETED."
:GOSUB870
850 GOTO90
860 REM*****ENTER
870 PRINT@482,"PRESS <ENTER> TO
CONTINUE";:INPUTX:CLS:PRINT@9,P$
:RETURN
880 REM*****SET UP-2
890 DIMS$(100),W$(100),N$(12),K(
25):PLAY"V31L202":B$=STRING$(16,
128):P$="NICKELODEON":X=1:N=1:L=
2:O=2:FORI=1TO12:READN$(I):NEXT:
FORI=1TO25:READK(I):NEXT:DATAC,C
#,D,D#,E,F,F#,G,G#,A,A#,B,1,0,0,
5,4,6,8,10,0,12,0,0,0,0,0,0,0,0,
3,7,11,0,2,0,9
900 FORN=1TO29:READS$(N),W$(N):N
EXT:N=30:GOTO70
910 DATAL 80 3A,put,B,a,A,noth,L
 8B,er,L 16A,nic,L 8B,kel,AP8,in
,F#,in,G,the,F#,nic,G,kel,L 16F#
,o,L 8G,de,F#P8,on,E,all,F#,i,E,
ev,F#,er,E,want,F#,from,E,you,F#
,is,E,mu,D,sic,E,mu,D,sic,E,mu,D
,sic,,end
920 REM*****END
930 CLEAR200:END
```

Listing 2:

```
520 REM*****SAVE SONG
530 CLS:PRINT@9,P$:PRINT:PRINT"
 POSITION TAPE":GOSUB870:PRINT:P
RINT"  PRESS PLAY AND RECORD":GO
SUB870:PRINT:PRINT"  ENTER SONG
NAME";:INPUTSN$:CLS:PRINT@9,P$:P
RINT:PRINT"  SAVING SONG":OPEN"O
",#-1,SN$:FORI=1 TON:PRINT#-1,S$
(I),W$(I):NEXT
540 CLOSE#-1:GOTO610
550 REM*****LOAD SONG
560 N=1:CLS:PRINT@9,P$:PRINT:PRI
NT"  ENTER SONG NAME";:INPUTSN$:
CLS:PRINT@9,P$:PRINT:PRINT"  LOA
DING SONG"
570 OPEN"I",#-1,SN$
580 IFEOF(-1) THEN590ELSEINPUT#-
1,S$(N),W$(N):PRINTW$(N);:N=N+1:
GOTO580
590 CLOSE#-1:GOTO610
```



HOW DO YOU GIVE A RAINBOW?

It's simple — Give a RAINBOW gift certificate . . .

Let a gift subscription to THE RAINBOW carry the premier Color Computer magazine right to your friend's doorsteps. THE RAINBOW is *the* information source for the Tandy Color Computer.

Each month, your friends will enjoy the intelligent programs, reviews and articles written exclusively for their CoCo.

First, your gift will be announced in a handsome card. Then, all year 'round, they'll remember you and your thoughtfulness when they get each edition of THE RAINBOW — pages loaded with delightful programs, regular columns and plenty of helpful hints and tips.

Generosity benefits the giver, too. There'll be no more tracking down borrowed copies of THE RAINBOW. Your collection will be safe at home.

Give a RAINBOW gift certificate and let your friends in on the fun. THE RAINBOW is the perfect companion for the Color Computer!

Get your order to us by August 25 and we'll begin your friends' subscriptions with the October issue of RAINBOW.

Please begin a one-year (12 issues) gift subscription to THE RAINBOW for:

Name _____

Address _____

City _____ State _____ ZIP _____

From:

Name _____

Address _____

City _____ State _____ ZIP _____

☐ My payment is enclosed.

Bill to: ☐ VISA ☐ MasterCard ☐ American Express

Acct. # _____ Exp. date _____

Signature _____

Mail to:
Rainbow Gift Certificate, The Falsoft Building, P.O. Box 385, Prospect, KY 40059

For credit card orders call (800) 847-0309, 8 a.m. to 5 p.m. EST.
All other inquiries call (502) 228-4492.

Subscriptions to THE RAINBOW are $31 in the United States; U.S. $38 in Canada. The surface rate to other countries is U.S. $68; the air rate, U.S. $103. Kentucky residents add 5% sales tax. **U.S. currency *only*, please.** All subscriptions begin with the current issue. Please allow 6 to 8 weeks for delivery. In order to hold down non-editorial costs, we do not bill.

Software CoCo 3

King's Quest III— An Animated Adventure Extravaganza

First, the bad news: *King's Quest III* requires 512K. Now that that's out of the way, let's get to the good stuff! *King's Quest III* from Sierra On-Line is a graphics Adventure game that is certain to knock your socks off! As Gwydion, you are a young slave boy seeking to free yourself from the evil wizard Manannan and discover your true destiny. Along the way you must battle giant spiders, find magical items, weave spells and defend yourself from a host of dangerous people and critters.

Now this might not sound like anything new. After all, Adventures have been around for years. What makes this one so special? Let's take a look.

The graphics in *King's Quest III* are as breathtaking as they are extensive. Each screen conveys not only the contents of interest in solving the game, but an entire mood appropriate to the setting. From the lavishly ornate wizard's bedroom to the shabby robber's hideout, from the dank cave of the oracle to the sparkling streams and waterfalls of the countryside, the meticulous attention to color and detail succeeds in drawing you right into the story. You can almost feel the cool grass of the forest and the parched sands of the desert.

The already excellent graphics are further enhanced by animation. The water in the waterfall actually falls! Birds and chipmunks move in the trees, the dog wags its tail, and the shopkeeper dusts his shelves. Gwydion, of course, also moves throughout the story, directed either by arrow keys or joystick. Some scenes even require a strong dose of video game skills in order to maneuver past deadly obstacles.

In many games extensive graphics have also meant a skimpy game scenario. The big advantage of text-only Adventures used to be their greater complexity and scope. In *King's Quest III*, though, there are four major settings: the wizard's house, the countryside of Llewdor, the pirate ship and the kingdom of Daventry. Each is fraught with puzzles and perils easily the equal of other entire games I have played.

Humor is another ingredient no decent Adventure should be without. But while some games play everything for laughs and get old quickly, *King's Quest III* is delightfully effective in using humor often enough to keep the game funny without smothering you in dumb gags. There is also a nice blend of visual and descriptive humor. Being thrown out of the Three Bears' house by

Papa Bear left me quite unable to continue for several minutes until my mirth subsided!

The real attraction of Adventure games, though, is the challenge of solving puzzles. Gwydion is faced with a seemingly endless stream of them. Some are simple, some require careful thought, and others I'm still wrestling with after several weeks of play! Fortunately for folks like me, the simple ones are sprinkled throughout the game, thus providing occasional ego boosters.



In order to provide all of this fun, *King's Quest III* comes on not one disk, nor even two, but on *five* double-sided disks. Disk 1, Side 1 contains a stripped-down version of OS-9 to access the game. Once you load and run the game you are asked to push the joystick button if you are using a joystick and then to turn over the disk. Side 2 presents the credits, followed by a complete introduction to the game. This can be skipped simply by pressing the space bar, and from that point on the game is played entirely from the remaining four disks.

While the game is in progress you have access to a number of pull-down menus. The "Sierra" menu tells you "about" the program (authorship, copyright notice). Also on this menu is a help function, which tells you how to use the controls, but gives no game hints. The File menu provides functions for saving and restoring a game, restarting and quitting. Under "Action" you can check your inventory or look at an object you're carrying. The "Special" menu enables you to alternate between joystick and keyboard control, toggle the sound or game clock on or off, or pause the game. Finally, the "Speed" menu is used to control how quickly Gwydion moves on the screen.

The documentation accompanying *King's Quest III* is clear, complete and concise. A reference card provides thorough instructions for making backups of the disks (they are not copy-protected), formatting a save disk and installing the game on a hard drive. It also covers saving and restoring a game, troubleshooting hints and a summary of game commands.

In addition to the reference card, a game booklet contains the story of Manannan, the evil wizard, and how you came to be his slave. Following this tale are some tips for beginning Adventurers, and, finally, sev-

Scanning the Sierra Scene

Now in its tenth year, with nearly 200 employees, Sierra On-Line, Inc., is one of those entrepreneurial success stories. Ken Williams was a mainframe computer programmer. Wife Roberta had ideas for stories. Working out of their kitchen, they combined their talents and produced *Mystery House*, the first of many computer games their fledgling company would produce.

With Ken as president and Roberta as executive officer and primary designer, the company grew. In 1984, the first installment of *King's Quest* was released. There are now four games in that series (*King's Quest IV: The Perils of Rosella* has not as yet been translated for the CoCo), which have collectively sold over one million copies. Sierra went public in October of last year, and in March reported revenues for the past fiscal year of over $20.9 million.

Although Sierra's product line does include a word processor and a home money management program, the bulk of its products continue to be games. According to Kirk Green, Sierra's public relations director, it can take up to two years from original idea to shipping a finished product, although nine months to a year is more typical. A development team of four to 10 people will include designers, musicians, programmers and artists.

"It's a lot like making a movie," says Green. "A lot of people work on separate pieces, and you really don't have anything until it's all done." This analogy is consistent with the company's basic direction, which he describes as "edging toward interactive films using a computer."

The team will generally develop a program initially under MS-DOS, and then port it to other machines. One new product due out in one to two months, though, is a telecommunications package running under Tandy's *DeskMate* interface. It's name? *Sierra's On-Line.*

It's Not Easy Being a Wizard's Slave

"Go clean my office!"

Not so much as an "if you please." Such is my introduction to Manannan, the resident wizard in *King's Quest III*. Now, I've been around a lot of wizards in my day. Some are great wanderers who appear in times of darkest peril to help noble dwarves and elves overcome terrible evils. Others live like hermits, practicing their arts and perhaps taking on a single apprentice to carry on their work. I've met wizards outcast and bitter, wealthy and respected, rich and poor, invincible and helpless. But never before have I met one as intentionally rude as this bozo.

Clean his office. All right, I suppose I'd better. All I have to do is find it, and then figure out how to clean it. First step must be to go in the front door. *Hmmm.* A hallway. Stairs go up, doors straight ahead and to the right. I'll try going right.

Oops. I'm in the dining room. The further door must then be the kitchen. Not the office, but I'll take a quick peek. Yep. Oh, hey, food! I'll just grab a quick bite before . . .uh oh, there he is again, appearing in a puff of smoke. Doesn't this guy ever walk?

"When I give an order, I expect it to be obeyed! *You'd better spend some time in your room."*

Poof!

Locked in my room? What a sorehead. Well, it could be worse. At least I'm still alive. And now I have time to explore my room. Yuk. Dirty cot, lumpy pillow, broken chest of drawers. What a life. I must be a real twit to live like. . .huh? The door just opened. I guess my sentence is up. I'll look around here later.

I walk out of my dingy room into an upstairs hallway. That doesn't look like an office through that door, but it might be worth a look. I go in and find the wizard's bedroom. What a palace! This guy lives like a king, while I sleep in squalor just down the. . .

"You don't belong in here without permission! Now I have to teach you a lesson!"

Poof!

Wha. . .?! The lousy jerk turned me into a *snail*! Oh, this is disgusting! It takes sooo long to get anywhere, and I'm all slimy. Ugh! I hope this doesn't last too long. I seem to remember a cat hanging around that looked hungry enough to eat almost anything. . . .

Whew, I'm myself again. He must not be such a powerful wizard after all. Definite attitude problem, though. Before I

leave his bedroom. I'll take a quick look in that dresser. Looks like a drawer I might be able to get into. Paydirt — A bottle of "Rose Petal Essence"! It's a cinch that stinker doesn't use this for cologne. It might be magic. I'll just stick it in my pocket and get out of here.

Down the stairs I go. Back to the front hall. This time I'll take the door straight ahead. Must be the office. It is. Maybe I could use the essence to clean the office for me? No dice. Magic must not work for me. I guess the feather duster lying on that cabinet has my name on it.

"You'll make no magic around me, *Gwydion!"*

Zap!

He reduced me to ashes. My life is over already. Rude. Very rude. ❑

eral pages of magic spells. These last pages are actually excerpts from *The Sorcery of Old*, Manannan's book of magic, and are crucial for solving the game.

In addition to quality documentation, Sierra provides the down-and-out gamer with a 24-hour game hint hotline. This phone number puts you in contact with a sophisticated series of recorded menus, which can be traversed with a touch-tone phone in order to get some very useful clues about specific puzzles in the game. The hint line will give you a maximum of two hints per call, preventing anyone from clogging the line for hours on end.

If you have only a rotary dial phone, you must call the hotline during regular (Pacific time) business hours and wait for someone to help you. I found the line to be very busy during those hours, but at night I was able to get through quite easily. I won't tell you how many times I called for hints, but I will admit this: I listened to some hints about things I haven't even seen yet in three weeks of play. I used to think I was a decent Adventurer, but I'm still struggling with this one!

There are only a few minor negative comments I can make about *King's Quest III*. When using the joystick to access the pull-down menus, I find it very difficult to position the cursor on the desired option. Also, there are some situations in which I find myself rephrasing the same command several different ways before achieving the desired result.

The single most annoying thing about *King's Quest III*, though, as you may have guessed, is having to swap disks in and out, and turn them over, in the middle of play. If you are fortunate enough to have a hard disk (I'm not), you can eliminate this problem, but otherwise you are stuck with it. This is not a fair gripe, of course, since without all that data this would be just another game. However, it can be horribly aggravating. If you bump the joystick while waiting for a new screen to load from disk, for example, you can actually end up swapping disks three times to move one screen.



Minor gripes notwithstanding, *King's Quest III* is a stellar program. In one amazing factor, it outshines every other computer game I have ever played. That factor is realism. It seems silly to talk of realism in context with wizards, medusas and the Three Bears, but the game has realistic depth in several dimensions. The wizard is an evil meany, but he sleeps, eats and uses a chamber pot (which poor Gwydion is forced to empty!). There is noticeably more physical effort in negotiating the steep mountain paths than in wandering through the forest. When walking past the large mirror in the wizard's bedroom, Gwydion's reflection is perfectly rendered.

These and many other details help to draw the player into the story in a way usually reserved for books and movies. My hat is off to Roberta Williams and the folks at Sierra On-Line. This is one grand Adventure!

(Sierra On-Line, Inc., dist. by Tandy Corporation, 1700 One Tandy Center, Fort Worth, TX 76102; $34.95: Available in Radio Shack stores nationwide or through Tandy Express Order, No. 26-3285 at 800-321-3133)

—Jim K. Issel

Hardware CoCo 1, 2 & 3

CoCo Stereo Headphone— For Private Listening Pleasure

The CoCo Stereo Headphone Amplifier is designed to take sound from the CoCo's cassette port and amplify it so that it can be heard through "Walkman"-type headphones. It works with both machine language and BASIC programs, and with all models of the CoCo.

The package comes with a Radio Shack AC adapter (Cat. No. 273-1431 A) that supplies the 9-volt power supply required by the amplifier, but headphones are not included. The amplifier unit is packaged in a dark gray plastic-and-metal case, professionally made and labeled. It has an input plug for the AC adapter, an audio input cable (consisting of a 1½-foot cable with a standard cassette port plug attached to the end), two toggle switches on the face (which allow for control of the stereo effect and volume control), and also two stereo headphone jacks that accept 1/8th-inch stereo plugs.

The first toggle switch, labeled "Low Pass Filter," toggles either on or off. When on, the switch causes the amplifier for the left headphone speaker to kill any sounds above a certain level; this creates a stereo effect of sorts. If this switch is toggled off, all sounds are directed to both sides of the headphones.

The second toggle switch on the amplifier, for control of volume level, can be toggled either high or low. This lets you adjust for sound levels that may vary from program to program. In most cases I found that the low setting on the volume switch supplied more than adequate sound to the headphones. However, I would rather that the toggle had been a knob: At times the sound was too loud, and I was unable to lower the volume to a comfortable level.

The documentation, which comes on one sheet of paper, offers hookup instructions and a short type-in stereo demo routine. Installation is easy: Just plug the amplifier into the CoCo's cassette port, plug the power supply into the amplifier, plug the power supply into an AC socket, then plug in the headphones. It should be noted that two pairs of headphones can be used at the same time.

For cassette users the documentation includes a method of altering the plug for cassette-based systems. Users solder the unit directly into the cassette's cable so that unplugging becomes unnecessary.

I tested the amplifier unit with my Sony stereo headphones and several arcade-type games. I also listened to many of my wife's musical arrangements (written with *Musica*). I found that the music sounds better through the monitor's speaker than it does through the headphones. But I also found that music listened to through the headphones sounds much better with the Low Pass Filter toggle switch in the OFF position (stereo effect off).

With most arcade games the amplifier produces a sound that, though similar to that produced by the monitor's speaker, is

rather unique. The "surround sound" effect you get while playing your favorite arcade game — along with the increased volume — may actually increase your score. You become more aware of the sound, and your response time to the visual effects prompted by sound is lowered.

Overall, I was a little disappointed with the quality of sound. There seems to be a loss in clarity, and some background hum can be heard through the headphones. As far as using the amplifier with music, I feel too much fidelity is lost.

However, if your computer area happens to be in the family room or somewhere else where noise from arcade games bothers family members, you may find a perfect solution in the CoCo Stereo Headphone Amplifier. You can have nice, loud, surround-sound arcade action without disturbing someone who is reading or watching TV.

(Mike Forrest, 2501 Summer Tree Lane, #1096, Arlington, TX 76006, 817-860-3885; $39.95)

—Dan Hagarty

Software CoCo 1, 2 & 3

Lock Master— Padlocks Your Disks

Lock Master, from Right Brothers Software, is a machine-language program that works as its name might suggest. It locks a disk (with or without a password) so that the directory can no longer be read by the DIR routine; therefore, no program can be loaded from the disk. It also makes the routines think the disk is full, preventing the disk from being written to by SAVE or SAVEM.

The program works on any CoCo with at least one disk drive. It comes with a short, three-page manual that is easy to read and understand. You should have it read, the disk backed up, the program copied and your first disk locked in about 10 minutes. *Lock Master* is an auto-executing program, so all you have to do is load the program. If you choose to employ a password, you can use any characters (printable or not) except the numbers 0 through 3, because *Lock Master* interprets these as drive change requests. If you try to change to a drive that does not exist, the program returns an error and does a warm start.

The program does its magic by filling the unallocated granules in the file allocation table (FAT) with Hex 4Fs, so that the granules appear to be allocated. Next it takes the directory entries, encrypts them and copies them to the second 16 bytes (which are not used) of the 32 bytes used for each entry, leaving zeroes in the first 16 bytes. When the routines look at the directory entries, they don't see any because only the first byte is examined to see if it contains a letter.

Because of this, when a DIR command is given on a locked disk, nothing gets printed — the disk appears to be empty, and it would be easy to reformat or back up over the disk by accident, destroying its contents. To help prevent this, *Lock Master* lets you copy a special file to the disk before locking; after locking, the DIR command reveals the lone file of LOCKED.BIN on the disk. This feature also makes it easier to unlock the disk because you need only insert it in a drive and enter LOADM "LOCKED". Another idea to help prevent accidental erasures is to put labels on all locked disks.

There are a few problems with the program, but they are relatively minor and don't detract from the overall quality.

The first problem is that after you lock or unlock a disk the program does a warm start. This is only a problem if you want to lock or unlock several disks at a time, and it is more a problem with convenience than with the program itself.

Next, if you already use a program of some kind that backs up the directory track to another track, *Lock Master* will not lock the backup directory. In this case the protection given is minimal against someone with a disk editor and knowledge of where the backed-up directory is located. Since *Lock Master* has no way of knowing the location of the copy, it can't be expected to lock it. I simply mention this because it isn't mentioned in the documentation.

Finally, the documentation states that "it is impossible to break the protection, even with a 'disk zapper.' " First off, nothing is impossible; some things are just highly unlikely, especially where computers are concerned. While most "disk zappers" are not designed to break the protection *Lock Master* gives, with disk editors it is possible — especially when accompanied by a little human ingenuity.

The encryption used by *Lock Master* is a fairly straightforward substitution cipher, and once the cipher is broken the disk editor can be used to replace the directory entries. The breaking of the cipher, however, may prove to be more difficult and time-consuming than the relative value of the information gained from the disk. While technically the statement in the documentation is probably true, it implies a higher degree of security from unauthorized use than it actually has, although the security it does offer is high in relative terms.

In conclusion, *Lock Master* is well-constructed and will probably provide as much protection as the normal CoCo user would need (unless he or she is trying to protect state secrets). Considering the overall quality and ease of use, the price is fairly reasonable. I look forward to seeing more products from Right Brothers in the future.

(Right Brothers Software, 1173 Niagara St., Denver, CO 80220, 303-377-3409; $14.95 plus $2 S/H)

—Chris Hyde

Software CoCo 3

Chess Made Easy— Your First Piece of Chess Pie

This is not another computer chess game at all, but rather the first of what I hope could be a line of chess tutorials from a new software supplier. I believe this tutorial will aid even the youngest of "students" who show an interest in the game of chess. And what a way for a retiree to launch a new interest!

Chess Made Easy provides that necessary "crawling before walking" process that teaches the student all she or he needs to know to start playing chess, but with a big difference: You don't have to pore over dull books and lifeless diagrams for your basics. You see the moves onscreen. *Chess Made Easy* is a visually stimulating study that graphically demonstrates the chess pieces in fundamental board placement and movement. It takes the student through a number of routines, then asks questions based on what it has just shown.


IN THE CHESS OPENING PHASE OF THE GAME
EACH PLAYER SEEKS TO POSITION HIS MEN
IN SUCH WAY THAT THEY HAVE AN
ADVANTAGE FOR THE MIDDLE GAME

Lesson 1 covers board layout and basic board notation.

Lesson 2 gives the value of each piece (relative to other pieces), its board placement and direction(s) of movement. It also

looks at two special moves, castling and *en passant* capture.

The next lesson is somewhat more detailed, covering chess notation (for record keeping), demonstrated with actual onscreen moves.

The desired result, *winning*, is the aim of the game as presented in Lesson 4.

An aside: Chess is very often referred to as a battle, the board as a battleground and the pieces as soldiers in an army. History shows that many famous military commanders and tacticians were avid chess players. The development of the game spans several centuries.

Back to the lesson at hand. Lessons 5, 6 and 7 discuss in some detail, again with graphic examples, various moves in what may be described as the opening, middle and closing phases of the game. In each case, well-known ploys are given. Learn to try out the Sicilian Defense, the Skewer Attack and ways to checkmate or to at least stalemate if you are, perish the thought, losing.

By the time you have studied these lessons, maybe with a reference manual and chessboard at your side, you should be able to play your first game with either a human opponent or an electronic one.

Program operation is simple and straightforward. There is no manual to cling to because the program is *all* menu-driven with onscreen text in large, easy-to-read characters, regardless of monitor type.

I have viewed *Chess Made Easy* with a TV and a Hi-Res monitor capable of composite, RGB and monochrome green modes. It looks good in all modes, even with the artifacts found on the television, though the high resolution tends to crowd the graphics close to the left side of the TV.

A little "quirk" was noted in operation, however, that depends on what viewing mode you are in. When you choose a lesson number, you are prompted for the type of monitor, to press C for composite monitor/TV or R for RGB.

When C is selected and a lesson is finished, the program loops back to the main menu; no problem. However, when R is selected and the lesson completed, the program seems to start a return to the main menu, but then locks up on a blank screen. No real problem here either if you don't mind entering `RUN "CHESS.BAS"` again. Also, you can simply type and enter any desired lessons such as `LOAD"LESSON2"`, then run, without going through the menus.

I found CoCo Chess/Ware's program informative, helpful and quite user-friendly with a very nominal cost.

It definitely has to improve my standing in the chess world, which is that of an unknown with ranking somewhere between never having beaten my sons-in-law and gloating over a couple of easy-level computer chess game wins. *Chess Made Easy*, where were you when I needed you?

(Aftamonow Software, 46 Howe St., Milford, CT 06460, 203-878-3602; $20)

—Jim Franklin

Software

CoCo 1, 2 & 3

Disk Doctor— Blocking Out the Bad Sectors

Disk Doctor is a disk repair utility that runs with *Hyper-I/O* on your CoCo 1, 2 or 3, requiring at least 64K of RAM. It is written in BASIC and machine language and runs with the command `RUN "DOCTOR"` after *Hyper-I/O* has been loaded. *Disk Doctor* is used to locate and block out defective sectors on your hard drive as well as on your floppy disks. We all have experienced defective disks and I/O errors. *Disk Doctor* serves as an effective tool to prevent such errors, and it is easy to use.

The program starts by presenting a colorful title page and then prompting the user to enter the device name of the disk to be checked. If you wanted to check one of *Hyper-I/O*'s Mass Storage Areas, you would enter `/H0/A`, where `A` is one of the MSAs to be checked. To check a floppy, you would just enter `/D0`. The computer begins checking all of the sectors of the specified device, displaying the current track number so you know at a glance what the computer is doing. If it finds a defective sector, the track, sector and granule are shown onscreen.

Because *Disk Doctor* only reads the disk when checking for sector errors, it can be used on any disks — including those with data on them — but it cannot check a disk that has not been formatted. Once the disk test is complete, you are given the option of blocking out any defective sectors found. This is done by making the granules that relate to the defective sectors in the GAT (Granule Allocation Table) appear to be full. This method prevents blocked-out sectors from being written to in the future, and so prevents disk crashes and I/O errors.

As each sector is processed you will see the granule number followed by one of three messages:

1. Blocked Out — this means that the program has successfully blocked out the defective sector as well as its related granule on the disk.

2. Already in Use — this means that the granule containing the defective sector already has data written in it and, as a result, cannot be blocked out.

3. Directory Error — this means that Track 17 has a bad sector and the computer can't block it out. Some salvage procedures are described in *Disk Doctor*'s three-page manual.

If you like, you can even generate a hard copy of the test results for each disk checked. This printout includes the defective track, sector and granule as well as the date checked and the disk name — a handy record that can be kept for reference.

Disk Doctor is a welcome utility, especially for hard drive users with *Hyper-I/O*. It does its job quickly and easily and is very reasonably priced. Besides, anyone who lives in Cocoa Beach must know what he's doing.

(KB Enterprises, 435 Brightwaters Drive, Cocoa Beach, FL 32931, 407-799-3253; $17.95 plus $1.50 S/H)

—Robert Gray

Hardware

HD-1— Feature-Packed Hard Drive

Howard Medical has a package deal for you if you're in the market for a hard drive for your CoCo. With the price of hard drives continually coming down, it's a good time to evaluate the possibility of adding a hard drive to your CoCo setup. The package I received consisted of a Seagate ST-225 20-Meg half-height hard drive housed in a case with power supply and fan.

Also included was the XT-RTC hard drive interface made by Burke & Burke. "RTC" refers to an on-board, quartz crystal, controlled real-time lithium battery backup clock, which is optional. The term "XT" refers to the PC compatibility of the hard drive as well as the interface board. This feature alone, in my opinion, makes the package an attractive deal. If you were ever to purchase an MS-DOS compatible such as a Tandy 1000, you would already own a hard drive and interface card that plugs directly into it.

The XT board plugs into the CoCo interface board, and these two boards are housed

in a case that plugs directly into your Multi-Pak Interface. A flat ribbon cable couples the hard drive to the interface board. At first glance, I thought the interface housing looked a little strange since it was smaller at one end than the other. After close examination, though, I found that Burke & Burke was wise to design it this way, because it allows the case to fit into the Multi-Pak slot without the hard drive interface card having to be modified. If such a modification were made, the case could be parallel at both ends, but the card would not be directly compatible in a PC. Burke & Burke has done its homework in this area, and the result is a hard drive package that's easy to install and use.

The CoCo XT Color Computer hard disk interface provides these important features:

- adaptation of DTC5150 hard disk controller for use in CoCo 1, 2 or 3
- controller support for one or two hard drives of any configuration up to 1024 cylinders and 16 read/write heads (120 megabytes)
- installation directly in any Multi-Pak slot
- a direct microprocessor interface (CoCo XT) that is 30 percent faster than other SASI/SCSI Color Computer hard disk systems I've seen
- compatibility with all versions of CoCo OS-9 Level I or II

It's a joy to be able to run all of my favorite programs by simply changing directories on the hard drive — it eliminates the hassle of swapping floppy disks.

A floppy disk accompanying the CoCo XT package allows you to create hard drive device descriptors. And, if you like, you can even configure the hard drive to become the default drive. A "park" utility protects the read/write heads during transportation of the hard drive.

While many CoCo users are fearful of hard drives because they appear to be "too complicated," I can assure you that this is not the case at all. Howard Medical has developed an easy, step-by-step approach to formatting and configuring the hard drive so you can get it up and running right out of the box in a matter of minutes.

While we're discussing complexity, let me also add that if you'd rather not have to run your hard drive under OS-9, there is also available a software package written by Burke & Burke called *Hyper-I/O*. This nifty program allows you to boot your hard drive using Radio Shack's Disk Operating System under BASIC and configure your hard drive any way you like.

You will need a minimum of 64K RAM to use *Hyper-I/O*. I set mine up in a manner Burke & Burke calls MSAs or Mass Storage Areas, which treats your hard drive like hundreds of floppy disks. An MSA may be as large as 3,000,000 bytes or as small as 2000 bytes. The size depends on how you configure the hard drive in terms of tracks and sectors. The number of MSAs depends on how many device descriptors you set up. The *Hyper-I/O* software provides nine device descriptors, each of which may be used to describe a single MSA up to 26. Since each descriptor can handle as many as 26 MSAs, *Hyper-I/O* can access over 100 hard disk directories using just four of the device descriptors.

Hyper-I/O is menu-driven and contains several utilities that make it very easy to use. I especially like *Hyper-I/O* and the MSA feature it offers because I prefer to run my CoCo under Disk BASIC. I've got all

Summer Sale

Alpha Software Technologies

Summer Sale

New Presto-Partner New

Multi-Vue compatible!

This is what you have been waiting for! Finally RAM-Resident software for your COCO 3! Runs in the background while you do other work! Includes a note-pad that does automatic number calculations, a calendar with alarm, a phone book that can auto-dial your phone, a real-time clock andmuch, much, more! This program will organize your entire life! 512k OS9 Level II Required.....Only ~~$29.95~~ $26.95

OS9 Level II BBS Release 3.0

System comes complete and ready to run. Use the built in menus or create your own. Run your own programs or games on-line! Complete message system included. File transfer system supports Xmodem and Ymodem as well as keyword searching! Even comes with it's own Terminal program!Now includes ANSI graphics menus and editor! See the board while it runs! For a DEMO call (508)675-0912 (3/12/2400 baud). Galactic Conflict game also included! 512k OS9 Level II and RS-232 Pak Required.....Only ~~$29.95~~ $26.95

Level II Tools

Without the right tools, OS9 is difficult...These ARE the right tools! With these great utilities you'll be using OS9 like a pro! Complete wildcard, Tree and Windowing utilities make OS9 easy to use. If you want to use OS9, This is what you need! 25 great utilities for only $24.95! Stop fighting with OS9! 128k OS9 Level II Required.....Only ~~$24.95~~ $22.45

Multi-Vue compatible!

Disk Manager Tree

Multi-Vue compatible!

This versatile utility makes your OS9 life a breeze! No more fighting with complex directory structures. No more searching for files and typing long path names. Everything is displayed using windows. Allows you to change, create, and delete directories quickly. Also allows you to copy, view and delete files easily. Great for the OS9 beginner! 512k OS9 Level II Required.....Only ~~$29.95~~ $26.95

Multi-Vue compatible!

Multi-Menu

Multi-Vue compatible!

Easily create your own pop-down menus with this great utility! No programming experience neccessary! With this utility you can run any OS9 command or program from a menu. Menu creation is super-simple and super easy! Actually see the menu as it develops. A must for any Multi-Vue user! 512k OS9 Level II and Multi-Vue required....~~$19.95~~ $17.95

Multi-Vue compatible!

Warp One

Multi-Vue compatible!

Finally a complete OS9 Level II windowing terminal! Many features include Auto Dial & Macro, X & Ymodem, ANSI graphics, buffer capture, on-line timer, chat-mode, windows and much, much more! Perfect for any BBS user! 512k OS9 Level II and RS-232 Pak Required.....Only ~~$34.95~~ $31.45

The Zapper

This wonderful utility allows you to patch anything! Patch commands on disk and fix CRCs automatically! Patch the OS9boot file! Save lost files! Fix crashed disks! 64k OS9 Level I or II required.....Only ~~$19.95~~ $17.95

Beginner's Special!

To help new OS9 user's get into OS9 we are making this special one month offer. For this month only you canget Level II Tools, Disk Manager Tree, AND Presto-Partner for only $49.95!!! That's a savings of OVER 40%!! Summer sale and Beginner's special prices good through August 31, 1989.

Beginner's Special!

Send check or money order to: Alpha Software Technologies, P.O. Box 16522, Hattiesburg MS. 39402

Or call: (601) 266-2773 (voice) / (508) 675-0912 (modem) Please add $3.00 Shipping and handling, all orders shipped on the same day via first Class U.S. Mail. Most orders arrive within 3 days. COD orders add $2.50 extra.

my favorite games, utilities, educational and telecommunications programs set up under their own directories, so all I have to do is open the appropriate directory with a command like this: `OPEN DRIVE 0,"/H0/G"`. The `G` is where I have my games stored and `H0` is the device descriptor used to tell the computer to look on the hard drive.

Typing `DIR` displays all the files in directory G just as Disk BASIC does, except that a line appears at the top of the directory listing that shows you which drive and directory it's reading. Simply run or load the file as you usually do. Under *Hyper-I/O* you can still access your floppies, so it's the best of both worlds.

Assuming that you want to run your hard drive under OS-9, you will need the following:

two blank floppies
OS-9 System Master disk
CoCo XT manual
CoCo XT disk
OS-9 operating system manual

With the computer and Multi-Pak turned off, insert the hard drive interface into Slot 3 of the Multi-Pak. Howard Medical has already configured the XT disk to use Slot 3, but you can change this if you like. Next, you will make a backup copy of your OS-9 System Master and copy some files onto the backup. A few more steps are included in the step-by-step instructions that results in a new boot disk you will use whenever you run your hard drive under OS-9.

The instructions provided are for OS-9 Level II and a CoCo 3, but you can use similar steps for Level I and a CoCo 1 or 2. If you are currently running OS-9, you will have no trouble setting up your hard drive boot disk. If you are new to OS-9, you must be careful as you follow these steps: I found some instructions in the OS-9 Level II manual that were not totally accurate. I had to ask a friend of mine who is familiar with Level II to help out.

Once you have created your new boot disk, the system operates flawlessly. People at Howard Medical are available to handle your technical questions. I called a couple of times and found them quite happy to help. A comprehensive 54-page instruction manual covering all hardware and software aspects of the Burke & Burke controller is provided and contains a wealth of technical information in addition to the details you need to further customize the system beyond what Howard Medical has provided.

I've been using this system for several months now and have not had any problems with it at all. It's a joy to be able to run all of my favorite programs by simply changing directories on the hard drive — it eliminates the hassle of swapping floppy disks. I own a PC compatible with a hard drive, and the access speed of the Howard Medical's HD-1 CoCo hard drive is every bit as fast, if not faster, than that of my PC. The hardware is of topnotch, no-shortcut quality, using LSIs and state-of-the art surface-mount circuit-board technology with gold-plated card contacts. With this hard drive and Burke & Burke's interface and software, CoCo users can fully utilize the power of a hard disk system with the added benefit of already having a PC-compatible hard drive and interface if they ever decide to step over to a PC.

(Howard Medical Co., 1690 N. Elston, Chicago, IL 60622, 312-278-1440; $499 for 20-Meg, $598 for 40-Meg)

—Robert Gray

Software OS-9 Level I & II

PertASCII— Word Game or Verbal Abuse?

PertASCII is a multiplayer word game offered by Burke & Burke for the Color Computer 1, 2 or 3 using OS-9 Level I or II with at least 64K of memory and one disk drive. You may not recognize the name, but you'll recognize the game. Your CoCo selects a group of random letters from the alphabet and displays them on the screen. The race is on. Try to make as many unique words as you can from the given letters. Scoring is based on the length and number of words found. The first one to 5000 wins.

Maybe *PertASCII* doesn't sound like much, but quite a bit is going on behind the scenes. Foremost is the capability for up to 15 players to play simultaneously. More than two players requires a 512K CoCo 3, but one or two players can play on either a 64K or 128K CoCo. Multiplayer, in this sense, means that each user must have his own computer. *PertASCII* functions as a BBS of sorts, permitting players on different terminals to communicate via their modems, all playing the same game together.

PertASCII includes a 40-page owners manual that details the rules and scoring and gives directions for installing the program on a hard disk system. The instructions were easy to follow and the installation procedure worked flawlessly. I only wish I'd read the instructions before trying to do it myself. I probably could have saved myself several hours of pensive head-scratching.

If you prefer solitary games or just don't have friends, a very special feature of the game is its ability to participate as one of the players. It comes with a 3500-word dictionary that the computer uses as its database. In the manual, Burke & Burke states that most people have a 10,000-word vocabulary. I'm not an avid player of word games, but I thought of myself as having fair English skills and a decent vocabulary. With this in mind, I thought I'd be able to give the CoCo a good run for its money. Not so. This is where the humiliation began. I won only one game. In many I was routed. This is just what I needed after a rough day at work. I was grateful for being alone when I played it. Later I was able to scoff at the failures of unsuspecting others whom I introduced to *PertASCII*.

One caution concerning the computer's ability to participate is that during play the computer must access the dictionary file. Therefore, those lacking a RAM disk, hard disk or no-halt controller may find keyboard response a bit slow because of floppy disk operations the computer must perform as it races through its dictionary file, finding words you never even thought of.

Another notable feature of *PertASCII* is that it provides for the review and challenge of any doubtful words. If you're a trusting soul, let me warn you in advance that *PertASCII* tries to slip in a bogus word here and there. So keep a sharp eye on the CoCo's list of words at the end of each round. Which leads me to a minor criticism: You can't pause during a game. You and the computer are locked in mortal combat. I imagine, though, that a pause feature would interfere with the operation of multiplayer games, and games don't last that long anyway.

Most game designers would have been satisfied at this point, but not the people at Burke & Burke. They include a separate utilities disk that permits hard disk and larger floppy drive systems to incorporate a larger dictionary. Among the utilities included are the following: `AddPert` and `DelPert`, which allow words to be added to or deleted from the dictionary; `AllWords`, which displays all the words in the dictionary; `CHKPert`, which looks up words and lists those not found in the dictionary; and `DiceWords`, which displays all the words in the dictionary that can be formed from a specific list of letters.

The ruthless manner in which *PertASCII* demolishes its opposition can be softened by editing an environment file that is part of the game system. The environment file can be edited with any word processor

difficulty. Even at the lowest level, I had trouble and pushed my troops too hard. It's a good thing that this is only a game, or I'm afraid that the good old United States of America would be populated with lots of red flags!

(SPORTSware, 1251 S. Reynolds Road, Suite 414, Toledo, OH 43615, 419-389-1515; $21)

—David Miller

Software OS-9 Level II

Nine-Times— An On-Disk OS-9 Magazine

OS-9 enthusiasts will be interested to know that there's a new magazine on disk devoted to the OS-9 operating system. It's called *Nine-Times*, and it's published six times a year. The magazine requires the use of a CoCo 3, 128K or 512K RAM, and OS-9 Level II. A joystick or mouse is recommended, but the program will work with the keyboard arrow keys using information provided in the four-page printed instructions. *Nine-Times* can also be installed onto a hard drive if you have one.

Running the magazine is fairly straightforward, assuming you have some operating knowledge of OS-9 Level II. 512K users will find it a lot easier than will 128K users, who must go through several steps to make room for *Nine-Times*.

If you have 512K, all you have to do for starters is merge the `STDFonts` and `STDPtrs` files contained in the `SYS` directory on your OS-9 master disk. You will also have to load the `RunB`, `SYSCall` and `Inkey` modules from the `CMDS` directory of your BASIC09 config disk. Then after loading in any of the window screens other than the standard 32-column screen, you enter at the prompt: `OS9:mag`. After a few seconds the colorful Hi-Res main screen of *Nine-Times* appears.

Nine-Times uses the familiar point-and-shoot technique for selection of its options: Print Files, Departments, Articles and Programs. Each selection results in a pull-down menu with a list of various options available. Selecting Print Files lets you send text files to a printer if you have one hooked up. Departments has several files that tell you all about advertising rates in the magazine, subscription information, ordering back issues and similar information. The Articles selection contains various newsworthy items of interest, as well as tutorial programming examples. This is also the section of the magazine in which you will find editorial comments. Selecting Programs results in a listing of programs available in that issue of the magazine.

Making a selection of a program listed gives you a preview of what the program does and how to execute it, but you have to run the program outside of the *Nine-Times* magazine environment. I think it would be a nice feature to be able to run the programs from within the magazine framework, but, as it is, you can exit the magazine to get back to the OS-9 prompt. Because *Nine-Times* is memory-resident, you can simply type `runb magazine` to get back into the magazine environment. The review issue contained an assortment of 10 ready-to-run OS-9 utility programs. They all worked fine and are currently enjoying a spot on my hard drive.

Nine-Times is just the kind of software the OS-9 community needs. If OS-9 is to become a more popular operating environment, then it must also lend itself to becoming a little more user-friendly. *Nine-Times* is certainly that. The on-disk magazine is a nice idea, and editor Jordan Tsvetkoff is to be commended for such a well-designed program.

(JWT Enterprises, 5755 Lockwood Blvd., Youngstown, OH 44512, 216-758-7694; $34.95 per year for six issues)

—Jerry Semones

Software CoCo 1, 2 & 3

Roots— The Basics of Assembly Language

One of the things that keeps most people from programming in assembly language is the amount of work it takes to do very simple tasks. To print "hello" on the screen in BASIC, one merely types `PRINT "HELLO"`. In assembly language, doing the same thing requires many lines of code. That's why GSW Software has written *Roots*. *Roots* is an assembly language source code file that contains over 100 routines that take care of everything from disk and cassette I/O to reading the joystick ports to clearing the screen. Most of the routines will work on any Color Computer, but some will work only on the CoCo 3.

Roots comes on a disk that contains two files, `ROOTS.ASM` and `FONT.DAT`. The file `ROOTS.ASM` is an ASCII file containing the assembly source code. `FONT.DAT` is a font file containing a font for printing text on high-resolution graphics screens. Theoretically, the programmer who wants to use some of the routines from *Roots* just puts a line in his program that instructs his assembler to include the `ROOTS.ASM` source code. Then whenever he wants to use one of the routines, he sets up the required conditions and calls the routine with a `JSR` routine. For instance, to clear the CoCo 2 text screen to black, the following two lines are required:

```
LDA  #0
JSR CLSA
```

When I program, I use the C compiler and RMA under OS-9. However, before I purchased OS-9, I used *Color Disk EDTASM* for my assembly language programming. So, I pulled it off the shelf and shook off the dust. *EDTASM* would not load or include `ROOTS.ASM`. Every time I tried to load it I would get a bad line number error. I booted OS-9 and did some checking. As I mentioned earlier, `ROOTS.ASM` is a straight ASCII file. *EDTASM* has its lines strictly formatted with line numbers and tab characters. After deciphering *EDTASM*'s file format, I wrote a program to convert `ROOTS.ASM` to an *EDTASM* file. Once this was done, the file loaded and assembled perfectly. I then set out to write some programs.

I have a natural bent toward graphics, so I attempted to write a graphics program. Almost immediately I had problems. It seems to me that many of the CoCo 3 graphics routines were written specifically for a 128K CoCo. Since my CoCo has 512K, this caused problems. The routines would not allow me to set up the graphics screens where I wanted them, and would only clear them if they were within the 64K address space of the program. From my examination of the code, I believe they would work in 128K, but I had to modify them so they would do what I wanted them to do. The other routines I tried worked fine. The manual documents them quite well, so any programmer should be able to change things to suit his own tastes.

I found *Roots* to be a well-designed package. The 35-page manual provides complete descriptions of all the routines and variables used in the source code file, and also instructions for calling them. I recommend that the author include an *EDTASM* version of the file because I'm sure many people still use it. Also, the routines such as `LPEEK`, `LPOKE`, `LPUT`, `LGET`, etc., should be generalized to 512K. Aside from these criticisms, I thought *Roots* was very helpful and a great timesaver. If you plan to program in assembly under Disk BASIC, this is for you.

(GSW Software, 8345 Glenwood, Overland Park, KS 66212, 913-341-3411; $25)

—Robert L. Marsa

or OS-9's `Edit` command. The environment file lets the user set the time within which the players must find their words. The longer the time, the better chance you have to catch up to the computer. It also lets you handicap the computer by causing it to skip some of the words it may find in its dictionary, thus reducing its total count of words found.

By way of final notes, knowing how to type works to your advantage in this game. For most, however, this won't be a problem because the hard part is finding the words, not typing them. Also, the round time can be adjusted to compensate for hunt-and-peckers. Lastly, because of its multiuser design, *PertASCII* does not utilize graphics — so don't expect "Wheel of Fortune" type glitz.

Attention OS-9ers out there. This game is absolute proof that OS-9 can do things that are unrelated to work and business. Take a break. Playing *PertASCII* takes only a few minutes, and you're a better person for it. Start it up in another window so you won't feel guilty.

(Burke & Burke, P.O. Box 58342, Renton, WA 98058, 800-237-2409; $19.95 plus $3 S/H)

—Ernest F. Zore

Software CoCo 3

CC3 Flags— Conquering the World

CC3Flags is a spinoff for one or more players of a popular military strategic board game. It comes on an unprotected disk and requires a CoCo 3, a disk drive and either a color composite or an RGB monitor. Although it plays best with a joystick, you can use the keyboard arrow keys. The game screen shows a somewhat crude but colorful representation of a world map. To the right of this map are various menus that let you zoom in on the continents of interest.

The object of *CC3Flags* is to conquer the world by occupying all of the territories. In order to do this, you must defeat the other players in combat for each territory. At the end of each turn, you receive additional troops based on the number or territories and continents that you control. Your ability to win depends on your use of force and strategic placement of troops.

From the menu you choose the specific continent in which you want to wage war. That continent will be displayed as a "zoomed" picture and show the flags representing the players. After selecting Invade from the menu, you select the country you want to attack by highlighting your flag.



You must have a minimum of two armies in a country in order to attack an adjacent country. You can continue to attack other countries until you run out of armies, but obviously this is not advisable. It's best to periodically reinforce your troops using an available menu option.

To successfully defeat your opponents you will need to practice good military strategy. Reckless attacks will almost always end in your defeat. It is vital that you control the entire continent before you move to others, otherwise your opponents will be able to reinforce their armies and invade your territories. You must also be careful of the placement of your armies once you have secured a continent. You want to mass your armies and then conduct a border crossing. In some instances you will find that just sheer numbers at a border will deter your opponent from attacking you.

As you can see, *CC3Flags* is filled with endless opportunities and strategies. If you like the board game *Risk*, you will enjoy *CC3Flags*. It's a game that can be played at your own leisure and at increasing levels of

Premium Printer Systems
CoCo I, II & III Compatible

MULTI-FONT PRINTER
NX-1000
NEW

7 Color Printer for Your CoCo

The NX-1000 gives you plenty of print options for attractive printing. Four typestyles. Four pitch sizes, in standard and italics for a total of 32 NLQ modes. The NX-1000 Rainbow gives you all these features plus online access to 7 color printing and graphics. Black, blue, red, yellow, green, violet, and orange. Both models have a 1 year warranty and a 30 day online trial.



NX-1000 SPECS: 144 cps Draft, 36 cps NLQ (18 x 23 dot matrix), 4 NLQ Fonts, Italics, Sub & Superscripts, Emphasized, Doublestrike, Proportional, Condensed, International, Downloadable, Quad Tall, Double Tall, Underline, 9+ Pitchs, Forward and Reverse n/216" Line Feeds, Absolute or Relative Vert. & Horz. Tabs, Left, Center or Right Justification, 8 Graphics Modes to 1920 dpl, Macro Instruction, Bidirection, Adjustable Tractor Feed, 200+ Printable Characters, Semi Auto Sheet Feed, Front Panel Soft Touch Control, Epson and IBM Emulate, 4k Data Buffer, Hex Dump. Rainbow: Same plus color.

NX-1000 SYSTEM INCLUDES:
• Star NX-1000 Printer
• Blue Streak Ultima
• Software Support Trio
$199.95 +$10 Shipping & Ins.
COMPLETE

NX-1000 RAINBOW SYSTEM INCLUDES:
• Star NX-1000 Colour Printer
• Blue Streak Ultima
• Software Trio
• Color Super Gemprint
$279.95 +$10 Shipping & Ins.
COMPLETE

The Smallest, Sleekest, Fastest Serial To Parallel Converter You Can Buy!

7 Switchabel Baud Rates
300 • 600 • 1200 • 2400 • 4800 • 9600 • 19200

Use this "smart" cable to connect a Centronics parallel printer to any version CoCo or use it to improve performance of your current printer. The cables are long-life, high quality shielded cables with moulded plugs for extra durability.

Try a Blue Streak Ultima on your system for 30 days RISK FREE. One year warranty.

The Blue Streak Ultima
Powered version add $6.00.
$39.95 +$2 Shipping

FREE with purchase of any NX-1000 System

Software Support Trio

Type Selection/Tutorial
Online instructional program that will select 24 special features of your printer or display methods to incorporate them into your programs.

Super Gemprint
Will transfer Pmode 0, 1, 2, 3, or 4 picture screen to printer 8"x11" hardcopy. Black/white, white/black or grey level shading for color.

Hi-Res Super Gemprint
Disk software that will transfer a Hscreen 1, 2, 3, or 4 picture screen to printer. Grey level shading for color.

FREE with purchase of any NX-1000 Printer
All Three Programs $19.95

Color Super Gemprint
Print your Graphics Screen in Color on your NX-1000 Rainbow!

Use your favorite program to create a pmode or hi-res graphic image, but don't stop there! Run our color graphics software and print a color image using a palette of 81+ colors on your NX-1000 Rainbow from a CoCo 1, 2, or 3. Requires 32k ECB Disk.

$19.95
FREE with purchase of any NX-1000 Rainbow System

Price, availability and specifications subject to change without notice.

Order Your System Today... Call (513) 885-5999

DAYTON ASSOCIATES of W.R. Hall, INC.
9644 Quailwood Trail • Spring Valley, Ohio 45370
(513) 885-5999

Visa & Master accepted within the continental U.S.
Ohio residents add 6% sales tax
COD add $3.00
Shipping charges to Canada, P.R., HI, AK, APO, FPO are double. Triple charge to all other countries.

Received and Certified

The following products have recently been received by THE RAINBOW, examined by our magazine staff and issued the Rainbow Seal of Certification, *your assurance that we have seen the product and have ascertained that it is what it purports to be.*

4-D Chess, a 3-D chess game with a time element. Users can "time out" their pieces for strategic effect. Comes on disk for the CoCo 3. *Microcom Software, 2900 Monroe Ave., Rochester, NY 14618, (800) 654-5244; $24.95 plus $3 S/H.*

CAR, the "Computerized Auto Record," a program that sets up a disk file for keeping track of automobile maintenance and costs. It reminds users when to change the oil, and rotate the tires, etc. Requires a CoCo 1, 2 or 3 with at least 64K ECB. *E.Z. Friendly, 118 Corlies Ave., Poughkeepsie, NY 12601, (914) 485-8150; $9.95 plus $1.50 S/H.*

CEBBS, a "CoCo Electronic Bulletin Board System" that runs on a CoCo 3, requiring an RS-232 pack, a Multi-Pak or Y-cable, at least one disk drive, and an auto-answer modem with a DTR lead. Features compatibility with *Hyper-I/O* and includes a 45-page manual. *KB Enterprises, 435 Brightwaters Drive, Cocoa Beach, FL 32931, (407) 799-3253; $59.95 plus $1.50 S/H. Also distributed by Microcom Software.*

Color Schematic Designer, an interactive schematics/CAD program for the CoCo 3 that features a workspace larger than the screen, pull-down menus, three circuit layers and three fonts. Requires a CoCo 3 and a disk drive. *Microcom Software, 2900 Monroe Ave., Rochester, NY 14618, (800) 654-5244; $39.95 plus $3 S/H.*

Donut Dilemma, an arcade game rewritten to support the CoCo 3. The player must fend off menacing, bouncing donuts and travel up through 10 bakery levels to throw the switch on "Antonio's Donut Factory." On disk for CoCos 1, 2 and 3. *Game Point Software, P.O. Box 6907, Burbank, CA 91510, (818) 566-3571; $19.95.*

Extended ADOS-3, a CoCo 3 enhanced DOS that shares space with *ADOS-3* in a 16K EPROM and adds the following: a 512K RAM disk; a menu utility for file execution; wildcard `COPY` and `KILL` commands; file dating; key repeat; block move/copy of BASIC lines; text screen dumps and more. For 128K/512K CoCo 3s with *ADOS-3. SpectroSystems, 11111 N. Kendall Drive., Miami, FL 33176, (305) 274-3899; $39.95 for disk, $64.95 with* ADOS-3, *$2 S/H.*

Font/Icon Editors, a utility disk of icon and font editors for Cer-Comp's *Window* software. Includes *IconEdit* (for creation and editing of icons — comes with a set of 16 icons) and *FontEdit* (for creating and editing character fonts). Comes on disk for the CoCo 3. Requires *Window Master. Cer-Comp, 5566 Ricochet Ave., Las Vegas, NV 89110, (702) 452-0632; $19.95 plus $3 S/H.*

KJV on Disk #39, the books of James, I Peter, II Peter, and I, II and III John of the King James version of the Bible on disk in ASCII files for the CoCo 1, 2 and 3. *BDS Software, P.O. Box 485, Glenview, IL 60025, (312) 998-1656; $3 S/H.*

Master DIR, a directory database program that lets the user create a master directory file of over 2200 disk directories from as many as 250 disks. Requires a CoCo 3 and a disk drive. *SPORTSware, 1251 S. Reynolds Road, Suite 414, Toledo, OH 43615, (419) 389-1515; $18.*

MC-1 Mini Controller, a floppy disk controller that works on CoCos 1, 2 and 3 with or without a Multi-Pak. Features a 24/28-pin socket, a switch for selecting between DOSs if a DOS pin is installed, and gold-plated edge connectors. *C.R.C. Computers, 11 Boul. des Laurentides, Laval, Quebec, Canada H7G 2S3, (514) 967-0195; $75.*

Omni Utility 2.0, an update of the disk utility featuring support for multiple drives, capability for backing up a section of a disk as opposed to a whole disk at a time, and the ability to compare two files to see if they are exact duplicates. On disk for the CoCo 3. *GSW Software, 8345 Glenwood, Overland Park, KS 66212, (913) 341-3411; $20.*

Revenge of the Mutant Miners, a version of the *Mutant Miners* arcade game written for the CoCo 3 and a disk drive; joystick required. Players travel up 10 levels of mines, using ladders, transporters and springboards, avoiding mutants all the while. *JR & JR Softstuff, P.O. Box 118, Lompoc, CA 93438, (805) 735-3889; $19.95 plus $3 S/H.*

The Seventh Link, an epic Adventure in which the player must guide a party of travellers as they try to save their homeworld of Elira from destruction. Features scrolling-screen graphics, dungeons, sea journeys and battles with monsters. On disk for the CoCo 3. *Oblique Triad, 32 Church St., Georgetown, Ontario, Canada L7G 2A7, (416) 877-8149; $38 U.S., $48 Cdn.*

Slots & Cards, a computerized trip to the gaming tables of Vegas. Players can try their luck at five slot machines, four video card games (including Blackjack and Five-Card Draw) and keno. Features color graphics and comes in a three-disk set for CoCos 1, 2 and 3. *MichTron, 576 S. Telegraph, Pontiac, MI 48053, (313) 334-5700; $39.95.*

Snake Pit, a one- or two-player "wormy"-type game on disk for CoCos 1, 2 and 3. Players try to block off each other's snake without running into walls or snake bodies. *Game Point Software, P.O. Box 6907, Burbank, CA 91510, (818) 566-3571; $19.95.*

Ⓕ **SofScrn**, an ML text enhancement utility (40- and 80-column) that lets users design non-destructive text screens, offering control of the destructive carriage return and cursor. Users can print to or erase from screen without clearing other data. On disk for the CoCo 3. *W. Lee Pearson, P.O. Box 2319, Owensboro, KY 42302, (502) 684-5680; $14.95 plus $2.50 S/H.*

Window Master V.2.21, an upgrade of a windowing environment under Disk BASIC. Features include support for multiple fonts and up to 31 windows. New features include a revamped calendar program, graphics demos, and a configuration program. Requires a 128K or 512K CoCo 3, a disk drive, a Hi-Res Interface, and a joystick or a mouse. *Cer-Comp, Ltd., 5566 Ricochet Ave., Las Vegas, NV 89110, (702) 452-0632; $69.95 plus $3 S/H.*

Ⓕ **First product received from this company**

The *Seal of Certification* is open to all manufacturers of products for the Tandy Color Computer, regardless of whether they advertise in THE RAINBOW.

By awarding a *Seal*, the magazine certifies the program does *exist* — that we have examined it and have a sample copy — but this *does not* constitute any guarantee of satisfaction. As soon as possible, these hardware or software items will be forwarded to THE RAINBOW reviewers for evaluation.

—Lauren Willoughby

A technique for creative ventures

The Art of Graphics Characters

By Joseph Kolar
Rainbow Contributing Editor

There is more than one way to skin a cat, and more than one way to create the graphics characters CHR$(128) through CHR$(143), which we produced in the last tutorial.

Two things inspired this lesson. First, I wondered if the program could be tightened up and made shorter. If so, how? Secondly, creating our set doesn't confine us to the 16 traditional shapes in the set. Practice is required to master GET/PUT, but as you become familiar with it, you will choose this technique for creative ventures.

Look at Listing 1. It is a variant of Listing 2 from the last lesson. If you saved it, load it and do some deleting to put it into shape for this tutorial. If you didn't save it, start typing!

Delete lines 700 through 900, 210, 250, 290, 310, 330, 350, DRAW lines and the mating GET lines, 410, 450, 490, 510, 530 and 550.

Type EDIT2 and press ENTER. Type 40 and press the space bar until the cursor is under the comma after H(2). Then press H (to chop off the line) and type B1(2),D1(2),I(2),J(2) and press ENTER. It is easier when deleting individual lines to key in the line number to be deleted and press ENTER.

You may mask or unmask Line 999, your utility, whenever you want during this session. If the cross-hairs bug you, mask Line 60.

Turn your attention to the GET lines beginning with Line 400. The variables that constructed A1, C1, E1, F1, G1 and H1 are gone. Ignore the variables I and J for now. There is an alternate way to create the six deleted shapes, by using PRESET after the mate to be created.

Add the test line: 700 PUT(64,48)-(72,60),A,PSET. Then run the program. Type EDIT700, press ENTER and X to end. Backspace three spaces to get under the S, and type RESET and press ENTER to change PSET to PRESET. Then run the program. We changed CHR$(128) to CHR$(143). The best method to create a blank is to skip the area and print nothing. Another way to set these two characters will be introduced in the next tutorial.

Change Line 700 to end ,B,PSET. Then run the program. Add Line 710: 710 PUT(192-48)-(200,60),B,PRESET. Then run the program.

Note the two different renditions of B. The reverse image lost something in the translation; the color-filled parts have priority, and PRESET changed them to blanks. The balance of the graphics character was color-filled. That's why we didn't delete B1. We need it to make an accurate representation of CHR$(134).

Change Line 710 to end ,B1,PSET. Then run the program. Add these lines:

```
720 PUT(64,144)-(72,156),C,PSET
730 PUT(192,144)-(200,156),C,PRESET
```

Then run the program.

This pair, CHR$(131) and CHR$(140), come out fairly well. The distortion is there but is small enough to be inconsequential.

Change the variables in lines 720 and 730 to D. Then run the program. Here is a bad replication. Since there are only eight spaces on the horizontal, Line 720 paints four lines and leaves four blank. In the reverse image, it seems as if five are blank and three painted. Mask Line 999 to see it properly. Then run the program. It is too obvious, so substitute in Line 730, D1,PSET for D,PRESET and run the program again.

Change the variable in Line 700 to E and change Line 710 to end, E,PRESET and run the program. CHR$(132) is narrow, as predicted, in the upper-left quadrant, but acceptable.

In succession, change the variables in lines 700 through 710 to F,G,H. Then run the program.

When you have viewed them all and feel them to be adequate, Table 1 shows the variable endings to create the characters.

Delete lines 700 through 730. Here is a challenge. Using the PRESET variables, E, F, G and H, butt the four units against each other to make a cross. It is elongated due to the nature of the graphic set, which was made in a 2:3 ratio, (narrower than long). Also, we have a narrow section due to using PRESET. (There are ways to get an accurate representation, but it is an involved process. You may want to cogitate and try to solve the problem.)

To demonstrate creating new shapes to augment a normal complement of graphics characters, I decided to create two diagonal characters. Key in lines 360, 380, 560 and 580 from Listing 1.

To check Variable I, key in Line 720 and run the program. Next, key in Line 750 and run the program. Note that the mates are slightly different.

To check Variable J, key in Line 730 and run the program. Then key in Line 760 and run the program. The PRESET I and J characters are slightly smaller because of the previously encountered mating distortion.

We will now make a design from these newly-developed diagonals. To better understand it, use real graph-paper to plot what each line adds to the program.

CHR$	(128)	A,PSET	CHR$(143)	reserve blank space
	(137)	B,PSET	(134)	B1, PSET
	(131)	C,PSET	(140)	C1, PSET
	(133)	D,PSET	(138)	D1, PSET
	(139)	E,PSET	(132)	E1, PRESET
	(142)	F,PSET	(129)	F1, PRESET
	(141)	G,PSET	(130)	G1, PRESET
	(135)	H,PSET	(136)	H1, PRESET

Florida-based Joseph Kolar is a veteran writer and programmer who specializes in introducing beginners to the powers of the Color Computer.

I used each quad-ruled square to represent a single graphics character. Each box was slashed and colored to reflect the part of the design placed in that area. Coordinates were marked along the perimeter so the upper left-hand coordinates could be plucked out.

Key in lines 700, 710, 740 and 770 through 830. Then run the program. Just to see what happens add `K(90)` to Line 2. Now enter the following lines:

```
840 GET(96,48)-(160,96),K,G
841 PUT(96,96)-(160,144),K,PSET
```

Then run the program. A `GET` was made out of the mess created in lines 700 through 830. My plan was to put it on upside-down, so I wouldn't have to key in lines 840 through 980. I failed, but now know that I can save a `PUT`, and with an appropriate `GET` and `DIM`, it can be placed elsewhere on the screen.

Remove `,K(90)` from Line 2 and delete lines 840 and 841. Key in lines 840 through 980 and run the program.

Unless you are looking for detail, you are not likely to notice that the design needs color in the middle. Key in Line 990 and run.

We can use curliques at the four 90-degree angle corners. Usually, I would move lines 999 and 1000 to a higher number to make room, without destroying the tutorial format. The lines were bypassed. Key in lines 995 and 2000 through 2100 to add the four elements and run the program.

To get a variation, change the ends of lines 2000 through 2030 to read respectively `B`, `B1`, `B`, `B1`, all four `PRESET`. Then run the program.

You are encouraged to play with this program after you save it and then take a break.

In Listing 1 we tightened up a program — that is, shortened it, not necessarily made it simpler. The idea was to tighten-up the graphics character set. What other interesting shapes can we create?

If you glance at Listing 2, you'll notice a familiar format. Load in the first listing. Delete lines 200 through 995 and Line 2000 and rekey Line 2 from Listing 2.

Line 200 is a diamond made using only the M option. Line 210 is a hexagon and Line 220 is a couple of bars. Use graph-paper to rough out the designs.

Key in lines 200 through 630 and run the program. The three designs are displayed side-by-side. You can see why CoCo's designers didn't include graphics boxes using diagonal lines. Nevertheless, the designs are interesting and provide grist for our graphics mill.

Change lines 610 through 630 from `PSET` to `PRESET` and run. It's not very impressive. We have three designs to use as elements in a design.

In Line 699, we chose a set of starting coordinates (`80,80`), which do not coincide with the `PRINT@` utility.

If you want to be consistent, pick any set of coordinates that begin at the upper left-hand intersection of a selected graphics box.

The beauty of using the (x,y) system is that, at any time, a design consisting of many program lines may be maneuvered to a new location by changing the value of one or both of the variables in a single program line.

Key in Line 700 and run the program. Around the four sides of this shape, we add the other units. List Line 700. The starting coordinates are (x,y). We know each design element occupies an 8-by-12 matrix. In order to place a design above the one that begins at (x,y) the horizontal coordinate remains the same. The vertical coordinate must move 12 spaces up.

The rule is: From the point of origin, a movement down or to the right is positive, (plus, or +). If the movement from the point

COMPUTER ISLAND EDUCATIONAL SOFTWARE

PROGRAMS ON SALE THIS MONTH

$15 each-tape or disk

Beyond Words I, II, or III

Vocabulary Builders I, II, or III

Cocowheel of Fortune / Coco2

Cocowheel of Fortune/Coco3 + RGB

Cloze Exercises - Grades 3 to 7
(Please specify grade desired)

Story Details Gr. 2-3 or 4-5
(Please Specfy)

Computer Island

(718) 948-2748
227 Hampton Green,
Staten Island, N.Y. 10312

Add $1.00 postage, NY res. add tax
VISA, MC - Send for free catalog

KEN-TON ELECTRONICS PRESENTS

"Real" SCSI INTERFACE
— AND —
THE DUAL RS-232 PAK

HARD DRIVE INTERFACE
$89 or $119 (with RTC)
Real-Time Clock Battery-backed
L.R. Tech Compatible
Owl DOS Compatible
RGB DOS Compatible
H-DOS Compatible
OS-9 Compatible
28 Pin Rom Socket

DUAL COMM BOARD
$74 (single) $89 (Dual)
Replaces RS-232 PAK
2-6551 A.C.I.A.'s
2 Independent RS-232 Channels
Jumper Selectable for up to 4
(Four) Channels (with 2nd board)
Ultra low power draw
28-Pin ROM Socket

Build your Hard Drive the RIGHT way with a REAL SCSI Interface. All our products are MIL-Specification Quality P.C. Boards and carry a full 90 day warranty. Both the Dual Comm and the SCSI Interface work directly with a Y-CABLE or the Multi-Pak Interface and are made in the U.S.A.

CALL US FOR PRICES ON CUSTOM SYSTEMS,
HARD DRIVES AND CABLES

Terms:
Check or M.O. accepted (US Funds only)
Please add $4.00 for S & H
Phone Orders are welcomed!
Call 1-716-837-9168 (24 hr. order line)

KEN—TON ELECTRONICS
187 GREEN ACRES RD.
TONAWANDA, NY 14150

of origin is up or to the left, it is negative, (minus or -). If *y*, the vertical coordinate is up 12 units, it follows that *y*=*y*-12. The starting coordinates are (*x*,*y*-12). To determine the ending coordinates, we add to *x*,*y*-12 plus +8,+12=*x*+8,*y*-12+12=*y* or (*x*+8,*y*), the ending coordinates. Key in Line 710 and run the program.

The rules don't change in midstream. Regardless of positive or negative starting coordinates, we must always add the offset to get the ending coordinates.

Key in Line 720. From its contents, can you tell where it will be located in relationship to the central element? Take a considered guess, then run the program.

Remember, every location is based on *x*,*y* as defined in Line 699 — not the last program line written.

Since the box is directly underneath the box beginning at (*x*,*y*), *x* remains unchanged, coordinate *y* must begin 12 units in a down (positive) direction, or *y*=*y*+12, (*x*,*y*+12). The offset, +8,+12 is added to get the ending pair of coordinates, *x*+8; *y*+12+12=*y*+24; or (*x*+8, *y*+24).

Key in Line 730. Where do you expect to see it located? Run the program. We intend to place this element to the left of the centerpiece. Our rule tells us that left from the point of origin is negative.

From the point of origin, (*x*,*y*), we set *x* to *x*-8, to allow for the eight space width. It occupies the same row as the central unit, so *y* remains unchanged (*x*-8,*y*). The offset is added, +8,+12; -8+8=0 so *x*=*x*; *y*=*y*+12, or (*x*,*y*+12), the ending coordinates.

Key in Line 740. The element falls to the right of the central unit, a positive direction. To allow for the width of the central element, *x* must begin at *x*+8. We add +8 to get the end value, *x*+26. Again, the *y* values remain unchanged. They can be extracted from any previous line along the same row, *y* and *y*+12 or (*x*+8,*y*)-(*x*+16,*y*+12). Then run the program.

Change the values of Line 699 to a value less than or equal to *x*=232:*y*=168. Then run the program.

Design time! Rekey Line `699 X=24 Y=168`. We have moved the entire five unit design. Now run the program.

What is the least value you can change *x* to? A clue is in the error message ?FC ERROR in 730.

Something in Line 730 is rejected, so the error must be in a line that provides data to Line 730. The variables *x*,*y*, and *I* are the prime suspects. I checked the line that provides *x*,*y* values first, and am sure *I* is alright. It worked previously, meaning `DIM`, `DRAW` and `GET` lines with *I* are operational. `LIST699` provides the initial value of *x*,*y*.

CoCo demands that *x*=8 or higher. Referring to Line 730, I see that if *x*=7, then 7-8=-1, or off the screen.

Rekey Line 699 as `X=8:Y=168:`, then run the program. Add `FOR X=16 TO 232 STEP 24`. Add Line 750 as `NEXT` and run the program again. There is a nice row at the bottom — our design is three graphics characters wide, or 24 units. The Step 24 allows ten 24 unit sections to be placed in the row in succession. To get an assist from the utility to get the values for the `FOR/NEXT` loop, unmask Line 999. Beginning at eight on the horizontal balances the design units. Manually counting the spaces, 10 designs will fit. I wanted the horizontal starting coordinate of the 10th design on the row. Each design is 24 units wide. Nine full units occupy 216 spaces plus 16 units offset equals 232, the starting horizontal coordinate of the 10th design.

We might as well make a nested `FOR/NEXT` loop and give *y* a workout. Add at the end of Line 699 `:FOR Y=24 to 132 STEP 32` and rekey Line 750 as `NEXTY,X` and `DEL610-630`. Then run the program.

Unless you looked carefully, you may not notice a mistake. The entire panel is well-centered, forced to balance, and the length of the three vertical boxes is 36, not 32.

Change Line 699 so `STEP32` becomes `STEP36`. Then run the program. The design is O.K., but not the vertical centering. One way to solve the problem is a two-step maneuver. First, we add another row of designs.

In Line 699, change `132` to `168`. Run the program and verify that the row is properly placed. We saw the empty top row. To center it vertically, move up to halve the empty row. Since we are going up, (the rule says negative), we divide the length of the box, 12-by-2. It is a negative direction so it is -6. Adjust Line 699 from `24` to `18` in the *y* loop. Then run the program.

By trial and error I determined the values to make a large box. Key in the line `760 COLOR4:LINE(34,4)(233,148),PRESET,BF`. Then run the program. You probably don't expect this when starting with the test display of the three graphics characters. It makes a nice title panel, so save it. ❑

Listing 1: `DIAMOND1`

```
0 'LISTING1
1 CLEAR500
2 DIM A(2),B(2),C(2),D(2),E(2),F
(2),G(2),H(2),B1(2),D1(2),I(2),J
(2)
3 GOTO199
10 PMODE3,1:PCLS:SCREEN1,0
20 A$="R64D3L64D3":B$=A$+A$+A$+A
$
30 C$="S4D191R8U191R8":D$=C$+C$+
C$+C$
40 DRAW"S16C4BM0,0"+B$+B$+B$
50 DRAW"BM0,0"+D$+D$+D$+D$:DRAWD
$
60 DRAW"C2BM128,0D96NL128NR128D9
6C4"
99 GOTO99
199 PMODE3,1:PCLS
200 DRAW"BM0,0R8D12L8U12":PAINT(
2,2),4,4
220 DRAW"BM20,0BR4R4D6L8D6R4U12"
:PAINT(26,2),4,4:PAINT(22,8),4,4
230 DRAW"BM30,0R4D12R4U6L8U6":PA
INT(32,2),4,4:PAINT(36,8),4,4
240 DRAW"BM40,0R8D6L8U6":PAINT(4
2,2),4,4
260 DRAW"BM60,0R4D12L4U12":PAINT
(62,2),4,4
270 DRAW"BM70,0BR4R4D12L4U12":PA
INT(76,2),4,4
280 DRAW"BM80,0BR4R4D6L4U6":PAIN
T(86,2),4,4
300 DRAW"BM100,0BD12BR4R4U6L4D6"
:PAINT(106,8),4,4
320 DRAW"BM120,0BD6R4D6L4U6":PAI
NT(122,8),4,4
340 DRAW"BM140,0R4D6L4U6":PAINT(
142,2),4,4
```

```
360 DRAW"BM160,0R8M-8,12U12":PAI
NT(162,2),4,4
380 DRAW"BM180,0R8D12M-8,-12":PA
INT(186,2),4,4
400 GET(0,0)-(8,12),A,G
420 GET(20,0)-(28,12),B,G
430 GET(30,0)-(38,12),B1,G
440 GET(40,0)-(48,12),C,G
460 GET(60,0)-(68,12),D,G
470 GET(70,0)-(78,12),D1,G
480 GET(80,0)-(88,12),E,G
500 GET(100,0)-(108,12),F,G
520 GET(120,0)-(128,12),G,G
540 GET(140,0)-(148,12),H,G
560 GET(160,0)-(168,12),I,G
580 GET(180,0)-(188,12),J,G
600 PCLS:SCREEN1,0
700 PUT(120,48)-(128,60),I,PRESE
T
710 PUT(128,48)-(136,60),J,PRESE
T
720 PUT(120,60)-(128,72),I,PSET
730 PUT(128,60)-(136,72),J,PSET
740 PUT(112,72)-(120,84),I,PSET
750 PUT(120,72)-(128,84),I,PRESE
T
760 PUT(128,72)-(136,84),J,PRESE
T
770 PUT(136,72)-(144,84),J,PSET
780 PUT(96,84)-(104,96),I,PRESET
790 PUT(104,84)-(112,96),I,PSET
800 PUT(112,84)-(120,96),I,PRESE
T
810 PUT(136,84)-(144,96),J,PRESE
T
820 PUT(144,84)-(152,96),J,PSET
830 PUT(152,84)-(160,96),J,PRESE
T
840 '*******HORIZ. PLANE******
850 PUT(96,96)-(104,108),J,PSET
860 PUT(104,96)-(112,108),J,PRES
ET
870 PUT(112,96)-(120,108),J,PSET
880 PUT(136,96)-(144,108), I,PSE
T
890 PUT(144,96)-(152,108),I,PRES
ET
900 PUT(152,96)-(160,108),I,PSET
910 PUT(112,108)-(120,120),J,PRE
SET
920 PUT(120,108)-(128,120),J,PSE
T
930 PUT(128,108)-(136,120),I,PSE
T
940 PUT(136,108)-(144,120),I,PRE
SET
950 PUT(120,120)-(128,132),J,PRE
SET
960 PUT(128,120)-(136,132),I,PRE
SET
970 PUT(120,132)-(128,144),J,PSE
T
980 PUT(128,132)-(136,144),I,PSE
T
990 PUT(126,90)-(134,102),D,PSET
995 GOTO2000
999 'GOTO20
1000 GOTO1000
2000 PUT(104,60)-(112,72),B1,PSE
T
2010 PUT(144,60)-(152,72),B,PSET
2020 PUT(104,120)-(112,132),B,PS
ET
2030 PUT(144,120)-(152,132),B1,P
SET
2100 GOTO999
```

Listing 2: DIAMOND2

```
0 'LISTING2
1 CLEAR500
2 DIM K(2),L(2),M(2)
3 GOTO199
10 PMODE3,1:PCLS:SCREEN1,0
20 A$="R64D3L64D3":B$=A$+A$+A$+A
$
30 C$="S4D191R8U191R8":D$=C$+C$+
C$+C$
40 DRAW"S16C4BM0,0"+B$+B$+B$
50 DRAW"BM0,0"+D$+D$+D$+D$:DRAWD
$
60 DRAW"C2BM128,0D96NL128NR128D9
6C4"
99 GOTO99
199 PMODE3,1:PCLS
200 DRAW"BM200,0BR4M+4,6M-4,6M-4
,-6M+4,-6":PAINT(204,2),4,4
210 DRAW"BM220,0BD4E4F4D4G4H4U4"
:PAINT(224,2),4,4
220 DRAW"BM240,0R8D4NL8D4NL8D4L8
U12":PAINT(242,6),4,4
400 GET(200,0)-(208,12),K,G
410 GET(220,0)-(228,12),L,G
420 GET(240,0)-(248,12),M,G
600 PCLS:SCREEN1,0
610 PUT(128,96)-(136,108),K,PSET
620 PUT(144,96)-(152,108),L,PSET
630 PUT(160,96)-(168,108),M,PSET
699 X=80:Y=80
700 PUT(X,Y)-(X+8,Y+12),M,PRESET
710 PUT(X,Y-12)-(X+8,Y),K,PSET
720 PUT(X,Y+12)-(X+8,Y+24),K,PSE
T
730 PUT(X-8,Y)-(X,Y+12),L,PSET
740 PUT(X+8,Y)-(X+16,Y+12),L,PSE
T
999 'GOTO20
1000 GOTO1000
```

If you have an idea for the "Wishing Well," submit it to Fred c/o THE RAINBOW. *Remember, keep your ideas specific, and don't forget this is* BASIC. *All programs resulting from your wishes are for your use, but remain the property of the author.*

Attention compact disc users

More Time Applications

By Fred B. Scerbo
Rainbow Contributing Editor

It is always a pleasure to get letters from readers who are using a specific program that I have listed. This month's offering is the result of a reply and a request I received several weeks ago. It will also be a big bonus to the many CD (Compact Disc) owners around the country who are lucky enough to use a CoCo.

The Mail

Mr. Donald Villiard of Starkville, Mississippi, recently wrote: "Your article in the April '89 issue ('How Much Time?', Page 89) aroused my interest. I saw where you added and subtracted time intervals. Although I have limited use for the program as it appears in the article, I do have a problem with adding time."

"I am an office manager for the Mississippi State Department of Health and one of my duties includes the verification of individuals' Time Study forms, which must be verified each month. At present I have approximately 25 such Time Study forms to check and double check monthly. . . . Since your program is the first I've seen that deals with time, I was wondering if you could help me to write a program to add time. . . . Any help would be greatly appreciated."

Fred Scerbo is a special needs instructor for the North Adams Public Schools in North Adams, Massachusetts. He holds a master's in education and has published some of the first software available for the Color Computer through his software firm, Illustrated Memory Banks.

While there have been programs written to deal with adding time, I have never written one. *Time Card* was designed to figure out the difference between time-clock entries.

What Mr Villiard needs, instead, is a program allowing him to add increments of time, which is not what *Time Card* does. Therefore, the program has been completely rewritten to allow the entry of different data, with different results. Best of all, there is another use.

Attention CD Users

One of my biggest vices is buying music recorded on digital compact discs (CDs). Once I heard the quality of digital sound, I realized I could never buy albums or pre-recorded tapes again.

However, I do like to make tapes of my CDs to play on my car stereo. The biggest problem I usually face in making these tapes is fitting the correct amount of music on the correct length tape.

Real Time, as it turns out, also helps add up the time each song runs, so I can make a tape of the right length. Since the time can be viewed as "minutes:seconds," as well as "hours:minutes," this little calculator program can add minutes or hours.

Therefore, all you home taping folks now have a program to make your task a little easier.

How the Program Works

Remember, time is added on a base 60 number system. A minute turns over after 59 seconds. The same goes for minutes and hours.

Real Time lets you add using a base 60 number system so you can accurately add individual time amounts from a list. You may consider the amounts as minutes with seconds, or as hours with minutes. The readout is the same.

The program is also designed to add no more than 99 hours or 99 minutes. This should be suitable for both purposes, since no one should be working a 99 hour week, and few people use longer than a C-90 (90 minute) length cassette tape.

Running the Program

On running the program, you see our standard title card. Pressing ENTER starts the program. You are then asked to enter the first time amount. Twelve hours and fifteen minutes, for example, is entered as:

1 - 2 - 1 - 5

A four-digit number does not require pressing ENTER, while a shorter number like 2:15 or :15 does. After entering the next number to add, the total appears on the screen. You may continue adding by pressing the space bar. At this point, you need only add the next number to go on. Running totals are carried forward. If you wish to restart the program, simply press CLEAR and the totals are reset. Be sure to type slowly. You really cannot correct mistakes if you type too quickly. That's all there is to it. It is different from *Time Card*. I hope all of you can find some use for it besides Mr. Villiard. Until then, keep those ideas coming in. ❑



The listing: REALTIME

```
1 REM**************************
2 REM*   REALTIME CALCULATOR   *
3 REM*   COPYRIGHT (C) 1989    *
4 REM*    BY FRED B. SCERBO    *
5 REM*    6Ø HARDING AVENUE    *
6 REM*  NORTH ADAMS, MA Ø1247  *
7 REM**************************
8 CLEAR1ØØØ
9 CLSØ
1Ø PRINTSTRING$(32,188)STRING$(3
2,2Ø4);
15 FORI=1TO 16Ø :READ A:PRINTCHR
$(A+128);:NEXT
2Ø PRINTSTRING$(32,195)STRING$(3
2,179);
```

```
25 PRINT@358," REALTIME CALCULAT
OR ";
30 PRINT@390,"  BY FRED B. SCERB
O  ";
35 PRINT@422," COPYRIGHT (C) 198
9  ";
40 DATA94,92,94,92,90,93,88,93,9
2,93,92,93,88,93,92,92,90,21,28,
28,26,30,28,29,20,30,,,21,28,28,
29
45 DATA88,80,90,,88,85,,85,,85,,
85,,85,,80,82,21,,,,26,,21,,26,,
,21,,,
50 DATA,,90,,,85,,85,,85,,85,,85
,92,92,90,21,,,,30,28,29,,26,,,2
1,,,
55 DATA,,90,,,85,,85,,85,,85,,85
,,,80,21,,,,26,,21,,26,,,21,,,
60 DATA,81,91,,,87,82,87,82,,,87
,82,87,83,83,90,21,19,19,26,27,1
6,23,17,27,19,23,21,19,19,23
65 MM=1
70 IFINKEY$<>CHR$(13)THEN70
75 A$(4)="00:00"
80 A$(1)="00:00":A$(2)="00:00":A
$(3)="00:00"
85 CLS:GOSUB90:GOTO165
90 PRINT@0,"";:PRINT:PRINT
95 PRINTTAB(5)"TIME ADDING CALCU
LATOR"
100 PRINT
105 IF MM=2THENPRINTTAB(5)"LAST
ENTRY       "A$(1):GOTO115
110 PRINTTAB(5)"FIRST ENTRY:
 "A$(1)
115 PRINT
120 IFMM=2THENPRINTTAB(5)"NEXT E
NTRY:       "A$(2):GOTO130
125 PRINTTAB(5)"SECOND ENTRY:
 "A$(2)
130 PRINT
135 PRINTTAB(5)"TIME ELAPSED:
 "A$(3)
140 PRINT
145 PRINT
150 PRINTTAB(5)"PRESS SPACEBAR F
OR MORE"
155 PRINTTAB(5)"PRESS CLEAR FOR
RESTART"
160 RETURN
165 REM START CALCULATIONS
170 FORQ= MM TO2
175 FORI=1TO4
180 X$=INKEY$:IFX$=""THEN180
185 IFX$=CHR$(13)THEN240
190 IFX$=" "THEN80
195 IFX$=CHR$(12)THENZ$="":MM=1:
GOTO75
200 X=ASC(X$)-48:IFX<0THEN180
205 IFX>9THEN180
210 Z$=Z$+X$
215 IFI=1THENA$(Q)="00:0"+Z$
220 IFI=2THENA$(Q)="00:"+Z$
225 IFI=3THENA$(Q)="0"+LEFT$(Z$,
1)+":"+RIGHT$(Z$,2)
230 IFI=4THENA$(Q)=LEFT$(Z$,2)+"
:"+RIGHT$(Z$,2)
235 GOSUB90:NEXTI
240 Z$=""
245 CH=VAL(MID$(A$(Q),4,1)):IF C
H=>6THEN Z$="":A$(Q)="00:00":GOS
UB90:GOTO175
250 NEXTQ
255 A(2,2)=VAL(LEFT$(A$(2),2)):A
(2,1)=VAL(RIGHT$(A$(2),2))
260 A(1,2)=VAL(LEFT$(A$(1),2)):A
(1,1)=VAL(RIGHT$(A$(1),2))
265 A(3,1)=A(1,1)+A(2,1):IF A(3,
1)=>60 THEN A(1,2)=A(1,2)+1:A(3,
1)=A(3,1)-60
270 A(3,2)=A(1,2)+A(2,2)
275 C$=STR$(A(3,2)):IF LEN(C$)=2
 THEN C$="0"+RIGHT$(C$,1) ELSE C
$=RIGHT$(C$,2)
280 D$=STR$(A(3,1)):IF LEN(D$)=2
 THEN D$="0"+RIGHT$(D$,1) ELSE D
$=RIGHT$(D$,2)
285 A$(3)=C$+":"+D$
290 GOSUB90
295 C(1)=VAL(C$):D(1)=VAL(D$)
300 C(2)=VAL(LEFT$(A$(4),2)):D(2
)=VAL(RIGHT$(A$(4),2))
305 D(3)=D(1)+D(2):IF D(3)=>60 T
HEN D(3)=D(3)-60:C(1)=C(1)+1
310 C(3)=C(1)+C(2)
315 C$=STR$(C(3)):IFLEN(C$)=2 TH
EN C$="0"+RIGHT$(C$,1) ELSE C$=R
IGHT$(C$,2)
320 D$=STR$(D(3)):IFLEN(D$)=2 TH
EN D$="0"+RIGHT$(D$,1) ELSE D$=R
IGHT$(D$,2)
325 A$(4)=C$+":"+D$
330 GOSUB90
335 X$=INKEY$:IFX$=""THEN335
340 IFX$=" "THEN355
345 IFX$=CHR$(12)THEN MM=1:GOTO7
5
350 GOTO335
355 A$(1)=A$(3):MM=2:A$(2)="00:0
0":A$(3)="00:00":GOTO85
```




Novices Niche

THE RAINBOW is a teaching environment and we realize that the majority of our readers will always be beginners. In our continuing effort to always keep the new user in mind, and in addition to the many beginner feature articles and programs published in every issue, "Novices Niche" contains shorter BASIC program listings that entertain as well as help the new user gain expertise in all aspects of the Color Computer: graphics, music, games, utilities, education, programming, etc.

Graphics

As The World Turns

By Michael P. Kraft

16K ECB

Although sine and cosine may not seem particularly exciting in themselves (or as part of a math assignment), they can be very useful in graphics programs that draw circles or ellipses. This program draws eight graphics screens in PMODE 0, then uses the time-honored "page-flipping" method to produce animation. The result is a two-dimensional simulation of a three-dimensional rotating sphere.

The program begins by drawing a circle that will become the outer boundary of the sphere. Next, the program calculates and draws vertical cross sections, which, on a real sphere, take the form of circular arcs when viewed head on. After completing one graphics screen, the program begins another, moving the location of the arcs to simulate rotation of the sphere. When all eight screens are drawn, the program enters a loop, which displays each screen in rapid succession.

This method of animation can be used with any symmetrical object. Note that the speed of rotation can be increased or decreased by changing the length of the delay loop in Line 270. Also, before running the program, be sure to type PCLEAR8 to reserve enough memory for the graphics screens.

The Listing: WORLD1

```
0 ' COPYRIGHT 1989  FALSOFT,INC
10 '    AS THE WORLD TURNS
20 ' (C) 1989 MICHAEL P. KRAFT
30 '
40 POKE65495,0
50 R=90
60 FORS=1TO8
70 PMODE0,S:COLOR0,1:PCLS:SCREEN
1,0
80 F=0
90 '**CALCULATE OUTER CIRCLE**
100 A=1.5708:FORP=1.5708TO7.8540
STEP20/R:F=F+1:GOSUB290
110 NEXTP
120 '**CALC. ELIPSES ON LEFT**
130 M=(S-1)*.03927
140 FORA=1.5708-M TO1.5708/10-M
STEP-1.5708/5
150 FORP=1.5708TO4.7124STEP20/R
160 F=F+1
170 GOSUB290
180 NEXTP:F=0:NEXTA
190 '**CALC. ELIPSES ON RIGHT**
200 FORA=0+M TO1.5708STEP1.5708/
5
210 FORP=1.5708TO-1.5708STEP-20/
R
220 F=F+1
230 GOSUB290
240 NEXTP:F=0:NEXTA
250 NEXTS
260 '**"FLIP" GRAPHICS PAGES**
270 FORS=1TO8:PMODE0,S:SCREEN1,0
```

```
:FORD=1TO40:NEXTD,S:GOTO270
280 '**DRAW ELIPSES ON SCREEN**
290 IFF=1THENXX=128:YY=186ELSEXX
=X:YY=Y
300 X=SIN(A)*COS(P)*R+128
310 Y=SIN(P)*R+96
320 LINE(XX,YY)-(X,Y),PSET
330 RETURN
```

3-D Grapher

By John Mosley

CoCo3



You can create some exotic graphics using 3-variable equations and a little trigonometry. To see some 3-D graphics just type in the listing and run the program. To stop the program press BREAK. To use your own equations, edit Line 120 and change it to `Z =` (your own equation using `X` and `Y`). Some interesting ones are `Z = SIN (COS (X/Y))` and `Z = SIN ( X* Y*.0001 )`.

The Listing: GRAPH

```
0 ' COPYRIGHT 1989  FALSOFT,INC
10 POKE65497,0:X=-300:Y=-90
20 HSCREEN4:PALETTE0,0:HCLS0:PAL
ETTE1,63:HCOLOR1
30 GOSUB 150
40 FORX=-300 TO 300 STEP S
50 GOSUB 120
60 HLINE(320+X*Z,96-(90*Z))-(320
+X*Z,96-(90*Z)),PSET
70 FORY=-90 TO 90 STEP T
80 GOSUB 120
90 HLINE-(320+(X*Z),96+(Y*Z)),PS
ET
100 NEXTY,X
110 GOTO 130
120 Z=COS(X*Y*.0001):RETURN
130 ON BRK GOTO 140:GOTO 130
140 END
150 S=6:T=6:RETURN
```

But It's Not Winter Yet!

By Andre Needham

16K ECB

Yes, I know no one wants to think of winter yet, but this snowflake is just a computer generated image. Its formal name is "von Koch Snowflake Curve," and it is generated recursively from a triangle in the following manner: Take each side of the triangle and remove the middle third. Now, add two-thirds of a smaller triangle to each side to reconnect the lines. Do this over and over (recursively) and you get a snowflake.

Using this program couldn't be simpler — just type it in and run it. Each successive generation is displayed on the screen while the next one is being computed. Once it appears that the snowflake has stopped growing, press any key to watch it again, or press BREAK to stop the program.

The Listing: SNOFLAKE

```
0 ' COPYRIGHT 1989  FALSOFT,INC
10 DIMX(1026),Y(1026),A(1026)
20 IX=0
30 X(1)=128:Y(1)=10:X(2)=188:Y(2
)=114:X(3)=68:Y(3)=114:X(4)=128:
Y(4)=10:IT=4:PT=4:A(1)=2:A(2)=3:
A(3)=4:A(4)=0:MT=7
40 PMODE4,1:SCREEN1,1:PCLS0:COLO
R1,0:LP=1:CC=0
50 X=X(LP):Y=Y(LP)
60 IFCC=0 THENDRAW"BM=X;,=Y;":CC
=1
70 LINE-(X,Y),PSET
80 LP=A(LP):IFLP=0 THEN 90 ELSE
50
90 IFIX=IT THEN 200
100 GOSUB110:GOTO40
110 LP=1
120 LQ=A(LP)
130 XK=(X(LQ)-X(LP))/3:YK=(Y(LQ)
-Y(LP))/3
140 X(MT)=X(LP)+XK:X(MT+2)=X(LP)
+XK+XK:Y(MT)=Y(LP)+YK:Y(MT+2)=Y(
LP)+YK+YK
150 X(MT+1)=(X(LP)+X(LQ))/2+(Y(L
Q)-Y(LP))/3.4641
160 Y(MT+1)=(Y(LP)+Y(LQ))/2-(X(L
Q)-X(LP))/3.4641
170 A(LP)=MT:A(MT)=MT+1:A(MT+1)=
MT+2:A(MT+2)=LQ:MT=MT+3
180 LP=LQ:LQ=A(LQ):IFLQ>0 THEN 1
20
190 IX=IX+1:RETURN
200 IFINKEY$=""THEN200ELSE20
```

Want A Personalized Phone Number?

By David Driessen

16K ECB

"Act Now! Call 555-FAST. For more information dial 567-HELP." Ever wish that you had a personalized phone number? If you have ever checked the cost of having your number changed, let alone the problem of finding an unused number that spelled something, you might find it impractical. But not any more. In fact you may already have a theme phone number and not even know it. This program takes your number and spells out all the combinations of letters that would dial your number. In addition to words the letters can stand for a phrase or acronym, like NASA.

The program starts out by prompting you for the number of digits. It then gives you an estimate of the number of possible combinations. In numbers with a 0 or a 1, the actual number is less. If you want all of the combinations of your entire phone number, including the area code, you are looking at a lot of words. I usually run only the last four or five digits. The program then gets your number and starts to work. You can print to screen or printer. Use SHIFT @ to stop the screen.

The heart of the program is in lines 110 to 130. N(X) ranges from 0 to 2 and tracks which of the three possible letters that each digit could represent. X moves across the number and increments the N(X) for each number as needed. D(X) is the digit itself. If your number contains a 0 or a 1, the program won't print duplicate combinations. Line 130 prints out the current combination of letters. Line 150 sets up an array showing which letters are on which button. Maybe your number spells out my favorite combination: COCO!

The Listing: FONEFIND

```
0 ' COPYRIGHT 1989  FALSOFT,INC
10 'FONE FINDER
20 'BY D DRIESSEN 4/89
30 GOSUB150
40 INPUT"HOW MANY DIGITS";D:D=D-
1
50 PRINT"TOTAL NUMBER OF COMBINA
TIONS COULD BE";FIX(3^(D+1))
60 FOR X=D TO 0 STEP-1:PRINT"ENT
ER DIGIT";D-X+1;:INPUT D(X):NEXT
 X
70 INPUT"SHOW COMBINATIONS ON <S
>CREEN OR <P>RINTER";Q$
80 IF Q$="P"THEN P=-2:P1=79-D EL
SE P=0:P1=31-D
90 PRINT#P,"EVER WANTED A 'PERSO
NALIZED' PHONE NUMBER? BELOW ARE
 PRINTED ALL THE COMBINATIONS OF
 LETTERS WHICH YOUR PHONE NUMBER
 CAN SPELL OUT. GOOD LUCK!!":PRI
NT#P,"HIDDEN WORDS IN";:FORQ=D T
O 0 STEP-1:PRINT#P,STR$(D(Q));:N
EXTQ:PRINT#P,"":PRINT#P,""
100 X=0
110 IF X>D THEN PRINT#P,"":END
120 IF N(X)>2 OR (D(X)<2 AND N(X
)>0)THEN N(X)=0:X=X+1:N(X)=N(X)+
1:GOTO110 ELSE X=0:GOSUB130:N(X)
=N(X)+1:GOTO120
130 FOR Y=D TO 0 STEP-1:PRINT#P,
N$(D(Y),N(Y));:NEXTY:PRINT#P,"
";:IF POS(P)>P1 THENPRINT#P,""
140 RETURN
150 FOR X1=0TO9:FORY1=0TO2:READN
$(X1,Y1):NEXT Y1,X1:RETURN
160 DATA0,0,0,1,1,1,A,B,C,D,E,F,
G,H,I,J,K,L,M,N,O,P,R,S,T,U,V,W,
X,Y
```

Now, Where Was I?

By Ernie Thompson

16K ECB

Apart from a rare few, I suspect most RAINBOW readers are only able to pursue their favorite magazine in short sessions. Then it's, "Now where was I? What was the name of that program or ad, and what page was it on?"

Taking impromptu notes on the back of an old envelope will hardly suffice. You lose the envelope. Also, of the fortunate few who can sit down and read the columns at one sitting, cover to cover, at the end he or she must take notes.

This program prints a format used to keep track of programs, articles and any comments needed to help you with future references. Then when RAINBOW is being read, the appropriate prompts can be filled in.

The Listing: RBOWLIST

```
0 ' COPYRIGHT 1989  FALSOFT,INC
5 CLEAR 400
10 PRINT#-2,CHR$(27);CHR$(56)
20 A$(1)="RAINBOW ITEM NOTES YEA
R 19.. MTH....."
30 A$=STRING$(33,241)
40 A$(3)=STRING$(79,42)
50 A$(2)=STRING$(37,241)
60 B$="NAME"
70 B$(1)="ADRS"
80 B$(2)="CITY"
90 B$(3)="TITL"
100 B$(4)="PAGE"
110 B$(5)="CMTS
120 C$=STRING$(6,224)
```

RASCAN

VIDEO DIGITIZER

The Rascan Video Digitizer is a state-of-the-art image processing system designed to take advantage of your Color Computer 3's graphic capabilities.

The Rascan Video Digitizer connects easily to any color or black & white video camera, video recorder or video disc player and captures images with precision accuracy.

Why settle for a 256 x 256 image area when the Color Computer can display so much more? We asked that question ourselves. Our only answer was to provide an *image area of 640 x 200 and 320 x 200!* Say good-bye to those useless lo-resolution images created by other digitizers on the market.

Life is not simply black & white, that's why we added living color to our Digitizer. Now, through the use of advanced programming techniques, 512K Color Computer 3 owners can capture images from their video camera and display them in *4096 Super Hi-Resolution graphics!*

Capture images effortlessly. Simply select the image capture option and turn your Rascan unit on. Within seconds your image will be captured and displayed on your screen. Images can be fine tuned by use of the contrast and brightness knobs found on the Rascan unit.

Rascan also features a *professional pop-up menu system* which will allow for easy palette manipulation and color painting of captured images.

The Rascan Video Digitizer *comes complete with Rascan driver software, an easy to read manual, sample graphic images disk and print driver disk* (supporting most printers). Although no further graphic editors are necessary to produce quality images, Rascan images can be easily loaded into ColorMax and CoCo Max graphic editors.

Whether your interests are in desk-top publishing, report generation or simply for fun, the Rascan Video Digitizer will provide you with images of near photographic quality!

FEATURES	RASCAN YES	RASCAN NO	DS-69b YES	DS-69b NO
Support of 640 x 200 16 Level Grey Images	X			X
Support of 640 x 200 4 Level Grey Images	X			X
Support of 320 x 200 16 Color Images	X			X
Support of 4096 Hi-Res Color Graphics in 512K mode	X			X
Support of Multiple Image Buffers in 512K mode	X			X
Control of Contrast & Brightness via Control Knobs found on Digitizer	X			X
Professional, Easy to Use Pop-Up Menu System	X			X
Designed Exclusively to Take Advantage of the power of the Color Computer III	X			X
Built in Histograph Utility to Aid in Image Quality	X			X
Easy to use Paint and Palette editing, no need for additional Graphic editors	X			X
15 Day Full Money Back Guarantee	X			X
Interface through Joystick Ports	X			X
Requires additional cost of Y-Cable or Multi-Pak interface		X	X	

THE RASCAN VIDEO DIGITIZER

$159.95

NO RISK GUARANTEE

If you are not completely satisfied with the performance of your Rascan Video Digitizer, you may return it, undamaged within fifteen days for the full refund of the purchase price plus shipping costs.

GAME POINT SOFTWARE

P.O. Box 6907, Burbank, CA 91510-6907
(818) 566-3571 • BBS: (818) 772-8890
Toll Free: 800 877-2232 ext. 139

MasterCard VISA DISCOVER AMERICAN EXPRESS

Personal checks, money orders, and American C.O.D. orders accepted. Include $3.00 for S/H. $2.50 extra for C.O.D. orders. (Cal. res. add 6.5% tax.)
ATTENTION PROGRAMMERS: Game Point Software is looking for talented writers. Top royalties guaranteed.

```
130 CLS:INPUT"HOW MANY SHOULD I
PRINT";L
140 FORT=1 TO L
150 PRINT#-2,CHR$(27);CHR$(14):P
RINT#-2,A$(1):PRINT#-2,CHR$(27);
CHR$(15)
160 PRINT#-2,A$(3):PRINT#-2,""
170 FORX=1TO6
180 PRINT#-2,B$;A$;C$;B$(5);A$:P
RINT#-2,""
190 PRINT#-2,B$(1);A$;C$;A$(2):P
RINT#-2,""
200 PRINT#-2,B$(2);A$;C$;A$(2):P
RINT#-2,""
210 PRINT#-2,B$(3);A$;C$;A$(2):P
RINT#-2,""
220 PRINT#-2,B$(4);A$;C$;A$(2):P
RINT#-2,""
230 PRINT#-2,STRING$(80,229):PRI
NT#-2,""
240 NEXTX
260 PRINT#-2,STRING$(9,10)
265 NEXTT
280 CLS:PRINT"<SPACE> FOR RESET"
:EXEC44539:GOTO130
```

Music

Sound-To-Play Conversions

By Bill Bernico

16K ECB

Sometimes when I write a program with sounds, I'd like to use the PLAY command. But since I'm more familiar with the SOUND command, I usually fall back on it, only because I'm not sure which PLAY note is the same as which SOUND value. This program matches them up for you.

Not every SOUND value has an equivalent in PLAY and vice versa. PLAY can go lower than SOUND, but SOUND can go higher than PLAY. That's why the DATA statements start first with the second octave (02) and end with SOUND value 238, when there is actually another whole octave (01) and SOUND values up to 255.

When the program is run, you are asked to input a SOUND value from 1 to 255. If there is not an equivalent PLAY value, the program states so and moves on. If there is, the value appears. You can also list all the equivalents by pressing L, when given the choice.

The Listing: PLAYCONV

```
0 ' COPYRIGHT 1989  FALSOFT,INC
1 'SOUND-TO-PLAY CONVERSIONS
   (C) 1989 FROM
   BILL BERNICO SOFTWARE

2 CLEAR100:DIMP$(63),S$(63):FORC
=1TO63:READP$(C),S$(C)
3 IF P$(C)="*" THEN 5
4 NEXT C
5 CT=0:CLS:GOSUB 30
6 PRINT@489,"lIST OR qUIT";
7 PRINT@97,"ENTER THE SOUND VALU
E (1-255)":INPUT SV$
8 IF SV$="Q"THEN CLS:LIST1:END
9 IF SV$="L" THEN 18
10 IF SV$=""THEN 7
11 PRINT:FOR C=1 TO 63
12 IF S$(C)=SV$ THEN PRINT"SOUND
 ";S$(C);",1 = PLAY";CHR$(34);"L
30";P$(C);CHR$(34):PLAY"L30"+ P$
(C):CT=CT+1
13 NEXT C
14 IF CT=0 THEN PRINT TAB(3)"NO
EQUIVALENT IN ";CHR$(34);"PLAY";
CHR$(34)
15 IF CT=0 THEN FOR X=1 TO 60:EX
EC 43345:NEXT X
16 GOSUB 31
17 GOTO 518 CLS:GOSUB 30
19 PRINT@66,"PRESS ANY KEY FOR N
EXT VALUE":PRINT
20 FOR C=1 TO 63
21 PRINT"SOUND ";S$(C)",1 = PLAY
";CHR$(34);"L30";P$(C);CHR$(34)
22 PLAY"L30"+ P$(C)
23 EXEC 44539
24 IF P$(C)="05B" THEN 16
25 NEXT C
26 DATA02F,5,02F#,19,02G-,19,02G
,32,02G#,45,02A-,45,02A,58,02A#,
69,02B-,69,02B,78
27 DATA03C,89,03C#,99,03D-,99,03
D,108,03D#,117,03E-,117,03E,125,
03F,133,03F#,140,03G-,140,03G,14
7,03G#,153,03A-,153,03A,159,03A#
,165,03B-,165,03B,170
28 DATA04C,176,04C#,180,04D-,180
,04D,185,04D#,189,04E-,189,04E,1
93,04F,197,04F#,200,04G-,200,04G
,204,04G#,207,04A-,207,04A,210,0
4A#,213,04B-,213,04B,216
29 DATA05C,218,05C#,221,05D-,221
,05D,223,05D#,225,05E-,225,05E,2
27,05F,229,05F#,231,05G-,231,05G
,232,05G#,234,05A-,234,05A,236,0
5A#,237,05B-,237,05B,238,*,*
30 PRINT@4,"SOUND-TO-PLAY CONVER
SION":FOR X=1028 TO 1051:POKE X,
PEEK(X)-64:NEXT X:RETURN
31 PRINT@484,"HIT ANY KEY TO CON
TINUE";:FOR X=1508 TO 1530:POKE
X,PEEK(X)-64:NEXT X:EXEC 44539:R
ETURN
```

Dr. Preble's Programs Since 1983

Pyramix

This fascinating CoCo 3 game continues to be one of our best sellers. ***Pyramix*** is 100% machine language written exclusively to take advantage of all the power in your 128K CoCo 3. The Colors are brilliant, the graphics sharp, the action fast. Written by Jordan Tsvetkoff and a product of ColorVenture.

The Freedom Series

Vocal Freedom

I've got to admit, this is one nifty computer program. ***Vocal Freedom*** turns your computer into a digital voice recorder. The **optional Hacker's Pac** lets you incorporate voices or sounds that you record into your own BASIC or ML programs. This is not a synthesizer. Sounds are digitized directly into computer memory so that voices or sound effects sound very natural. One "off-the-shelf" application for Vocal Freedom is an **automatic message minder.** Record a message for your family into memory. Set Vocal Freedom on automatic. When Vocal Freedom "hears" any noise in the room, it plays the pre-recorded message! Disk operations are supported. VF also tests memory to take advantage of from 64K up to a full 512K. Requires low cost amplifier (RS cat. #277-1008) and any microphone.

Mental Freedom

Would your friends be impressed if your computer could **read their minds?** Mental Freedom uses the techniques of Biofeedback to control video game action on the screen.**Telekinesis?** Yes, you control the action with your thoughts and emotions. And, oh yes, **it talks** in a perfectly natural voice without using a speech synthesizer! Requires Radio Shack's low cost Biofeedback monitor, Cat. #63-675.

BASIC Freedom

Do you ever type in BASIC programs, manually? If you do, you know it can be a real chore. Basic Freedom changes all that. It gives you a **full screen editor** just like a word processor, but **for BASIC programs.** Once loaded in, it is always on-line. It hides invisibly until you call it forth with a single keypress! This program is a must for programers or anyone who types in programs. By Chris Babcock and a product of ColorVenture.

Lightning Series

These three utilities give real power to your CoCo 3.

Ramdisk Lightning

This is the best Ramdisk available. It lets you have up to 4 mechanical disk drives and **2 Ram drives on-line** and is fully **compatible with our printer spooler** below.

Printer Lightning

High capacity **print spooler for CoCo 3.** Load it and forget it--except for the versatility it gives you. Never wait for your printer again! Printer runs at high speed while you continue to work at the keyboard! Will operate with any printer you have already hooked to your CoCo.

Backup Lightning

This utility requires 512K. Reads your master disk once and then makes superfast multiple disk backups on all your drives! **No need to format blank disks first!** Supports 35, 40 or 80 track drives.

COCO Braille

Produce standard grade 2 Braille on a Brother daisy wheel printer. Easy to use for sighted or blind user. **No knowledge of Braille is necessary.** Call for free sample. The raised dots produced are easily touch readable by the blind. The print-to-braille algorithm is robust with errors rarely being made--and, it has the ability to learn!

Prices

CoCo 3 only

Ram Disk Lightning, Disk.....$19.95
Printer Lightning Disk.....$19.95
Backup Lightning, Disk.....$19.95
All three, Disk.....$49.95
Pyramix, Disk.....$24.95

CoCo 1,2, or 3

Vocal Freedom, Disk.....$34.95
Vocal Freedom Hackers Pac.....$14.95
COCO Braille.....$69.95

CoCo 2 or 3 only

Mental Freedom Disk.....$24.95
Basic Freedom, Disk.....$24.95

CoCo 1 or 2 only

VDOS, The Undisk, a menu operated ramdisk for the CoCo 1 or 2. LOAD, SAVE, KILL, DIRECTORY, are all supported. Tape.....$24.95
VDUMP, backup Undisk files to single tape file. Tape.....$14.95
VPRINT, Print Undisk directory, Tape.....$9.95

We Ship FAST!

Add $2.50 shipping/handling in USA or CANADA

Add $5.00 to ship to other countries

Dr. Preble's Programs
6540 Outer Loop
Louisville, KY 40228
24 Hour Order Line

Visa, MasterCard, COD, Check

(502) 969-1818

Barden's Buffer

Computer Knowledge in Any Language

By William Barden, Jr.
Rainbow Contributing Editor

I love the scene in *Star Trek IV*, in which Scotty tries to program the ancient (late 1980s) computer to design a new material. He first talks to it by commanding "Computer!...", but is met with no response and is forced to rely on the archaic keyboard!

The day of the natural language computer is coming — maybe by the late 1990s. For the time being, however, we must communicate with computers through "unnatural" languages — BASIC, COBOL, Pascal, C, Forth and assembly language.

How does communication with these languages work? Why are there so many? Which one is best for the CoCo? In this article I'll try to answers these questions. By the end of it, you will have a better idea of what's involved in communicating with your CoCo using these languages.

The Benchmark Programs

The best way to illustrate languages is with concrete programs. For this reason, let's propose a few problems. I'll show you how the problems are solved in different languages and then compare the code. (A few of the Pascal and C examples may use special functions requiring additional programming.)

- Problem One: A grey-suited Tandy salesman wants to calculate interest on a $3000 charge card account used to buy a CoCo 3, Tandy 1000TL, and a Nintendo. The interest is 18.4 percent per year and the salesman wants to make $150 per month payments.
- Problem Two: A CoCo hacker wants to sort a list of numbers on a CoCo 1, 2 or 3. The list can be any size up to 100 entries. The result should show the characters arranged in ascending sequence (1, 5, 100, 312, 988, etc).
- Problem Three: The Tandy bell ringer must ring five bells at the Tandy Center at noon every day. The bell ropes are labeled A, B, C, D and E. To create an interesting song, he decides to play all the arrangements of the five bells. First he rings ABCDE, then ABCED, then ABDEC, then ABDCE, and so forth. How can he write a program to list all of the arrangements?

Good Ol' BASIC

Let's try these problems in BASIC, but first, it's important to know a little about the language.

BASIC was designed by Kemeny and Kurtz at Dartmouth in the early 1970s. Before BASIC there were FORTRAN (one of the first), a FORmula TRANslator; COBOL, a business-oriented language; assembly language for each different computer; and others. BASIC, though, was. . .well. . .basic. The language was easy to use and its commands made sense — PRINT printed results, GOTO caused the program to start at another point. Not only that, but BASIC was very interactive — if you had the short program:

```
100 INPUT A
110 INPUT B
120 C = A + B
130 GOTO 1000
```

This added two user input numbers, A and B, and if you wanted to see the result, you could add the new line:

```
125 PRINT The result is"; C
```

It printed the results immediately, instead of making the program change on a punched card, requiring you to take the cards representing the program to a computer center, having them compile the program, and then executing the compiled program to get the correct result — all of which took about a half-hour at least.

Interpreters Versus Compilers

This ability to rapidly change the program and immediately execute the changed version is characteristic of "interpreted" languages, such as BASIC. Interpreted languages are very friendly and easy to modify, but are not all that fast in execution.

Bill Barden has written 27 books and over 100 magazine articles on various computer topics. His 20 years' experience in the industry covers a wide background: programming, systems analysis and managing projects for computers ranging from mainframes to micros.

Listing 1: ECB Interest Program

```
100 ' CALCULATE INTEREST IN ECB
110 IN=(18.4/12)/100
120 INPUT "LOAN AMOUNT:"; PR
130 PRINT "MO INTR TO PRIN BALAN
CE"
140 PRINT "-- ---- ------- -----
--"
150 FOR I=1 TO 24
160 CI=PR*IN
PR=PR+IN-150
180 PRINT USING "## ##.# ####.##
 ####.##"; I,CI,150-CI,PR
190 NEXT
```

Listing 2: Bubble Sort in ECB

```
100 ' BUBBLE SORT IN ECB
110 DIM A(100)
120 FOR I=0 TO 100
130 INPUT A(I)
140 IF A(I)=0 THEN GOTO 160
150 NEXT I
160 I=I-1
170 LS=I-1
180 SW=0
190 FOR J=0 TO LS
200 IF A(J) <= A(J+1) THEN GOTO
260
210 SW=1
220 B=A(J)
230 C=A(J+1)
240 A(J)=C
250 A(J+1)=B
260 NEXT
270 LS=LS-1
280 IF SW=1 THEN GOTO 170
290 FOR J=0 TO I
300 PRINT A(J);
310 NEXT
```

Listing 3: Permutations in ECB

```
100 ' BELL-RINGING PROBLEM IN EC
B
110 A$="ABCDE"
120 GOSUB 300
130 END
300 ' ROTATE 1,2,3,4,5
310 FOR L=1 TO 5
320 GOSUB 400
330 A$=RIGHT$(A$,4)+LEFT$(A$,1)
340 NEXT L
350 RETURN
400 ' ROTATE 2,3,4,5
410 FOR K=1 TO 4
420 GOSUB 500
430 A$=LEFT$(A$,1)+MID$(A$,3,3)+
MID$(A$,2,1)
440 NEXT K
500 ' ROTATE 3,4,5
510 FOR J=1 TO 3
520 GOSUB 600
530 A$=LEFT$(A$,2)+MID$(A$,4,2)+
MID$(A$,3,1)
540 NEXT J
550 RETURN
600 ' ROTATE 4 AND 5
610 FOR I=1 TO 2
620 PRINT A$
630 A$=LEFT$(A$,3)+MID$(A$,5,1)+
MID$(A$,4,1)
640 NEXT I
650 RETURN
```

"Compiled" languages require more time-consuming editing by an editor, recompilation by a software program, and loading by a loader program to see the results. However, compiled languages are much faster than interpretive languages.

Some compilers, such as Borland's *Turbo Pascal* and *Turbo C* (not available on the CoCo) make it easy to go from one step to another, almost like an interpretive language. However, just about nothing beats the friendliness of interpretive BASIC, as, for example, CoCo Extended Color BASIC.

Color BASIC and Ext. Color BASIC

CoCo Color BASIC and Extended Color BASIC are similar to the original Kemeny and Kurtz BASIC. You don't need OS-9 to run them. They're interpreter languages and friendly (as friendly as a computer language gets).

One bit of advice: If you want to try programming in BASIC and haven't upgraded to Extended Color BASIC, do so. The original CoCo BASIC is not powerful enough to do interesting things, as is Extended Color BASIC.

Disk BASIC simply builds on Extended Color BASIC by adding a few more operating system commands. CoCo 3 Super Extended BASIC is essentially Extended Color BASIC with high-resolution capability. For simplicity, I'll use the term Extended Color BASIC to mean the original Extended Color BASIC, Disk BASIC or Super Extended BASIC in the following discussions.

Running the Benchmarks

Listings 1 through 3 show how the three benchmark problems are coded in CoCo Extended Color BASIC. To try these yourself, carefully type in the programs, line by line. If you make a mistake, retype the line in its entirety. After entering the last line, save it and type RUN after the "OK" prompt to execute the program.

Listing 1 shows the Extended Color BASIC solution to the interest problem. Each BASIC line is numbered. I used increments of ten, but could have used any sequence of line numbers — 1, 5, 9, 11, 100, 1000, 1111, and so forth, as long as they increase. Any higher line number is put in order, so it's easy to insert lines using an intermediate number.

The INPUT statement allows you to input a number. The PRINT statement prints results, text or numbers. Addition, subtraction, multiplication and division are handled by the +, -, *, and / characters, just as you'd write them. The IN, PR, I and CI symbols are variables that hold initial, intermediate and final results. About the only thing not too obvious here is the loop from the FOR statement to the NEXT statement. The *control variable* I goes from one to 24 in steps of one. The loop is executed 24 times to compute the current interest (CI) and new principal (PR). The PRINT USING statement helps in formatting the results — the ##.## characters define the format.

Listing 2 is a little more difficult. It first allows the user to input the list of numbers, which is stored in an array of 101 entries (zero through 100). The program then sorts the array entries, which at this point are in the order received, by a sort method known as the "bubble sort".

In the bubble sort, each pass through the loop results in the next largest value being added to the end of the array. For each pass, adjacent pairs of values are compared and a swap of two characters are made if the first item is greater than the second. This program is about the same complexity as the first and uses about the same BASIC statements, except for a DIM statement to allocate memory space to Array A. After the program sorts the values, the sorted array is listed on the screen.

Listing 3 is more difficult yet. It involves a building block called a "subroutine." A *subroutine* in BASIC is a set of statements, one to many, that can be executed at several places within a BASIC program. The subroutine saves repeating the statements each time they are executed; instead the statements are present at just one point. More complicated BASIC programs use many subroutines, some small and some large.

In Listing 3, there are three subroutines, each called by a GOSUB. In fact, one subroutine calls another — they are actually three nested subroutines. Listing 3 also uses the string statements LEFT$, RIGHT$ and MID$ to manipulate a string Variable A$. The string variable in this case holds the five text characters A,B,C,D and E. These characters are shuffled around to form all of the arrangements of A,B,C,D and E.

First the left-most character is moved to the end, then the second character is moved to the end, then the third character, and then the fourth. The sequence for the first time, ABCDE, becomes ABCED, then ABDEC, then ABDCE, and so forth. The new arrangement is printed each time the last two text characters are swapped.

BASIC09

If Color Extended BASIC is so wonderful, why have BASIC09? And what is BASIC09? To answer those questions, we need to look at a current trend in computing called "structured programming".

In the years from the first commercial computers in 1952 to the late 1960s, programmers spewed out, to paraphrase Carl

Listing 4: BASICØ9 Interest

```
PROCEDURE intrst
REM Calculate interest in BASICØ9
DIM i:INTEGER; principal,monthly,current:REAL
INPUT "Loan amount: ", principal
monthly=18.4/12/100
PRINT " Mo  Intr To Prin Balance"
PRINT " --  ---- ------- -------"
FOR i=1 to 24
  current=principal*monthly
  principal=principal+monthly-150
PRINT USING"i3>,r6.2>,r8.2>,r8.2>",i,current,150-
  current,principal
```

Sagan, "billions and billions" of lines of code, much of it a jumbled mess that only the original programmer could decipher, and often not even the original programmer. Companies began spending 90 percent of their programming budget on program maintenance — correcting errors and adding embellishments to these convoluted programs. Obviously, something had to be done.

The result was new programming languages that were structured into small modules like subroutines. The modules performed a well-defined task and had one entry and exit point (one RETURN, for example). The use of GOTO statements was discouraged or forbidden.

Pascal, C and Modula 2 are examples of structured languages. Examples of unstructured languages are assembly language, COBOL, FORTRAN and BASIC. BASIC, especially, incurred the wrath of the academic community. It was deemed a hopeless mess of "spaghetti code" and dropped from the computer science curriculum at many schools. Structured languages were found to be easier to decipher and understand.

BASIC09 is a structured version of BASIC. But it only runs under OS-9 on the CoCo. Why? There's no reason why BASIC09 couldn't be made to run without OS-9. It's just that when Microware sold Tandy on the idea of the OS-9 operating system, they also included compiled languages, and BASIC09 was one of those. Because BASIC09 is compiled, it isn't quite as interactive as Color Extended BASIC, although it is nicely integrated into a package with editor and execution capability (unlike the nightmarish steps one must perform to edit and execute OS-9 Pascal or C).

Another detriment to BASIC09 is that you must be a bit of an OS-9 expert to use it. OS-9 is not the most user-friendly operating system. Neither is its close relative Xenix and more distant relative UNIX. Yet, UNIX, Xenix and OS-9 remain extremely powerful operating systems and have many supporters.

Aside from the fact that BASIC09 follows structured programming principles, it has one other advantage — it's faster than interpretive Color Extended BASIC — anywhere from two to 10 times as fast. Given a choice of running a debugged, operational program in BASIC09 or Extended Color BASIC, I would pick BASIC09 every time. However, there is usually a lot more time and grief in achieving a debugged BASIC09 program than an Extended Color BASIC version.

There are other advantages, which we'll look at in a moment.

Looking at the Benchmarks

Listings 4 through 6 show the BASIC09 versions of the three Benchmark programs. There are some obvious differences between the Extended Color BASIC and BASIC09 versions. First, you'll notice there are no line numbers. Line numbers are permitted in BASIC09, but often are not used. Remember, line numbers are tied in with GOTOs, and GOTOs are discouraged in structured languages.

Next, you may notice loops indented several spaces. This helps define the structure of the program. The program generally flows from beginning to end with short loops in the middle.

Also, both upper- and lower-case characters can be used, providing your CoCo can support them. Another advantage to BASIC09 is that variable names, such as principal and monthly, can be more than two characters. More than two character names are allowed in Extended Color BASIC, but only the first two characters are meaningful (INTEREST and INTR would be considered the same name).

Listing 5: BASICØ9 Bubble Sort

```
PROCEDURE bubble
REM Bubble Sort in BASICØ9
BASE Ø
DIM values(1ØØ):INTEGER
DIM a,b,i,j,lastl:INTEGER
i=Ø
REPEAT
  INPUT values(i)
  i=i+1
UNTIL values(i-1)=Ø
i=i-1
swap=1
lastl=i-1
WHILE swap<>Ø DO
  swap=Ø
  FOR j=Ø TO lastl
  swap=1
  IF values(j)>values(j+1) THEN
    swap=1
    b=values(j)
    c=values(j+1)
    values(j)=c
    values(j+1)=b
  ENDIF
  NEXT j
  lastl=lastl-1
ENDWHILE
FOR j=Ø TO i
  PRINT values(j);" ";
NEXT j
```

You would expect the BASIC commands to be the same, and this is true to a certain extent. However, look at the different format between the PRINT USING in Listing 1 and Listing 4. The fact is, Extended Color BASIC and BASIC09 are not very compatible. BASIC09 looks for a comma instead of a semicolon in certain commands, and requires a different format, completely, in others. It would be nice to be able to use the interactive power of Extended Color BASIC to rapidly debug programs and then to compile the debugged programs with BASIC09 for highest speed, as you can do on PC systems with GW-BASIC and Quick BASIC or Turbo BASIC. Forget it with standard Ex-

Listing 6: BASICØ9 Permutations

```
PROCEDURE driver
REM Permutations in BASICØ9
DIM letters:STRING[1Ø]
INPUT letters
RUN Permutation(1,letters)

PROCEDURE Permutation
PARAM n:INTEGER; a$:STRING[1Ø]
DIM i:INTEGER
FOR i=1 to len(a$)-n+1
  a$=LEFT$(a$,n-1)+RIGHT$(a$,LEN(a$)-n)+MID$(a$,n,1)
  RUN Permutation(n+1,a$)
NEXT i
IF n=LEN(a$) THEN PRINT a$
ENDIF
END
```

Listing 7: Pascal Interest

```
(* Pascal Interest Program *)
program Interest;
var
  Principal,Monthly,Current: Real;
  I: Integer;

begin
  Write ('Principal: ');
  Read (Principal);
  WriteLn;
  Monthly:=18.4/12/100;
  Write(' Mo  Intr To Prin Balance');
  WriteLn;
  Write(' --  ---- ------- -------');
  WriteLn;
  for I:=1 to 24 do
    begin
      Current:=Principal*Monthly;
      Principal:=Principal+Monthly-150;
      Write (I:3,Current:6:2,150-Current:8:2,Principal:8:2);
      WriteLn;
    end;
end
```

tended Color BASIC and BASIC09 (but see the "Other BASICs" subhead).

Another obvious difference in the BASIC09 code is the DIM statement. In Extended Color BASIC, this "sizes" arrays. In BASIC09, it also determines the variable type. In most structured languages, variables must be declared before they are used. This is called "strongly typing" variables. Although this isn't mandatory in BASIC09 for simple variables, I've done it here for discussion purposes. Variable I is an "integer" variable (-32768 to +32767) and variables principal, monthly and current are "real" variables — mixed numbers such as 34.45, -65.77 and 2901.66. The purpose of such variable typing is to catch variable errors before the program is compiled. Another ground rule in structured languages is that variable names often exist only within the module — "locally." This eliminates problems in a 3000-line BASIC program in which I and J are erroneously used at the beginning of the program and then again at the end, as the programmer searches for variable names. In a program made up of modules with local variables, I and J might be found in several modules, but each module would not be aware of the use of I and J in different modules, and, in fact, would be stored as physically different variables.

In Listing 5, WHILE and REPEAT loop structures are used. These are not found in Extended Color BASIC (WHILE is found in GW-BASIC used on MS-DOS systems.). They are different ways to define a loop structure without using GOTOs. The IF statement is different as well — an entire sequence of actions can be defined, everything between the IF and ENDIF statements.

By the way, for a speed comparison

SPECIAL DEAL ON 500 PROGRAMS IS BACK!

BACK BY POPULAR DEMAND! GET OUR LATEST 50 DISKS OR TAPES FULL OF OVER 500 PROGRAMS. HERE IS WHAT YOU'LL RECEIVE:

★Over 250 Utility/Home Application Programs including a Word Processor, Database, Spreadsheet, Disk Utilities, Business Software, Electronics Series, Educational Programs for Kids, plus much more!

★Over 200 exciting games including King Pede, Kron, Star Trek, Flight Simulator, Wizard, Horse Races, Football, plus much more.

★Over 30 adventures including Rambo, Haunted House, Power Sword, Skid Row, plus 32k graphic adventures.

Individual issues sell for $9.00 each or $450.00 for all 50. We slashed the price to only $150.00!

REG. $450 NOW $150.00

TURN TO PAGES 29 & 63 FOR A COMPLETE LISTING OF ALL OUR PROGRAMS.

VISA MasterCard

★★THIS MONTH ONLY★★
Buy this package of 500 programs and receive a free 6 month subscription.

RAINBOW CERTIFICATION SEAL

BEST

WE'VE CHOSEN THE BEST OF OVER 760 PROGRAMS (OVER 6 YEARS OF ACCUMULATING FINE SOFTWARE), AND PACKAGED THEM FOR YOU. 12 PROGRAMS EACH PACKAGE. COLOR COMPUTER I, II or III. SPECIFY TAPE OR DISK. ONLY $29.95 EACH PACKAGE! 5 NEW ONES!

#1 Home Mgmt I
Budget
Checkbook Balancer
Cost of Living
Tinycalc Spreadsheet
Electronic Datebook
Account Manager
Stock Market
Word Processor
Lottery Analyst
Coco Database
Coco Terminal
Bartender

#2 Education
Flash Card
Spanish Lessons
Typing Tutor
Creativity Test
Arith. Football
Cost of Living
Math Tutors 1, 2
Trigonometry Tutor
Typing Game
Word Tests
Talking Alphabet
Clown Dunk Math

#3 Adventures II
Dungeon Master
Hired, Tired, Fired
Iceworld
Jungle
Keys
Amulet of Power
The Trip
Cookies
Barracks
Genesis Project
Rambo
Zigma Experiment
NEW

#4 Business Helper
Workmate
Word Processor
Spreadsheet
Calendar
Accounts Receivable
Accounts Payable
Income Property
Mail List
Small Business Helper
Stock Charting
Job Log
Asset Manager
DISK ONLY

#5 Games III
Sandy Rover
Gray Lady
Flippy The Seal
Abie Builders
Panzer
Mrs. Pac
Fire Runner
Cosmic Rays
Dig
Battle Tank
Kron
King Pede
NEW

#6 Electronics Tutorial
Electronics 1 + 2
Electronics 3 + 4
Electronics 5 + 6
Electronics 7 + 8
Electronics 9 + 10
Electronics 11 + 12
Electronics 13
Electronics 14
Electronics 15
Electronics 16
Electronics 17
Electronics 18
NEW

#7 Machine Lang. Tut.
Basic Compiler
ML Tutorial Pt. 1
ML Tutorial Pt. 2
ML Tutorial Pt. 3A, 3B
ML Tutorial Pt. 4
ML Tutorial Pt. 5
ML Tutorial Pt. 6
ML Tutorial Pt. 7
ML Tutorial Pt. 8
MLT Dictionary
Coco Technical Look
Coco Technical Look Pts. 1-3

#8 Gamble Issue
Horse Racing
Rack Track
Black Jack
Slot Machine
Lottery Analyst
Coco Keeno
Lucky Money
Betting Pool
Baccarat
Draw Poker
Turtle Races
Hi-Lo Craps
NEW

#9 Coco 3 Only
Paint Coco 3
Convert Coco 3
Demon's Castle
Function Keys
Bowling 3
Coco 3 ◗ Coco 2
Wizard
Coco 3 Drawer
H-Res Chess
FYR-Draca 3
Whammy 3
Coco 3 Screen Print
NEW

$29.95 EACH SET ★ Special This Month ★ Buy 2 Packages and get 1 FREE

T & D SUBSCRIPTION SOFTWARE, 2490 MILES STANDISH DR., HOLLAND, MI 49424 (616) 399-9648

Listing 8: Pascal Bubble Sort

```
(* Pascal Bubble Sort Program *)
program Bubble;
var
  Swap:Boolean;
  Lastl,A,B,C,I,J:Integer;
  Values:array[0.:100] of Integer;

begin
  I:=0;
  repeat
     Write ('? ');
     Read (Values[i]);
     WriteLn;
     I:=I+1;
  until Values[i-1]=0;
  I:=I-1;
  Swap:=True;
  Lastl:=I-1;
  while (swap<>False) do
    begin
      Swap:=False;
      for J:=0 to Lastl do
        begin
          Swap:=True;
          if (Values[J]>Values[J+1]) then
          begin
            B:=Values[J];
            C:=Values[J+1];
            Values[J]:=C;
            Values[J+1]:=B;
          end;
        end;
      LastL:=Lastl-1;
    end;
  for j:=0 to I do
    write (Values[j],' ');
end.
```

between Extended Color BASIC and BASIC09: The sort of 30 values runs in 36 seconds for the ECB version and five seconds for the BASIC09 version.

Listing 6 is interesting. It shows the modularity of a structured language like BASIC09. There are two procedures here, a main driver and a subroutine. The main procedure `driver` calls subroutine `permutation` by a `RUN` statement to do the shifting of letters. However, `permutation` also calls `permutation`. How can this be? What you're seeing here is "recursion," the ability of a program to call itself. When `permutation` is called, two parameters are passed with it, the starting position of the letter and the string involved. `Driver` calls `permutation` to start from the left of the string (for example, the "a" in abcde). `Permutation` calls itself to start from smaller and smaller pieces of the string ("bcde", "cde", "de" and "e"). Recursion generally makes programs smaller and more elegant. It can't be used for every problem, but can be used for problems that perform repetitive functions.

Listing 9: Pascal Permutations

```
Program Driver;
(* Pascal Permutation Program *)
Type
  AString=string[10];

Var
  Letters:AString;

procedure Permut( N:Integer; var S:AString );

Var
  J:Integer;

begin
  for J:=1 to Length(S)-N+1 do
    begin
      S:=Copy(S,1,N-1)+Copy(S,N+1,Length(S)-N)+Copy(S,N,1);
      Permut(N+1,S);
    end;
  if N=Length(S) then
    begin
      write(S);
      writeln;
    end;
end;

begin
  Read( Letters );
  Write( Letters );
  Permut(1, Letters);
end.
```

Pascal

Pascal is a fairly new language, having been around only since the early 1970s. It is one of the first structured languages, and has achieved wide acceptance in university computer science courses. In the real programming world, however, Pascal was hardly used, until Borland International brought out its *Turbo Pascal* for MS-DOS systems. Prior to *Turbo Pascal*, compiling a Pascal program took laborious editing, compiling, testing and then a repeat of the whole process. *Turbo Pascal* made the process a lot easier by making the editor, compiler and loader part of the same package and enabling the user to move between one and the other by a few keystrokes.

Unfortunately, Pascal under OS-9 is more akin to one of those laborious Pascal compilers than *Turbo Pascal* or BASIC09. It's a real chore to edit, compile, load and execute a program. (I just know I'll have OS-9 buffs putting plastique under my car seat after saying this. . . .) However, the more proficient you become with OS-9 and Pascal itself, the less of a chore it is. Since Pascal is now so popular, it is certainly one of the languages you might want to try. However, be forewarned, Niklas Wirth, the father of Pascal, has created a new language, Modula-2, which threatens to replace Pascal in computer science courses. There is a great deal of similarity between the two languages, just as there is between BASIC09 and Pascal. If you can program in structured BASIC09, you're almost there in Pascal. The structures, commands and concepts are very close.

Looking at the Benchmarks

Compare the Pascal *Interest* program, Listing 7, with the BASIC09 version. Like BASIC09 and other structured languages, Pascal relies heavily on indentions to define the loops and other structures. You won't see a `GOTO` in Pascal either — flow is from beginning to end of the program. The `var` section of the program defines variables. A `const` section (not shown) defines constants. Pascal is even more strongly "typed" than BASIC09. You must declare every variable you are going to use in the `var` section. Pascal and Modula-2 are a little retarded in print formatting. The `Write` statements allow you to format lines, but only by defining "fields". The `:8:2` characters, for example, define a field width of eight characters, with a decimal field of two characters.

Listing 10: C Interest Program

```
/* C Interest Program */

  float principal,monthly,current;
  int i;

main()
{
  printf("Principal: ");
  scanf("%f",&principal);
  printf("\n" );
  monthly=18.4/12/100;
  printf(" Mo  Intr To Prin Balance\n");
  printf(" --  ---- ------- -------\n");
  for (i=1; i<24; i++) {
    current=principal*monthly;
    principal=principal+monthly-150;
    printf("%3d%6.2f%8.2f%8.2f\n",i,current,150-
current,principal);
  }
}
```

Listing 11: Bubble Sort in C

```
/* C Bubble Sort Program */

  int swap,lastl,a,b,c,i,j;
  int values[100];

main()
{
  i=0;
  do
    {
      printf("\n? ");
      scanf ("%d",&values[i]);
      i++;
    }
  while (values[i-1]!=0);
  i--;
  swap=1;
  lastl=i-1;
  while (swap==1)
    {
      swap=0;
      for (j=0; j<=lastl; j++ ) {
     swap=1;
     if (values[j]>values[j+1]) {
       b=values[j];
       c=values[j+1];
       values[j]=c;
       values[j+1]=b;
     }
      }
      lastl=lastl-1;
  }
  for (j=0; j<=i; j++ )
    printf("%d ",values[j]," ");
```

Listing 12: Permutations in C

```
/* C Permutation Program */

  typedef char AString[10];

  AString Letters;

  void Permut( int n, AString s);

main()
{
  scanf("%s", &Letters);
  Permut(0, Letters);
}

void Permut( int n, AString s)
{
  int j,k;
  char temp;
  for (j=n; j<=strlen(s)-1; j++){
    temp=s[n];
    for (k=n; k<strlen(s)-1; k++)
      s[k]=s[k+1];
    s[strlen(s)-1]=temp;
    Permut(n+1,s);
  }
    if (n==strlen(s)-1)
    printf("%s\n", s);
}
```

The Pascal *Bubble Sort* program, Listing 8, follows the BASIC09 version closely. About the only differences are the more extensive use of "begin" and "end" to denote loops. The Boolean Variable Swap can have either one of two values, True or False. Boolean variable types are found in many structured languages.

The Pascal *Permutation* program, Listing 9, also follows the BASIC09 version closely. Like the BASIC09 version, it performs the computation by recursive calls. Pascal seems to be more verbose than BASIC09 because of all the begins and ends. This program shows, further, the way parameters are passed between subroutines (procedures). Variables are local in many cases — Variable J, for example, is not recognized outside of procedure permutation. Variables can be passed between procedures by Value or Variable. Value is just a copy, but Variable allows a variable to be changed. The whole idea here is to keep modules as separate units without affecting other modules unless required.

The C Language

The interesting thing about C is that it is very much tied in with UNIX/Xenix/OS-9. As a matter of fact, most of UNIX was written in the C language, illustrating how it can be used for systems programming purposes. It has a lot of "bit twiddling" operations that permit a systems programmer to examine bits and fields within bytes, something that Pascal does not have.

Lest you think that C is just for systems programmers, it has many other capabilities. The structure is very similar to BASIC09 or Pascal with functions (subroutines), indented code, loops, deemphasis on GOTOs, and about the same types of operations.

C has had a large user base for some time. Many programmers using the UNIX operating system on larger computer systems use C. The language became very popular on MS-DOS systems after introduction of Borland's *Turbo C* and Microsoft's *QuickC*. (Like it or not, many CoCo software products follow the trends in the MS-DOS world.)

C in OS-9 shares the same implementation problems as Pascal — it's harder to edit, compile, load and execute than BASIC09, but it may be worth the trouble to invest the time in learning how to use it efficiently.

Looking at the Benchmarks

Listings 10 through 12 show the three benchmark programs in C. I think you'll agree that the listings look a lot cleaner than the Pascal versions — C eliminates a lot of extraneous formatting such as begin and end. The left and right braces perform the same functions. Like Pascal, C is more strongly typed than a BASIC interpreter or BASIC09. Variables must be declared before they are used and may be mixed numbers (real), integers, characters, strings or other types. There are no Boolean types in C. The cumbersome := of Pascal is replaced by a simple = for assignment. The FOR loop looks mysterious, but is fairly powerful — the first field is the initial value (I=1), the next, the conditions under which the FOR loop operates (I<24), and the last, actions to take on each pass (normally this involves incrementing a control variable by a ++ operation).

The print formatting is also a little esoteric — decimal (integer) or floating-point numbers may be formatted for field width and number of decimal places, and may be right or left justified. The scanf command reads in an input value. The & character is used to denote the address of the variable (& principal). When variables are "global" in memory, or are to be passed as parameters, they must be changed via their address

pointer, a somewhat complicated procedure compared to the pass-by-value and pass-by-variable method in Pascal.

The C *Permutation* program has been changed slightly from the Pascal version. C does not allow very much in the way of string processing functions. Here the strings are treated as character arrays, and the shuffling of characters is done by moving the characters between array elements. Like the Pascal version, however, the processing is done by recursive calls to function `permut`.

Assembly Language

Nothing inspires more awe and loathing than assembly language. The 6809 microprocessor has a built-in set of instructions to do relatively simple things, such as adding two numbers held in special memory locations called "registers", subtracting two numbers, comparing two numbers, or changing the sequence of instructions. About the most complicated these instructions get is the Multiply instruction, which . . . you guessed it . . . multiplies two numbers. There are about 60 basic instructions in the 6809.

The 60 basic instructions can be put together in long sequences to do just about anything. All applications programs ultimately reduce down to a sequence of these instructions, executed at rates of hundreds of thousands per second. Jump and Branch instructions are similar to `GOTO`s and `IF. . .THEN` statements and cause different sequences of these instructions to be executed. Loops are used, just as in BASIC and other higher-level languages.

The 6809 contains logic to decode the binary data representing these instructions into the proper machine language instruction. The two bytes 10001011 01100100 decode into "Add 100 to the contents of the A register and put the results into the A register". Constructing a machine language program consists of writing the proper codes in binary and then entering them into a block of memory. The 6809 then starts at a given memory location and decodes and executes the instructions one at a time to perform the program.

Since writing hundreds of thousands of zeroes and ones would be excruciating agony for any programmer, an automatic program called an *assembler* converts a more English-like form of the instruction sequence into the proper binary codes. Listing 13 shows such an assembly language listing.

Assembly language is an intermediate step between a high-level language and machine code. Most compilers produce an assembly language program, then assemble the program to produce the machine language code. Rather than writing in the higher-level language, though, some programmers choose to program directly in assembly language.

Assembly languages offer some great advantages. The biggest advantage is it's extreme speed, as much as hundreds of times faster than interpretive BASIC. Another advantage is extremely compact code can be custom-tailored for an application.

However, assembly language is a very tedious and exacting language in which to code. It's also difficult to learn. The difficulty lies not so much in what the instructions do as in how to put the instructions together to perform useful and efficient functions.

The assembly language listing above is a version of Benchmark Program 2. I'll describe what it does in a moment, but first look at the general layout: The four fields at the right of the listing (from `P130` over) are what the programmer actually enters into the editor portion of the assembler program. Each line represents a single machine language instruction. The four fields at the left (from Line 00100 to the left) are what the assembler program generates on the printed listing.

The fourth column consists of line numbers, starting from Line 00100.

The left-most column is the actual memory location in which the machine language code of the instruction is stored. Since a machine language instruction may consist of from one to five bytes, these locations may change by these amounts. Memory locations are in hexadecimal, a shorthand form of binary.

The next two columns are the actual ma-

Listing 13: Assembly Language Bubble Sort

```
                    00100 * ASSEMBLY LANGUAGE BUBBLE SORT
0000 BD A92B        00110       JSR     $A92B       CLEAR SCREEN
0003 0F 6F          00120       CLR     $6F         INITIALIZE DISPLAY
0005 8E 005E        00130       LDX     #AA         POINT TO AA
0008 C6 64          00140       LDB     #100        (FOR I=0 TO 100)
000A BD A0000       00150 P130  JSR     ($A000)     (INPUT...
000D A7 80          00160       STA     ,X+           ...A(I))
000F BD A002        00170       JSR     ($A002)     DISPLAY
0012 81 00          00180       CMPA    #0D         (IF A(J)=CR...
0014 27 03          00190       BEQ     P160          ...THEN GOTO 160
0016 5A             00200       DECB                (NEXT I)
0017 26 F1          00210       BNE     P130
0019 30 1F          00220 P160  LEAX    -1,X        (I=I-1)
001B BF 00C3        00230       STX     II          STORE I
001E 30 1F          00240       LEAX    -1,X        (LS=...
0020 BF 00C5        00250       STX     LS            ...I-1)
0023 7F 00C2        00260 P170 CLR     SW          (SW=0)
0026 8E 005E        00270 P200  LDX     #AA         (FOR J=0 TO LS)
0029 A6 84          00280       LDA     ,X
002B A1 01          00290       CMPA    1,X         (IF A(J)<=A(J+1)...
002D 2F 0D          00300       BLE     P260          ...THEN GOTO 260)
002F C6 00          00310       LDB     #0
0031 F7 00C2        00320       STB     SW          SW=1
0034 A6 84          00330       LDA     ,X          (B=A(J))
0036 E6 01          00340       LDB     1,X         (C=A(J+1))
0038 E7 84          00350       STB     ,X          (A(J)=C)
003A A7 01          00370       STA     1,X         (A(J+1)=B)
003C 30 01          00380 P260  LEAX    1,X         BUMP J
003E BC 00C5        00390       CMPX    LS          (NEXT...
0041 2F E3          00400       BLE     P200          ...)
0043 7A 00C5        00410       DEC     LS          (LS=LS-1)
0046 7D 00C2        00420       TST     SW          (IF SW=1...
0049 26 D8          00430       BNE     P170          ...THEN GOTO 170)
004B BD A92B        00440       JSR     $A92B       CLEAR SCREEN
004E 8E 005E        00450       LDX     #AA         (FOR J=0,...
0051 BC 00C3        00460 P290  CMPX    II            ...TO I)
0054 2E 07          00470       BGT     P320        (PRINT...
0056 BD A002        00480       JSR     ($A002)       ...A(J);
0059 30 01          00490       LEAX    1,X
005B 20 F4          00500       BRA     P290
005D 39             00510 P320  RTS
005E                00520 AA    RMB     100         (DIM A)
00C2 00             00530 SW    FCB     0           SW VARIABLE
00C3 0000           00540 II    FDB     0           I VARIABLE
00C5 0000           00550 LS    FDB     0           LS VARIABLE
                    00560       END
```

chine code in hexadecimal for each instruction. Each two hexadecimal digits represents a byte of data (7F is binary 01111111, for example).

Color Computer Assemblers

Assemblers for the Color Computer come in one of two flavors, non-OS-9 and OS-9. Unfortunately for fledgling CoCo hackers, the non-OS-9 assemblers, *EDTASM+* (for tape users) and Disk *EDTASM+* were discontinued after OS-9 was introduced. However, copies are still available from your local CoCo club. There are a number of patches that enable them to work with the CoCo 3. These two assemblers are excellent — I can't say enough about them for the beginner or intermediate user.

The OS-9 assembler is also good, but not for the novice. By the nature of OS-9 programs (modules that can be moved around in memory) the assembler programs for OS-9 are more complicated and require advanced programming techniques, such as position independent (relocatable) code (allowing the resulting assembly language modules to be loaded anywhere in memory instead of at specific locations). Cut your teeth on *EDTASM+*, cassette or disk version, and then move up to the OS-9 assembler.

Looking at the Benchmarks

Unfortunately, I can't provide a nice, succinct listing of equivalent assembly language code for all of the Benchmarks. Assembly language operates by performing very rudimentary operations. Just about anything can be built from these rudimentary operations, but it may require a great deal of code to do so. In the Benchmark Program One, for example, floating-point operations are performed to do addition, subtraction and multiplication of mixed numbers such as 296.67 and 83.88. The actual assembly language code to perform floating-point operations takes about 600 instructions in Extended Color BASIC. Either you must code these operations yourself, steal an existing assembly language routine to do the operation, or call an existing routine in Extended Color BASIC. For this reason, assembly language programs are best for programs that do not require a great deal of floating-point computations or print or display formatting. Integer computations can be performed with relative ease, however.

The program shown in Listing 13 is a version of Benchmark Program Two. The right-most column is a comments column in which any explanatory text can be written. I've matched the assembly language code with code for Listing 2 by indicating the corresponding Listing 2 operations in parentheses in the comments. Actually, this program is somewhat simplified from the BASIC version. It accepts only single characters as data to be sorted, rather than complete decimal values, as in the BASIC version. The sorted results are displayed on the screen as a sorted string of characters. The program uses two subroutines from ROM, an `INPUT CHARACTER` subroutine (`JSR ($A000)`) and a `DISPLAY CHARACTER` subroutine (`JSR ($A0002)`). Again, such input and output operations must be built from the ground up, or existing subroutines used. In this case, BASIC ROM contained appropriate subroutines.

Other CoCo High-Level Languages

Although Extended Color BASIC/Disk BASIC, BASIC09, Pascal, and C are probably the most popular high-level languages available for the CoCo, there are several other high-level languages available — versions of BASIC, Logo and FORTH.

Other BASICs

In addition to Radio Shack versions of BASIC, there are several developers who have enhanced Extended Color BASIC to add new hardware capability (especially



The answer to the Hi-Res joystick adapter blues! Now there is no need to keep plugging and un-plugging Hi-Res joystick adapters when changing programs! Simply install the **HAWKSoft Dual Hi-Res Joystick Adapter** and change adapters with the flick of a switch!! Works as a TANDY Hi-Res adapter or a COLORWARE Hi-Res adapter; includes an eprom-able patch for basic and works as a Lo-Res joystick when called from Basic! The **HAWKSoft Dual Hi-Res Joystick Adapter** also allows full use of the cassette jack for a cassette player or hardware copy-protection modules. Never change joystick cables again!! **Only $30 intro price S/H included !!**

HAWKSoft P.O. Box 7112
Elgin, Il. 60121-7112
(312)-742-3084 eves.

A DIAMOND IN THE ROUGH

Face the challenge, experience the peril, and live the excitement in this two disk, PMODE 4 Graphics Adventure. BASIC with M/L subroutines (CoCo 1, 2, 3) $19.95

BURIED BUXX

See Review 'Rainbow' 2/89
Fly your helicopter into enemy territory, dig up the loot and return to base.
Watch out for the ever-present patrol aircraft and ground based missiles.
100% Machine Language (CoCo 1, 2 or 3 and Joystick) $19.95

REVENGE of the MUTANT MINERS

CoCo 3 owners rejoice! Mutant Miners is back with game configuration mode and much more!
Joystick required. $19.95

Many more programs available. Call or write for a complete list.

JR & JR SOFTSTUFF

P.O. BOX 118 • Lompoc, CA • 93438 • (805) 735-3889

Orders Accepted 24 Hours a Day.
All Programs on Diskette Only.

All orders add $3.00 shipping. C.O.D. orders $4.00 additional.
US FUNDS ONLY. NO FOREIGN C.O.D.'s

You can usually get us in person from 5-11 PM PST.
If you get the machine, leave a message and we will call back at your convenience.

disk drivers), better memory access, or new commands. *MyDOS* adds new hardware features and six commands to Disk BASIC. *ADOS*, from SpectroSystems, adds new commands and utilities. *512K BASIC*, from Microcom, allows full memory to be accessed on CoCo 3s. *MJK* from CoCo Connection adds hardware support and about 40 new commands.

The silver lining to this weather fax picture of storm clouds is that the CoCo really has a wealth of languages available for it.

There are also several developers who have implemented BASIC compilers. CerComp's *CBASIC III Editor/Compiler* is an integrated package that edits and compiles Extended Color BASIC statements. Burke and Burke's *R.S.B.* runs Extended Color BASIC programs under OS-9 and also enhances the language. *MLBASIC* from WasatchWare is an enhanced BASIC/Extended Color BASIC compiler that adds enhanced machine language capability.

For a more extensive description of these products, look for their reviews in back issues of THE RAINBOW.

Logo

Another CoCo high-level language is Logo. Logo was originally developed for grade schoolers to draw pictures on the screen by moving a graphics device called a "turtle." Radio Shack's version, *D.L. Logo* (*Dale Lear Logo*), is roughly equivalent in capability to the original Color BASIC, but has some good graphics and sound features. Logo has never become really popular language in the computer market.

FORTH

FORTH has been around since the early days of microcomputers. D. P. Johnson offers FORTH for the CoCo under OS-9. The language is radically different from any discussed up to this point. It was developed for use in small computers with limited memory for control applications. FORTH is a "stack-oriented" language, meaning it has a last-in, first-out memory, similar to the Reverse Polish Notation used on Hewlett-Packard calculators.

FORTH starts with a kernel of basic operations — adding two bytes, subtracting two bytes, comparing two bytes, and so forth. All operations are done with the stack. Adding two numbers adds the first two numbers on the stack and puts the result back on the stack. You define and add new functions at will by combining these basic operations.

What About Other Languages?

The languages described above, Extended Color BASIC, BASIC09, Pascal, C, assembly language, Logo, and FORTH, are about the only languages available for the CoCo. Languages such as COBOL, FORTRAN, PL/I, APL, Modula-2 and Smalltalk, although they are very popular in other segments of the computer world, are simply not available for the CoCo. The reason they are not available is that it takes an enormous amount of effort — roughly two or three man years — to write a compiler for any computer. That's about 5000 hours at $50 per hour, making the typical compiler cost about $250,000! The CoCo has BASIC because some supplied language was necessary, and Microsoft was supplying BASIC for virtually every new computer that came out in the 1970s. BASIC09, Pascal and C are a fallout from Radio Shack's decision to use OS-9. These compilers were bundled with the deal for the operating system and existed in other versions. Logo and FORTH are relatively easy to implement and were, therefore, cost efficient. What I'm driving at is this: Don't expect to see COBOL, FORTRAN, or Ada on the CoCo.

The silver lining to this weather fax picture of storm clouds is that the CoCo really has a wealth of languages available for it. Extended Color BASIC and enhanced products, BASIC09 and other BASIC compilers, Pascal, and C are excellent languages. Logo is a good training language for kids, And FORTH works nicely for short to intermediate size programs.

Availability

Unfortunately, Radio Shack language products for the CoCo do not do well in sales. Part of the problem is probably the Shack's pricing — all of the OS-9 languages are offered at about $100, a hefty price for the average CoCo user. As a consequence, Radio Shack has dropped some of the CoCo language products from the catalogs. You'll see the OS-9 operating system and development software in the catalog pages, but will not see BASIC09, Pascal, C or Logo. At this time of writing, most of these products are available by special order if you can't find existing stocks in stores.

Non-Radio Shack products, however, are doing better. Most developers know the CoCo market and have priced the products competitively. All of the products mentioned by name were advertised in recent RAINBOW ads.

Which Language is Best?

Obviously, the best language is the one used by the Enterprise's on-board computer. None of the languages discussed here is a quantum leap forward from the others, even though you'll hear aficionados of BASIC09 or C tell you differently. On the CoCo, it really comes down to whether you're an OS-9 freak or not. If you've invested the time in learning how to use OS-9, then BASIC09 is a very powerful, structured language that is fairly interactive. I'd heartily recommend it.

If you haven't taken the steps to learn OS-9, then Extended Color BASIC is an excellent implementation of BASIC, although somewhat slower than BASIC09, and not along structured lines. When I sit down at a keyboard to whip off a quick program, I always tend toward interpretive BASIC — it's just so interactive and easy to use. On the other hand, if you are using a large, complex program that has to run at a high rate of speed, BASIC09 or C under OS-9 is probably the way to go.

I'll admit to being prejudiced in favor of C over Pascal. It does things a lot cleaner, with less clutter. C appears to be the most popular high-level language for micros at this time.

Assembly language may be worth the trouble if you want the absolute fastest version of an application. However, be prepared for a lot of tedious coding and agonizing debugging. Also be prepared to write a lot of your own special input, output and number crunching subroutines.

Although FORTH is appealing, once you've undertaken a large programming project in it, you're locked into its strange structure. At least with other languages, especially the structured ones, you can easily translate code from one to another — not so with FORTH.

I wouldn't consider Logo as a serious language for intermediate CoCo users, although it is a good learning language for CoCo kids.

This gives you some insight into the language options available with the CoCo. You can't go too far wrong with any of them, especially BASIC or the structured languages. You'll have control of your own destiny and applications by writing your own programs, and you'll be building up a base of computer knowledge to benefit you in any language. If you avoided programming up to this point, try one of the languages mentioned. If you're programming only in Extended Color BASIC right now, try BASIC09, Pascal, or C — you have nothing to lose but your GOTOs!

SUNDOG SYSTEMS

Warrior King



Become RASTANN, Warrior King, on the quest to regain his rightful crown, hidden deep within a sinister land. Battle monsters, gain magic and weapons, and travel through harsh wilderness and dark castle dungeons in this medieval realm. From the creator of *Kung-Fu Dude* comes this awesome arcade game for the CoCo III! *Warrior King* uses the most detailed 320x200 16 color graphics and high speed machine code to vault you into a world of fantasy. Dare ye challenge the many perils ahead in order to become WARRIOR KING? Req. 128K CoCo III, disk drive, and joystick. Only $29.95.

In Quest of the Star★Lord


I am inside the cabin. A man is seated at a small table to the side. The cabin appears well furnished and constructed.
You see: MAN, TABLE, RUG
EXITS: W E
COMMAND?

This is THE graphic adventure for the CoCo III! Unparalleled 320x200 animated graphics will leave you gasping for more! You quest for the Phoenix Crossbow in this post-holocaust world of science and fantasy. *In Quest of the Star Lord* is a full 4 disk sides of mind-numbing adventure! Req. 128K CoCo III and disk drive. Only $34.95. Hint Sheet: $3.95.

"A dynamite program! The best graphics I've seen to date on the CoCo III. You have to see it to believe it."

— 8/88 Rainbow review

Kung-Fu Dude

An exciting arcade game. The BEST karate game ever created for the CoCo! Destroy opponents and evade obstacles as you grow ever closer to your ultimate objective. Spectacular graphics, sound effects, and animation! Req. 64K CoCo, disk drive, and joystick. Only $24.95.

"The CoCo karate gap has been filled and Kung-Fu Dude *does it excellently. I highly recommend it!"*

— 2/88 Rainbow review



All programs CoCo 1, 2, 3 compatible, unless otherwise stated

HALL of the KING TRILOGY

The epic adventure is back! The largest adventure campaign ever seen for the CoCo is again available! A total of six disks of intense graphic adventure will have you playing for weeks! Each section is a two-disk stand alone adventure, but all three together form an epic saga. Quest for the legendary Earthstone in the ancient dwelling of the dwarves while you enjoy the classic graphics that made this trilogy famous! Each adventure can be purchased separately for $29.95, the lowest price ever, or you can purchase the entire set for only $74.95! Req. 64K CoCo and disk drive.

"One of the best adventures I have experienced to date!" *— 6/86 Rainbow review*

"The animated graphics are dramatic, detailed, and excellent!" *—11/87 Rainbow review*

"The adventure of a lifetime. Don't miss out!" *— 7/88 Gamer's Connection review*

CHAMPION



Become a superhero in this unique 64K action adventure. Great graphics and sound effects! See 5/87 Rainbow review. Disk $19.95.

DRAGONBLADE

Another great 64K animated adventure! Can you obtain the enchanted sword to slay the evil dragon? See 11/86 Rainbow review. Disk $19.95.

WHITE FIRE OF ETERNITY

Enter the era of monsters and magic in this splendid 64K animated adventure! See 12/86 Rainbow review. Disk $19.95.

Sundog Systems
21 Edinburg Drive
Pittsburgh, PA 15235
(412) 372-5674

MasterCard VISA

Personal checks, money orders, and American C.O.D. orders accepted. Include $2.50 for S/H. $3.00 extra for C.O.D. orders. PA residents add 6% sales tax. Authorship and dealer inquires welcome.

OS-9 Makes Big Showing at Chicago

By Dale L. Puckett
Rainbow Contributing Editor

High visibility — If I had to describe OS-9 at RAINBOWfest Chicago, those two words would do the job. This month presents a look at a few of the rising stars of the OS-9 world who were there, a discussion of the new products that were demonstrated, and *Maxic*, a mouse- and menu-driven icon editor in the *MultiVue* Shell.

Questions and Answers

Kevin Darling and friends presented the "Overview of OS-9" session at noon Saturday. Along with Gary Robinson of Tandy, James Jones of Microware, Kent Meyers, Kevin Pease and Paul Ward, Darling moderated a question and answer session bar none.

The session started with a request for audience feedback regarding the design of a possible OS-9 Users Group 68K computer. Kevin Pease had been working on the project for several months and needed to get a feel for the needs of OS-9 users.

Questions included: What do you want? What applications do you need? Should this computer run 6809 software? Do you want it to use dual 6809/68000 processors? What about a 68K computer with a GIME socket and a DAT that would let you use two megabytes of memory — and still be CoCo compatible? The audience met the challenge of his questions.

Most of the audience wanted cheaper and easier word processors, spreadsheets, business software and educational software — all running under OS-9. They also were clearly addicted to the CoCo OS-9 CLEAR key.

Why can't I pluck down $300 and buy an application program that will do something? Inquiring minds wanted to know. *Word Perfect* and *WordStar* are being ported to UNIX. How do we get these programs on OS-9?

James Jones explained that 80 percent of Microware's business is in the controller market and they don't have the resources to support any more business. That's why they haven't been actively interested in the personal computer market. Yet, as he reminded us, OS-9 is the only operating system NASA trusts to run real-time software aboard the space shuttle.

Gary Robinson explained that Tandy buyers don't have time to pursue developers and encouraged OS-9 users to convince RS-DOS developers to get on the OS-9 bandwagon — and then take their products to Tandy.

Paul Ward said he thought we must attract the developers first, especially the ones who are young and hungry — people at companies who already use UNIX. He thought they would be the easiest to lure into the OS-9 world and issued a call for all C programmers to port any and all UNIX programs into the OS-9 environment. The seminar audience responded in kind.

"Give us the tools!" "Fix up the C compiler!" At this point Gary Robinson noted that even though the C compiler is not in stock at Radio Shack stores any longer, it is available by mail order.

But, that brought up another question popping up at RAINBOWfest. Will there be an upgrade for the OS-9 C programming package? The answer, "Probably not." Yet, with all the interest expressed in Chicago, maybe someone was listening.

James Jones explained the difference between the Level I and Level II compilers, noting that the Level I compiler works under Level II. He also noted many patches available on the electronic forums that let you set up your machine in a number of different ways.

This mention of OS-9 SIGS on CIS, DELPHI and GEnie prompted Darling to repeat a survey. Last year, during our seminar, Kevin asked the audience how many people were active on an electronic forum. Six hands went up. This year more than half the audience held up their hands.

Ward then jumped in to point out that 68K C programmers are in big demand — earning $60K per year in some cases. He gave, as an example, a new fiber optic experiment for NASA and the University of Maryland.

Taking a positive note, James Jones announced a magic number — 515-224-1929. Jones told the audience they would be amazed at the programs available for OS-9 68K.

"You just don't see the ads," Jones said. "The problem is that people just haven't heard much about recently developed OS-9 software." Jones encouraged the audience to get a hold of *The OS-9 Catalog* and *The OS-9 Sourcebook*. Both publications are free, from Microware.

Jones told the group he thought CDI (Compact Disc Interactive), means a lot to CoCo OS-9 users because it lets them get ahead of the learning curve before these new machines hit the market this Christmas. He said many opportunities would be available for people with OS-9 experience.

When the questions turned to problems, the group discussed the myth of programs only being 64K long with OS-9. Not true!

Dale L. Puckett, a freelance writer and programmer, serves as director-at-large of the OS-9 Users Group and is a member of the Computer Press Association. His username on Delphi is DALEP: on packet-radio, KOHYD @ N4QQ; on GEnie, D.PUCKETT2; and on CIS, 71446,736.

Wizpro and several other professional products on the market today are more than 128K long.

The group also discussed Level II's image problem. "Because *Color Computer Artist* and *Home Publisher* are slow, everyone assumes OS-9 Level II is slow," Darling said, noting how Art Flexer had been teasing him about how he was able to play *Scramble* faster on DELPHI using RS-DOS.

"That's alright," Darling replied online, "I'm also playing *Flight Simulator* in another window."

Darling then asked the group how many people had demonstrated their CoCo OS-9 Level II system to MS-DOS users. Many had. But first he presented his own scenario.

"Show him text, he says fine. Show him graphics, he says fine," Darling said. "Then after you show him two or more programs running at the same time, he'll say, 'this is a demo, right?'"

One person in the audience told how a local OS-9 Users Group made about 200 enemies at a computer fair. After watching OS-9 perform, all the MS-DOS Users Group members turned their back on the OS-9 booth.

Speaking of MS-DOS, Darling attributed the Quote of the Day to Bill Gates at Microsoft. "It is virtually impossible to do any serious multitasking with less than four megabytes of memory.

"Turn on your CoCo, fire up your favorite OS-9 Level II word processor, type those words and smile!

Alpha Software Hits OS-9 Market Hard

Meeting Keith Alphonso and seeing the many OS-9 products he has put on the market was a highlight of RAINBOWfest Chicago. It's great to see young people take a fresh approach to new markets. While Alphonso has only been in the CoCo OS-9 market since June last year, he's accomplished much.

"I had been programming the Color Computer for years — using RS-DOS," Alphonso said. "I owned OS-9 Level I, but never used it much. When Level II came out, I fell in love with the windows and really wanted to get into it. I discovered I could do a lot of things I just couldn't accomplish with RS-DOS.

"When I first started, I discovered a lot of things that were hard to do with plain vanilla OS-9. That's when it started," he said. "Since I was a programmer, I wrote tools for myself — things to make life easier."

Alphonso built quite a collection, thought they were pretty good, and so decided to sell them. Alpha Software was born.

"I had eagerly anticipated OS-9 Level II. Since I bought it, I've never gone back to RS-DOS — I haven't seen an "OK" prompt in months," he said.

Alphonso said there were problems to overcome, but bit-by-bit, with help from friends like Kevin Darling, he became a star OS-9 programmer in his own right.

"I have a good friend who helped me and even wrote one of the packages I sell today."

To get Alpha Software started, Alphonso looked through some of the best software he had written and grouped a number of the smaller programs together to form a handy package of OS-9 tools. Alphonso also believes in the future of telecommunications — to the extent that he has written a bulletin board program for OS-9 Level II.

"A friend asked me to write it for him," Alphonso said. "He had been running an RS-DOS board and didn't really like it. He brought me some ideas for an OS-9 bulletin board and we put them all together. We use multiple processes, with one process calling another to set up a board that can be completely configured by any user."

"The reaction to Alpha Software's first appearance at RAINBOWfest Chicago was very good," Alphonso said. "A lot of people didn't know what to expect from our ad."

Alphonso's thoughts for newcomers to OS-9? "The road hasn't been too hard and long," he said. "It was slow at first — I needed more software. But after I wrote the software, and used OS-9, I found I could really fly. Our *Tools* can help everyone trying to bootstrap into OS-9." Alphonso said, "If you have the right tools, any job is easy."

Alphonso tells beginners that the first step is to put together a working system. "You need to have drives `/d0` and `/d1` configured to operate with a step rate of six milliseconds. You need to have your boot file right and you need to get a RAM disk set up, etc.

Alphonso takes the most pride in Alpha Software's latest product, *Presto-Partner*. "Both programmers and users will find it useful," he said. "Its calculator and notepad can help anyone stay organized. The program runs itself in its own device window in the background. Various overlay windows are used to display several utilities that pop up when you type special key strokes. *Presto-Partner* is very much like *Sidekick*.

"Most of Alpha Software's programs use a text interface. In fact, Alphonso's only mouse-based interface is found in *Multi-Menu*, a program that lets you run non-*Multi-Vue* compatible software in a *Multi-Vue* environment. It also lets you create your programs so they will run in *Multi-Vue*, even if you don't know how to write them for *Multi-Vue*."

For example, you can write a straight old-fashioned BASIC09 program and call it from *Multi-Menu*. Each *Multi-Menu* can run up to 10 OS-9 commands. Why 10?

"You can have 10 menu items in up to 10 menu entries," Alphonso said. "It's sort of like owning an automatic visual shell. I didn't want to make *Multi-Menu* too big however, because it would require too much

OS9: SOFTWARE <D_P_Johnson >my_system >>no_errors #512K &

SDISK - Standard disk driver module replacement allows full use of 40 or 80 track double sided drives with OS-9 Level I. Full compatibility with CoCo 35 track format and access all other OS-9 non-CoCo formats. Easy installation. **$29.95**

SDISK+BOOTFIX - As above plus boot directly from a double sided diskette.**$35.95**

LEVEL 1 OS-9 ONLY

LEVEL 2 OS-9 ONLY

SDISK3 - Level II version of SDISK driver. Same features as level I (except bootfix not required to boot from double sided). **$29.95**

MSF - MS-DOS file manager. Complete file transfer capabiltites. **REQUIRES SDISK3 $45.00** or with SDISK3 for **$65.00**

L1 UTILITY PAK 40 utilities including MACGEN **$49.95**

L2 UTILITY PAK Level 2 Ram Disk and Printerr driver plus 10 more **$39.95** **BOTH L1+L2** Paks for **$75.00**

PC-XFER File transfer utilities read/write/format MS-DOS format disks under COCO OS-9, REQUIRES SDISK or SDISK3. **$45.00**

FORTH09 A FORTH-83 Standard implementation specially taylored for OS-9. Includes complete forth 6809 assembler and more. Programs written in forth can instantly be saved as compact executable machine language modules. Supplied with complete printed documentation. **$150.00** (+ $3 S&H).

SEND S.A.S.E FOR LATEST CATALOG

All diskettes are in CoCo OS-9 format unless otherwise requested; other OS-9 formats can be supplied for $2.00 additional charge. All orders must be prepaid or COD, VISA/MC accepted, add $2 S&H for first software item, + .50 for each additional item, additional charge for COD.

D. P. Johnson, 7655 S.W. Cedarcrest St.
Portland, OR 97223 (503) 244-8152

(You may best reach us between 9AM-NOON Pacific Time, Mon.-Fri.)

OS-9 is a trademark of Microware and Motorola Inc., MS-DOS is a trademark of Microsoft, Inc., FORTH09 is a trademark of D. P. Johnson

memory."

What's the next step in the evolution of *Multi-Menu*? "*Multi Tools*, which lets you create buttons and scroll bars," Alphonso said. "I'll probably add this capability to *Multi-Menu*, but I may release it as a separate package you can integrate with *Multi-Menu*.

"If I make it a separate package, I'll include all the things needed to build a completely mouse-driven interface," he said, "including automatic dialog boxes and an automatic method to open and read or write to a file selected from a list of files presented in a dialog box similar to the Macintosh standard file dialog."

Alphonso believes there's a speed problem with *Multi-Vue*, noting that the time required to update the mouse pointer drags down the system a bit. But he hadn't seen the new *GShell+* module, which was enhanced by the OS-9 Users Group.

What else does Alpha Software sell?

"*Level II Tools* is a group of programs that does a number of things I've always needed to do," Alphonso said. "It gives you wild card commands to efficiently move files around. There's a set of tree display commands that give you a visual assist when you are trying to find a file. You can list an entire directory and actually break out any file."

The *OS-9 Level II BBS Release 3.0* is Alphonso's most popular program. "We have more than 100 people using it," he said. Our users are spread throughout the country and Canada. We're busy now setting up a support group for the board. Mike Camera will take charge of the new service.

Not all of his customers are using it to run a public bulletin board. A few are using it as a private E-Mail system. Some even use it as a menu to run their own OS-9 applications.

"Most people really like it," Alphonso said. "Especially the people who prefer OS-9. I've had a few people who don't know a lot about OS-9 and have had trouble running it. Others said it forced them to run OS-9."

Did he have to overcome any technical problems while writing it?

"Well, there was the carrier-detect problem," he said. "The ACIAPAK driver has this capability built in, but it doesn't always work quite right."

Alphonso wrote a routine that kills any process started by the parent if carrier detect is lost. It also took him a while to solve the baud-rate detection problem. The program now sets itself up for 1200-baud operation and waits for a user to press the ENTER key. Depending on what OS-9 returns, it switches the speed up or down.

Alphonso was able to tell which direction to switch the speed to because one speed returns an arrow, the other returns a junk character. He checks this character, then resets and goes. If nothing happens in four seconds, he resets and goes back to 1200 baud.

A public domain version of *Galatic Conflict*, a game first published in THE RAINBOW in November, 1986, is now bundled with *BBS Release 3.0*. It was translated to BASIC09 by John Sebella and Melvin Gaskins of Hobart, Indiana.

Hyper-Tech — Another Rising Star

Keith Alphonso wasn't the only young man at RAINBOWfest, Chicago determined to capture a piece of the pie created by OS-9's increased popularity.

We were also pleased to meet and interview Eric Crichlow (HYPERTE on DELPHI) and his friend Chester Simpson. Eric, 17 and Chester, 19, teamed up with Mike Haaland to form Hyper-Tech in June of 1988. Together, the trio plans to introduce several exciting new OS-9 products in the near future.

Crichlow's labor of love is *Shellmate*, a $25 program that emulates the popular hands-free file management techniques of the Macintosh and Amiga on an OS-9 stage. It's used to copy, delete, move and rename files. It can also list files, print them or display pictures from them — even arc and de-arc them.

"*Shellmate* lets you perform essentially every operation you could ever want," Crichlow said. "It's especially handy when you need to move a large number of files and want to do it with very few keystrokes or mouse moves. When I'm through I hope *Shellmate* will have everything *Multi-Vue* has built into it — and much more. Besides, it's my first C program . . . everything I learn will go into constant updates of the program."

So how did Hyper-Tech get started?

"We felt the Color Computer 3 offered an amazing amount of potential no one was exploring under RS-DOS or OS-9," Crichlow said. "We felt the only way to do anything to help the CoCo reach its potential was to write some programs ourselves."

By this time, Chester was already proficient with assembly language programming under RS-DOS. Mike and Eric were starting to learn C. Chester was already working on graphics and animation programs under RS-DOS.

Chester began to design a graphics and animation development system. Mike started talking to distributors and learned there was a big demand for easy animation programs. Chester's passion became a major project.

Chester's OS-9 product is so young it doesn't even have a name. An RS-DOS version already on the market is called *Imagemaster*. *Imagemaster* runs on a 128K system and edits 64-by-64 pixel graphics images that can be used to create graphics images for automation sequences.

Eric and Mike want to do many things. "Tandy and Microware gave us much power and opportunity in the OS-9 Level II windowing system. Hardly anyone has done anything with it," Crichlow said. "We want to do things with *Multi-Vue* windows that most people think are impossible."

For example?

"Graphics! Menus! A clipboard standard," Crichlow said. I'm also attempting to set up windows you can move and resize. I figure it can do it the same way *Multi-Vue* does. If you click on the menu bar, but not on a selection, it will know you are asking to move the window."

How will he do it?

"I'll `deiniz` the window and give you a box the same size as your original window. Then, after you move the box and resize it, I'll read the parameters of the box again and open a window the size you want at the location you request. In the meantime, I will have saved a buffer with all the data that was in your window originally. After I create the new window, I'll write it back out again.

MVCanvas Promises Speed and Ease

MVCanvas is another Hyper-Tech product that lurks on the immediate horizon. In fact, it may be available by the time you read this column.

"We plan for *MVCanvas* to be just as functional as any RS-DOS paint program — bar none," Simpson said. "It will also be just as quick. You'll be able to access a pop-up menu that holds all of the drawing tools from the menu bar at the top of your screen. This means you'll have the entire screen free for your artistic masterpiece," he said. "*MVCanvas* is an intelligent program."

Mike grabs a piece of the screen and holds it in a buffer, then uses a *Multi-Vue* call to make the buffer his pointer. This lets *Multi-Vue* handle moving the image around the screen.

MVCanvas also supports large fonts. While Mike works on the program, Chester is creating the new fonts — ranging from 8-by-8 to 24-by-32 pixels using *Imagemaker*.

It was the impressive speed of *MVCanvas* that prodded Chester to make the move to OS-9. To him, speed is everything. Simpson is presently working on a graphics program that can transport images back and forth between RS-DOS and OS-9 programs. He hopes to be able to save an image to the OS-9 clipboard, transfer it to an RS-DOS disk and then load it into *Imagemaker*

— or vice versa.

The beta version of *MVCanvas* I received May 5th had the font capabilities installed. You could also load and save clips and manipulate them. It also has an Undo feature command at the top of its edit menu. Just think, they told Mike it couldn't be done.

Hyper-Tech had not yet announced the price of *MVCanvas* during RAINBOWfest. The first people to hear about the new program will most likely be people who check into DELPHI or CIS. Hyper-Tech plans to post a demo there as soon as the program is ready for release.

After they release *Shellmate* and *MVCanvas*, Eric, Chester and Mike hope to do a lot with integrated *Multi-Vue* windows and graphics packages.

Disto 4-in-1 Board with RGB Hard Disk

Chris Rochon's wife, Johanne, gave birth to a beautiful baby daughter earlier this year. At RAINBOWfest the couple's company, CRC Computers, gave birth to another great OS-9 product.

The new 4-in-1 card, designed by RAINBOW's Tony DiStefano is an answer to the Multi-Pak hater's dream. When you add this plug-in card to your Disto Super Controller II, you can throw away your Multi-Pak Interface. With this combination you have a floppy disk controller that does not halt the processor when it's reading to or writing from the disks; a real-time clock; a Centronics parallel port; an RS-232 port able to work with Tandy's ACIAPAK drivers; and a hard disk interface able to communicate with either an SASI or SCSI disk controller. You're in business!

I kept my Multi-Pak because I use the 512K RAM disk card, also designed by DiStefano and sold by CRC. This outboard RAM disk is indispensable to me when I am experimenting with a C program or running the fantastic mouse-/menu-based word processor, *Window Writer*, from Owl-Ware.

The new 4-in-1 from CRC is fantastic. It comes with cables designed to plug directly into your hard disk, as well as your parallel and serial devices. All its components are rated at two megahertz, so you no longer need to slow down your CPU when you perform I/O. Yet, the cables aren't all you receive with CRC's 4-in-1 card. You also receive OS-9 drivers for the real-time clock, parallel port, RS-232 port and the hard disk interface. And not only do the drivers come in the package, they are easy to install and work well. All you need to do to get up and running with this new card is to OS-9 a new OS9BOOT file, using the OS9Gen utility.

But, I expected the best. The drivers were written by Kevin Darling. Despite the enthusiasm, that's only half the good news. Next month, I'll tell you how we're using the new Disto/CRC 4-in-1 card with a new SCSI controller, and drivers from Roger Krupski at RGB Computer Systems. This combination was made in heaven — especially for people who want to be able to reserve a portion of their hard disk drive for RS-DOS use. But the best thing about this combination is that it lets you boot automatically into OS-9 when you turn on the power. Again, we'll have more about this combination next month.

Robert Moody's *Maxic*

Maxic, Robert Moody's deluxe BASIC09 icon editor described in the July column, is not included this month because of magazine space limitations. However, because we want you to share our enthusiasm, the 28 listings that make up *Maxic* are included on this month's RAINBOW ON DISK. The executable I-code modules, as well as the source code are also available for downloading from the RAINBOW ON DISK section of the DELPHI Color Computer/OS-9 Online Forums.

Because Robert Moody wants to share his bag of tricks with the rest of the Color Computer Community, we will print the BASIC09 source code for *Maxic* over the next three issues so that you can study one short module at a time. After we've mastered the pieces, we'll dig into the main program and see how Moody brings the total product together by excercising the smaller and shorter tools. It's amazing what people can do once you get them started.

Maxic was born after Moody studied the listing of our *MVShell* last August. It's an amazing program. In it you'll find many secrets to fully exercising the *Multi-Vue* menus system, getting the most out of your CoCo's mouse, and performing magic using OS-9's GET/PUT buffers.

TCP-IP for OS-9

We ran into James Jones from Microware at RAINBOWfest Chicago and he had good news for amateur radio operators. He had just received a public domain version of Phil Karn's TCP-IP implementation from Peter Dibble. It had been written in C using the OSK (OS-9 68K) compiler. Peter received it from a German group, and promised to send me a copy. I'll try to get it in the OS-9 Users Group library. When I receive it, I'll try to put out a note on the packet radio network also.

That's it for August. I hope you're enjoying your summer and will join us again in September for more exciting OS-9 news. Until then . . . Keep On Hacking!

NEVER BEFORE!! INTRODUCING THE SUPER DISK

Never before has there been a system like the SUPER DISK and it's companion manual. Here are it's main features:

THE SNOOPER Examine ALL tracks and sectors of a disk, even those meant to be HIDDEN. Read, write, copy, auto-search for file starts (even multiple start addresses). Do quick hex to decimal conversions. Find SECRET data! Auto-analyze disks to discover unusual formats, and MORE!

THE PROTECTOR Authors, protect your work! Use THE PROTECTOR to defeat PIRATES. The SECRET methods revealed allow you to create virtually unlimited protection schemes, including multiple level protection. Even protect BASIC programs!

FORMAT PLUS Custom build your own secret disk format. (Use with THE PROTECTOR)

COPY PLUS Will automatically analyze and copy virtually any disk. You'll need this to make copies of your disks made with THE PROTECTOR!

THE MANUAL contains instructions to fully utilize THE SUPER DISK. Also included are facts about copy protection NEVER BEFORE published. Learn the untold truth about disk management. Authors, you've spent days, weeks, months developing commercial software. Don't Give It Away! Protect it!

THE COMPLETE SUPER DISK SYSTEM
$49.00
SPORTSware SUMMER SPECIALS

WARGAME DESIGNER II	$24.00
WGD ICON DISK #1	14.00
INVASION NORTH	14.00
ATTACK ON MOSCOW	14.00
ROBOT COMMAND	14.00
DUNGEON WARRIOR	14.00
GHOST HUNTERS	14.00
ORC AMBUSH	14.00
ZULU REVENGE	14.00
DESERT RATS	14.00
FORT APACHE	14.00
TECH WARS	14.00
ROTC	14.00
ISLAND DOMINATION	14.00
MAIL MASTER	10.00
GRIDIRON STRATEGY	19.00
WEEKLY WINNER 2.0	15.00
NEW CATALOG ON DISK	3.00
BLACK GRID	19.00
COCO3 WHEEL Revised 4/89	19.00
COCO3 HINT	19.00
BIG SCREEN	12.00
FUN PACK Flipped Disk, Pegs, Flags	18.00
CC3 CRAM	12.00
CC3 FLAGS	19.00
MASTER DIR	19.00
PENINSULAR WAR	19.99
THE RUSSIAN CAMPAIGN	19.00
REBELS NORTH	19.00
QUATRA BRAS	19.00

VISA & MASTERCARD accepted
FREE SHIPPING

SPORTSware
1251 S. Reynolds Road, Suite 414
Toledo, Ohio 43615
(419) 389-1515

These Fine Stores Carry THE RAINBOW

The retail stores listed below carry THE RAINBOW on a regular basis and may have other products of interest to Tandy Color Computer users. We suggest you patronize those in your area.

ALABAMA

Birmingham	Jefferson News Co.
	Little Professor Book Center
Brewton	McDowell Electronics
Florence	Anderson News Co.
Greenville	M & B Electronics
Madison	Madison Books
Montgomery	Trade 'N' Books
Tuscaloosa	Turtle's Records & Tapes

ALASKA

Fairbanks	Arrow Appliance/Radio Shack
	Baker & Baker Booksellers

ARIZONA

Cottonwood	A & W Graphics Co.
Flagstaff	McGaugh's Newsstand
Lake Havasu City	Book Nook
Phoenix	Houle Books
	Little Professor Book Center
	Software, Etc. (2 Locations)
	TRI-TEK Computers
Sierra Vista	Livingston's Books, Inc.
Tempe	ASU Bookstore
	Arizona Small Computer Books, Etc.
	Computer Library
Tucson	Anderson News Co.
	Software, Etc.

ARKANSAS

Eldorado	Howard's Newstand
Fayetteville	Vaughn Electronics/Radio Shack
Ft. Smith	Hot Off the Press Newsstand
Little Rock	Anderson News Co.

CALIFORNIA

Berkeley	Lyon Enterprises
Buena Park	Software, Etc.
Canoga Park	Software, Etc.
Citrus Heights	Software Plus
Hollywood	Levity Distributors
	Stef-Jen, Inc.
	Universal News Agency
La Jolla	Butler & Mayes Booksellers
Los Angeles	Center Fold Newsstand
	Circus of Books (2 Locations)
	Software, Etc.
Manhattan Beach	Software, Etc.
Marysville	Bookland
Napa	Bookends Bookstore
Northridge	Software, Etc.
Oakland	DeLauer's News Agency
Rancho Murieta	Software Plus
Redondo Beach	Software, Etc.
Sacramento	Deibert's Readerama
	Tower Magazine
San Francisco	Booksmith
	Bookworks
	Castro Kiosk
Santa Monica	Midnight Special Bookstore
	Software, Etc.
San Jose	Computer Literacy Bookshops
Santa Rosa	Sawyer's News, Inc.
Stockton	Harding Way News
	Paperbacks Unlimited
Sunnyvale	Computer Literacy
Torrance	El Camino College Bookstore

COLORADO

Aurora	Aurora Newsstand
Colorado Springs	Hathaway's
Denver	News Gallery
Glenwood Springs	The Book Train
Grand Junction	Readmore Book & Magazine
Longmont	City Newsstand

DELAWARE

Newark	Newark Newsstand

DISTRICT OF COLUMBIA

Washington, DC	Chronicles
	News Room
	World News, Inc.

FLORIDA

Boca Raton	Great American Book Co.
Clearwater	The Avid Reader
Dania	Dania News & Books
Davie	Software Plus More
Ft. Lauderdale	Bob's News & Book-Store
	Clarks Out of Town News
Gainesville	Paper Chase
Jacksonville	Book Co.
Merritt Island	The Open Door
North Miami Beach	Almar Bookstore
Panama City	Boyd-Ebert Corp.
Pensacola	Anderson News Co.
Pinellas Park	Wolf's Newsstand
South Pasadena	Poling Place Bookstore
Starke	Record Junction, Inc.
	Radio Shack Dealer
Sunrise	Sunny's at Sunset
Tallahassee	Anderson News Co.
	DuBey's News Center
Titusville	Computrac

GEORGIA

Atlanta	Border's
Bremen	Bremen Electronics/Radio Shack
Forest Park	Ellers News Center
Jesup	Radio Shack
Thomasville	Smokehouse Newsstand
Toccoa	Martin Music Radio Shack

IDAHO

Boise	Book Shelf, Inc.
Moscow	Johnson News Agency

ILLINOIS

Belleville	Software or Systems
Centralia	Books & Co., Inc.
Champaign	Bookmark
Chicago	B. Dalton Booksellers
Decatur	Book Emporium
	K-Mart Plaza
	Northgate Mall
East Moline	Book Emporium
Evanston	Norris Center Bookstore
Kewanee	Book Emporium
Lisle	Book Nook
Lombard	Empire Periodicals
Newton	Bill's TV Radio Shack
Paris	Book Emporium
Peoria	Book Emporium
	Sheridan Village
	Westlake Shopping Center
	Illinois News Service
Springfield	Book Emporium
	Sangamon Center North
	Town & Country Shopping Ctr.
Sunnyland	Book Emporium
West Frankfort	Paper Place
Wheeling	North Shore Distributors

INDIANA

Angola	D & D Electronics
	Radio Shack
Berne	White Cottage Electronics
Bloomington	Book Corner
Crawfordsville	Koch's Books
Dyer	Miles Books
Franklin	Gallery Book Shop
Ft. Wayne	Michiana News Service
Garrett	Finn News Agency, Inc.
Indianapolis	Bookland, Inc.
	Borders Bookshop
	Indiana News
	Southside News
Lebanon	Gallery Book Shop
Martinsville	Radio Shack
Nappanee	Richards K-40 Electronics
Richmond	Voyles News Agency, Inc.

IOWA

Davenport	Interstate Book Store
Des Moines	Thackery's Books, Inc.
Fairfield	Kramers Books & Gifts

KANSAS

Hutchinson	Crossroads, Inc.
Topeka	Palmer News, Inc.
Wellington	Dandy's/Radio Shack Dealer
Wichita	Lloyd's Radio

KENTUCKY

Hazard	Daniel Boone Gulf Mart
Henderson	Matt's News & Gifts
Hopkinsville	Hobby Shop
Louisville	Hawley-Cooke Booksellers (2 Locations)
Newport	Simon's Castle News

LOUISIANA

Baton Rouge	City News Stand
Lockport	TV Doctor/Radio Shack
New Orleans	Sidney's News Stand Uptown
Monroe	The Book Rack

MAINE

Bangor	Magazines, Inc.
Brockton	Voyager Bookstore
Caribou	Radio Shack
Oxford	Books-N-Things
Sanford	Radio Shack

MARYLAND

College Park	University Bookstore

MASSACHUSETTS

Boston	Eastern Newsstand
Cambridge	Out Of Town News
Ipswich	Ipswich News
Littleton	Computer Plus
Lynn	North Shore News Co.
Swansea	Newsbreak, Inc.

MICHIGAN

Allen Park	Book Nook, Inc.
Birmingham	Border's Book Shop
Durand	Robbins Electronics
E. Detroit	Merit Book Center
Hillsdale	Electronics Express/Radio Shack
Holland	Fris News Company
Kalamazoo	The Book Raft
Lowell	Lowell Electronics
Muskegon	The Eight Bit Corner
Niles	Michiana News Service
Perry	Perry Computers
Riverview	Riverview Book Store
Roseville	New Horizons Book Shop

MINNESOTA

Burnsville	Shinder's Burnsville
Crystal	Shinder's Crystal Gallery
Edina	Shinder's Leisure Lane
Minneapolis	Shinder's (2 Locations)
Minnetonka	Shinder's Ridge Square
Roseville	Shinder's Roseville
St. Paul	Shinder's Annex
	Shinder's Maplewood
	Shinder's St. Pauls

MISSOURI

Farmington	Ray's TV & Radio Shack
Flat River	Ray's TV & Radio Shack
Florissant	Book Brokers Unlimited
Jefferson City	Cowley Distributing
Kirksville	T&R Electronics
St. Louis	Book Emporium

NEBRASKA

Lincoln	Nebraska Bookstore
Omaha	Nelson News

NEVADA

Carson City	Bookcellar
Las Vegas	Hurley Electronics
	Steve's Books & Magazines

NEW HAMPSHIRE

Manchester	Bookwrights
West Lebanon	Verham News Corp.

NEW JERSEY

Atlantic City	Atlantic City News Agency
Cedar Knolls	Village Computer & Software

NEW MEXICO

Albuquerque	Page One Newsstand
Santa Fe	Downtown Subscription

NEW YORK

Amherst	Village Green-Buffalo Books
Brockport	Lift Bridge Book Shop, Inc.
Brooklyn	Cromland, Inc.
Elmira Heights	Southern Tier News Co., Inc.
Fredonia	On Line: Computer Access Center
Hudson Falls	G.A. West & Co.
Huntington	Oscar's Bookshop

NEW YORK (cont'd)

Johnson City	Unicorn Electronics
New York	Barnes & Noble—Sales Annex
	Coliseum Books
	Eastern Newsstand
	Grand Central Station, Track 37
	200 Park Ave., (Pan Am #1)
	55 Water Street
	World Trade Center #2
	First Stop News
	Idle Hours Bookstore
	International Smoke Shop
	Jonil Smoke
	Penn Book
	State News
	Walden Books
	World Wide Media Services
Rochester	Microcom Software
	Village Green
	World Wide News

NORTH CAROLINA

Cary	News Center in Cary Village
Chapel Hill	University News & Sundry
Charlotte	Newsstand Int'l
Hickory	C^2 Books & Comics
Jacksonville	Michele's, Inc.
Kernersville	K & S Newsstand
Lexington	Martin's News Stand
Marion	Boomers Rhythm Center
Winston-Salem	K & S Newsstand (3 Locations)
	Rainbow News Ltd.

OHIO

Akron	Churchill News & Tobacco
Canton	Little Professor Book Center
Chardon	Thrasher Radio & TV
Cincinnati	Cinsoft
Cleveland	Erieview News
Columbiana	Fidelity Sound & Electronics
Columbus	B5 Software
	Micro Center
	The Newsstand
Dayton	Books & Co.
	Wilke News
	Wright News & Books
Dublin	Book Barn
Fairborn	News-Readers
	Sandbox Micro Systems
	Wilke's University Shoppe
Findley	Open Book
Lakewood	Lakewood International News
Lima	Edu-Caterers
Miamisburg	Wilke News
Parma	Bookmark Newscenter
Warren	Book Nook, Inc.
Xenia	Fine Print Books
Youngstown	Plaza Book & Smoke Shop

OKLAHOMA

Taklequah	Thomas Sales, Inc. dba Radio Shack
Tulsa	Steve's Book Store

OREGON

Eugene	Libra Books — Book Mark
Portland	Fifth Avenue News
	Rich Cigar Store, Inc.
	Sixth & Washington News
Salem	Capitol News Center
	Checkmate Book

PENNSYLVANIA

Allentown	Owl Services
Altoona	Newborn Enterprises
Bryn Mawr	Bryn Mawr News
Feasterville	Global Books
King of Prussia	Gene's Books
Malvern	Personal Software
Reading	Smith's News & Card Center
Temple	Software Corner
West Chester	Chester County Book Co.
York	The Computer Center of York
	Tollgate Bookstore

RHODE ISLAND

Newport	Bellevue News

SOUTH CAROLINA

Charleston Hts.	Software Haus, Inc.
Clemson	Clemson Newsstand
Florence	Ray's #1
Greenville	Palmetto News Co.
Spartanburg	Software City

TENNESSEE

Brentwood	Bookworld #5
Chattanooga	Anderson News Co.
	Guild Books & Periodicals
Knoxville	Anderson News Co.
	Davis-Kidd Bookseller
Memphis	Computer Center
Nashville	Davis-Kidd Booksellers
	Mosko's Place
	R.M. Mills Bookstore
Smyrna	Delker Electronics

TEXAS

Big Spring	Poncho's News
Desoto	Maxwell Books
Elgin	The Homing Pigeon
Ft. Worth	Trinity News
Harlington	Book Mark

UTAH

Provo	Valley Book Center

VIRGINIA

Danville	K & S Newsstand
Hampton	Benders
Lynchburg	Self Serve Software
Norfolk	I-O Computers
	Turn The Page
Richmond	Volume I Bookstore

WASHINGTON

Port Angeles	Port Book & News
Seattle	Bulldog News

WEST VIRGINIA

Huntington	Nick's News
Madison	Communications, LTD
Parkersburg	Valley News Service
South Charleston	Spring Hill News

WISCONSIN

Appleton	Badger Periodicals
Cudahy	Cudahy News & Hobby
Kenosha	R.K. News, Inc.
Madison	Pic A Book
	University Bookstore
Milwaukee	Juneau Village Reader
Waukesha	Holt Variety

ARGENTINA

Cordoba	Information Telecommunications

AUSTRALIA

Blaxland	Blaxland Computers
Kingsford	Paris Radio Electronics

CANADA:
ALBERTA

Banff	Banff Radio Shack
Bonnyville	Paul Tercier
Brooks	Double "D" A.S.C. Radio Shack
Calgary	Billy's News
Claresholm	Radio Shack Associated Stores
Drayton Valley	Langard Electronics
Edmonton	CMD Micro
Fairview	D.N.R. Furniture & TV
Fox Creek	Fox City Color & Sound
	A.S.C. Radio Shack
Ft. Saskatchewan	Ft. Mall Radio Shack, ASC
Grande Cache	The Stereo Hut
Grande Centre	The Book Nook
Hinton	Jim Cooper
Innisfail	L & S Stereo
Leduc	Radio Shack Associated Stores
Lethbridge	Datatron
Lloydminster	Lloyd Radio Shack
Okotoks	Okotoks Radio Shack
Peace River	Radio Shack Associated Stores
	Tavener Software
St. Paul	Walter's Electronics
Stettler	Stettler Radio Shack
Strathmore	Wheatland Electronics
Taber	Pynewood Sight & Sound
Westlock	Westlock Stereo
Wetaskiwin	Radio Shack

BRITISH COLUMBIA

Burnaby	Compulit
Burns Lake	VT. Video Works
Campbell River	TRS Electronics

BRITISH COLUMBIA (cont'd)

Chilliwack	Charles Parker
Coquitlam	Cody Books LTD
Coortenay	Rick's Music & Stereo
Dawson Creek	Bell Radio & TV
Golden	Taks Home Furnishings
Langley	Langley Radio Shack
Nelson	Oliver's Books
New Westminster	Cody Books LTD
Parksville	Parksville TV
Penticton	D.J.'s
	Four Corner Grocery
Sidney	Sidney Electronics
Smithers	Wall's Home Furniture
Squamish	Kotyk Electronics
Vancouver	Active Components
	Friendlyware Computers
	Granville Book Co.
	Siliconnections Books LTD
100 Mile House	Tip Top Radio & TV

MANITOBA

Altona	L.A. Wiebr Ltd.
Lundar	Goranson Elec.
Morden	Central Sound
The Pas	Jodi's Sight & Sound
Selkirk	G.L. Enns Elec.
Steinback	Frey Ent/Radio Shack
Virden	Archer Enterprises

NEW BRUNSWICK

Moncton	Jeffries Enterprises
Sussex	Dewitt Elec.

NEWFOUNDLAND

Botwood	Seaport Elec.
Carbonear	Slade Realties
Labrador City	N.P. Investments (Mall Drugs)

NOVA SCOTIA

Halifax	Atlantic News

ONTARIO

Angus	Micro Computer Services
Aurora	Compu Vision
Concord	Ingram Software
Exceter	J. Macleane & Sons
Hanover	Modern Appliance Centre
Huntsville	Huntsville Elec.
Kenora	Donny "B"
Kingston	T.M. Computers
Listowel	Modern Appliance Centre
South River	Max TV
	Dennis TV
Toronto	Gordon and Gotch

QUEBEC

LaSalle	Messageries de Presse Benjamin Enr.
Pont. Rouge	Boutique Bruno Laroche

SASKATCHEWAN

Assiniboia	Telstar News
Estevan	Kotyk Electronics
Moose Jaw	D&S Computer Place
Nipiwan	Cornerstone Sound
Regina	Regina CoCo Club
	Software Supermarket
Saskatoon	Everybody's Software Library
Shellbrooke	Gec. Laberge Radio Shack
Tisdale	Paul's Service
Unity	Grant's House of Sound

YUKON

Whitehorse	H & O Holdings

JAPAN

Tokyo	America Ado, Inc.

PUERTO RICO

East Isla Verde	The Color Computer Store

Also available at all B. Dalton Booksellers, and selected Coles and W.H. Smith in Canada, Waldenbooks, Pickwick Books, Encore Books, Barnes & Noble, Little Professors, Tower Book & Records, Kroch's & Brentano's, and Community Newscenters.

Advertisers Index

We encourage you to patronize our advertisers — all of whom support the Tandy Color Computer. We will appreciate your mentioning* THE RAINBOW *when you contact these firms.

Alpha Products 21
Alpha Software Technologies ...95
Burke & Burke 35
CRC/Disto.....41
Cer-Comp Ltd.....53
Colorware 19
Computer Island 101
Computer Plus 3
D.P. Johnson 123
Danosoft 45
Dayton Associates of W. R. Hall, Inc. 97
Dr. Preble's Programs 111
Frank Hogg Laboratories 81
Game Point Software 43, 109
Gimmesoft 47
Granite Computer Systems 16
HawkSoft, Inc. 119
Howard Medical .....130, IBC
JR & JR Softstuff 119
JWT Enterprises 77
Ken-Ton Electronics 101
Metric Industries 37
MichTron .....BC
Microcom Software 7, 9, 11, 13, 15, 17
Microtech Consultants Inc. 59
Oblique Triad 73
Orion Technologies 65
Owl-Ware 69, 70, 71
Perry Computers 23
Questron 73
RAINBOWfest 82, 83
Rainbow Gift Subscription 89
Rainbow on Tape & Disk .....IFC
Rulaford Research 8
SD Enterprises 25
Second City Software 129
Simply Better Software 55
Spectrosystems 57
SPORTSware 125
Sugar Software 51
Sundog Systems 121
T & D Software 29, 63, 115
Tandy/Radio Shack 33
Tepco 79
Tothian Software 34
True Data Products 49
Vidicom Corporation 77
Zebra Systems 31

☒ **Call:**
Belinda Kirby
Advertising Representative
(502) 228-4497

☐ **Call:**
Kim Vincent
Advertising Representative
(502) 228-4492



The Falsoft Building
9509 U.S. Highway 42
P.O. Box 385
Prospect, KY 40059

FAX (502) 228-5121



"What if...

all CoCo music software programs were this good?"

UltiMusE III (the Ultimate Music Editor, CoCo III) is a MIDI 'Notation Sequencer'. It lets you write and edit sheet music on a 640x192 graphics screen using the mouse, play it on ANY MIDI-equipped synthesizer(s), and print out the score... Written by an experienced computer professional who is also a serious amateur musician and composer. With **UltiMuse III**, there is no more 'faking' to play what you want to hear! Perfect for the trained musician, **UltiMusE III**'s natural notation also helps a beginner to copy a favorite piece of sheet music just as it looks. Why should your music sound like a machine? **UltiMusE III** has a wide pitch range, from 4 octaves below Middle C to over 3 above. Each staff has a 4-octave range centered on one of four clefs - Treble, Guitar, Bass, and Double Bass. Staff placement, clefs, and part and MIDI channel assignments can ALL be edited... Professional software should use a professional Operating System. **UltiMusE III** uses the advanced features of OS-9 Level II and does not interfere with its windowing and multi-tasking in any way.

SYSTEM REQUIREMENTS

CoCo III with at least 256K memory & OS-9 Level II
Mouse or Joystick. Hi-Res Joystick Adapter recommended
Synthesizer(s) with MIDI-In jack, plus serial cable
Tandy Dot Matrix Printer and a MIDI Interface Pak & Multi-Pak Interface are optional

UltiMusE III $54.95

CASIO MT-240 MIDI KEYBOARD $149.95
A/C POWER ADAPTER $14.95
SERIAL TO MIDI CABLE $19.95

Start OS-9 (Book & Disk)	$32.95
Basic Screen Editor	$19.95
Check-09MV	$25.95
A-DOS 3	$34.95
Ram Disk Lightning	$16.95
BackUp Lightning	$16.95
Printer Lightning	$16.95

$19.95 SUMMER SPECIAL
- BUY ONE, GET ONE FREE! -

CoCo Calender Deluxe	Multi-Pak Crack
Schematic Drafting	OS-9 Solution
Processor	BlackJack Royale
Tape to Disk Utility	Fast Dupe II
Printer Font Generator	TelePatch
ColorMax3 Font Editor	Pyramix

NEW PRODUCTS FROM SCS

WORD SEARCH: **$22.95**
Word Search Generator Utility will create simple to complex Word Search puzzles. The whole family will enjoy generating their own puzzle. Word Search Generator Utility is ideal for newsletters or monthly flyers. Full printer and disk supported. 64k Disk

MORSE CW: **$19.95**
A complete Morse Code Totorial program for all CoCo's. 64k DISK

SPACE RAIDERS: **$16.95**
Fast action arcade game that will test your skill and reflexes! Program allows you to save or load in your high scores and is CoCo 1, 2 & 3 Compatible. 32k Disk

STARPIC UTILITY: **$19.95**
STARPIC PICTURE UTILITY will print PMODE pictures on your Star NX-1000 printer. STARPIC works within a Point 'N Click pull down menu environment. Loads in **ANY** /MAX extension picture file. Select different PMODE screens and even 'INVERT' your picture! 64k Disk

DMP-PIC UTILITY: **$19.95**
Same full features as STARPIC, but supports the Tandy DMP printers. 64k DISK

GEM-PIC UTILITY: **$19.95**
Same full features as STARPIC, but supports the Gemini-10, 10X & SG-10 Printers. 64k DISK

STAR*MAX: **$24.95**
Finally, an easy to use, full featured Color Print Utility for the Star NX-1000 Rainbow Printer. Print CoCoMax3 or ColorMax pictures in living color and bring your CoCo 3 screen to the printed page. 128k Disk

CGP*MAX: **$19.95**
Same basic program as StarMax, but, CGP-MAX is for your Tandy CGP-220 color printer. 128k Disk

THE NEWSPAPER PLUS **$48.95**
DeskTop Publishing for the CoCo 3? With the **ALL NEW** NEWSPAPER PLUS, you can create complete and sophisticated Banners, Headlines along with Text Columns and Graphics. NEWSPAPER PLUS allows for importing different pictures, fonts and fill patterns from disk for that pro-look. Comes complete with 22 fonts, 50 NewsArt pictures and fill patterns. 128k Disk
THE NEWSPAPER GRAPHICS DISK I **$19.95**
NewsArt A thru Z: 26 NEWSPAPER PLUS ClipArt Disks **$9.95** ea. / **$100** set

MASTER CARD - VISA
C.O.D. - MONEY ORDERS

ADD $2.50 SHIPPING
($4.50 FOREIGN) AND
AN ADDITIONAL $2.50
FOR C.O.D. ORDERS

Allow 1 to 3 weeks delivery

SECOND CITY SOFTWARE

P.O. BOX 72956
ROSELLE, IL
60172

ORDER
312-653-5610
BBS
312-307-1519



MAGNAVOX 8CM515 COLOR
- 80 Column
- Use with Coco, Tandy 1000's, IBM PC

CC-3 RGB cable 19.95 $269 (14 ship)



MAGNAVOX 7622 AMBER
- 80 Column
- Built in Speaker

$98 (7 ship)



DOUBLE DRIVE 0 +
- Two double side 360K Teac 55B
- Disto controller & cable

$310 (8 ship)

DRIVE 0 PLUS
- Double sided 360K MPI 52
- Disto Controller and cable

$178.45 (5 ship)



STAR NX-1000R COLOR
- Built in back tractor paper feed
- Joe Walker Star Max Color printer driver and SP-C converter add $40

$249 (5 ship)



PAL UPGRADE PAL - 1 or 2

Makes multi-pack interface work with CoCo 3. Specify 26-3024 or 26-3124. $14.95 (2 ship)

A. DISTO 3 in 1 Board	$59.45
B. DISTO MEB	$30.00
C. DISTO RS-232	$49.95



20,000,000 Bytes or the equivalent to 125 R.S. 501's on line are packed into this hard drive, pre installed and ready to run. This complete, easy to use package includes a Seagate 20 Meg Hard Drive, a DTC 5150 Controller and interface,* heavy duty case & power supply, and a 1 year warranty. This 20 meg Hard Drive will also work with Tandy and IBM clones. Basic driver, $29.95, lets you access this hard drive without need for OS-9. New Case with FAN.

(9 ship)

HD-1 20 Meg	$499
HD-2 30 Meg	$549
HD-3 40 Meg	$598

*Burke & Burke

30 Day Money Back Guarantee

Howard Medical's 30-day guarantee is meant to eliminate the uncertainty of dealing with a company through the mail. Once you receive our hardware, try it out; test it for compatability. If you're not happy with it for any reason, return it in 30 days and we'll give your your money back (less shipping.) Shipping charges are for 48 states. APO, Canada and Puerto Rico orders are higher.



VIDEO AMPLIFIER VA-1

required in CoCo 1 or 2 to drive monitor $29.45 (2 ship)

Howard Medical Computers
1690 N. Elston
Chicago, Illinois 60622

Order Status and Inquiries
312-278-1440

Show Room Hours
8:00 - 5:00 M-F
10:00 - 3:00 Sat.

Order Line
800-443-1444

STAR NX 1000

- Dot Matrix; 144 CPS
- Back Tractor & Friction Feed

Needs SP-C **$189** (5 ship)



RS 1.1 DOS

- ROM Chip for Disk Controller
- Works for CoCo 2 or 3

$25 (2 ship)



TEAC 55B

- 360K Double Sided Half Ht. Floppy
- Fits R.S. 501

$98 (2 ship)



HOWARD SP-C

- Serial to Parallel Converter
- Connect CoCo to Parallel Printer

$68.45 (2 ship)



RICOH RF800

- Group 3 & 2 Compatible
- 200 by 200 Resolution

$695 (7 ship)

BROTHER M-11 PRINTER

- Built-in Serial & Parallel Interface
- Dot Matrix: Tractor/Fricton Feed

$156 (5 ship)



DISTO DC-3

- Original Disto Controller
- 2 ROM Slots; Gold Platted Contacts

$98 (2 ship)



MICRO WORKS DIGITIZER

- DS-69B Color 1.5 Second/Picture **$150**
- DS-69 B&W 2 Second/Picture **$100**



MEMORY

- 512K Bare Board $40
- Populated 512K & Software $119
- 64K 8 Chip for CoCo 2 $30

DISTO DC-7

- Mini Disk Controller for CoCo 1, 2, 3
- Includes RS 1.1. Modifyed to access DS Drives **$75** (2 ship)

Y CABLE **$28**

WORD PAK - RS **$49**

Howard Medical Computers
1690 N. Elston
Chicago, Illinois 60622

Order Status and Inquiries
312-278-1440

Master Card • Visa • Discover
American Express
C.O.D. • School P.O.'s

Order Line
800-443-1444

Slots & Cards

VGA Graphics Depicted





Did you ever dream of visiting VEGAS, but you weren't sure what to expect — or if you would be able to afford it? Well, now you can play your favorite slot machine, or sit down at the blackjack table without even leaving the comfort of your home. Browse through different style slot machines (many different Multiplier slots). Visit the change booth if - or is that when? - you run out of cash, without feeling a pain in your wallet. Walk around the corner and sit down at any of a number of different style card games. Enjoy video five card draw poker - where it takes jacks or better to win. Or play Blackjack against the ever treacherous house dealer. Play Hi-Low and wager the max every chance you get. Do you like Keno? If so, choose your numbers, then sit back and wait to see if they are drawn!

All versions display vivid true to VEGAS graphics. Whatever your game, Slots & Cards has it for you! Slots & Cards is available for the IBM PC & Compatibles, Commodore Amiga, Atari ST and the CoCo III.

See your local dealer for orders and information or call us directly

microdeal®

576 S. Telegraph
Pontiac, MI 48053
☎ (313) 334-5700